MO.gov

Governor Parson

2022 Missouri Student Survey County Reports

2022

Adair County
Andrew County
Atchison County
Audrain County
Barry County
Barton County
Bates County
Benton County
Bollinger County
Boone County

Camden County
Cape Girardeau County
Carroll County

Butler County

Caldwell County

Callaway County

Carter County
Cass County
Cedar County
Chariton County
Christian County
Clark County
Clay County
Clinton County
Cole County

Cooper County

Grundy County
Harrison County
Henry County
Hickory County
Holt County
Howard County
Howell County
Iron County

Jackson County

Jasper County

Jefferson County
Johnson County
Knox County
Laclede County
Lafayette County
Lawrence County

Lewis County
Lincoln County
Linn County
Livingston County
Macon County
Madison County

Maries County
Marion County
McDonald County
Mercer County
Miller County

Pemiscot County

Perry County
Pettis County
Phelps County
Pike County

Platte County
Polk County
Pulaski County

Putnam County
Ralls County

Randolph County

Ray County

Reynolds County
Ripley County
Saline County
Schuyler County
Scotland County
Scott County

Scott County
Shannon County
Shelby County
St. Charles County
St. Clair County
St. Francois County
St. Louis (City) County

St. Louis County

Ste. Genevieve County

Stoddard County

Crawford County
Dade County
Dallas County
Daviess County
DeKalb County
Dent County
Douglas County
Dunklin County
Franklin County
Gasconade County
Gentry County

Mississippi County
Moniteau County
Monroe County
Montgomery County
Morgan County
New Madrid County
Newton County
Nodaway County
Oregon County
Osage County
Ozark County

Stone County
Sullivan County
Taney County
Texas County
Vernon County
Warren County
Washington County
Wayne County
Webster County
Worth County
Wright County

2022 Missouri Student Survey Adair



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	445	1804	36
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	35.4%	12.9%	37.1%
Grade level. 7th Grade	24.6%	11.8%	32.6%
Grade level. 8th Grade	28.6%	11.6%	27.3%
Grade level. 9th Grade	5.1%	14.7%	3.0%
Grade level. 10th Grade	0.0%	14.9%	0.0%
Grade level. 11th Grade	6.3%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	0.0%
Male	47.2%	49.9%	47.7%
Hispanic or Latino	6.4%	5.5%	0.0%
Race: Black or African American	2.2%	13.5%	3.9%
Race: White	76.0%	81.6%	90.7%
Race: Other*	21.8%	4.9%	5.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.4%	3.2%	7.6%
Used electronic cigarettes	6.8%	11.0%	6.9%
Used hookahs or water pipes	0.6%	1.1%	0.0%
Used alcohol	6.8%	14.9%	6.2%
Used marijuana	2.9%	7.5%	0.0%
Used inhalants	1.1%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	18.3%
Used `OTC` to get high	1.7%	0.7%	0.0%
Used synthetic drugs	1.1%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.1%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	27.5%	33.8%	20.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.9%	10.2%	3.0%
Rode with someone who was drinking alcohol	10.9%	15.4%	13.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.2%	14.2%	17.6%
Posted something online or sent a text that might embarrass or hurt another student	14.6%	17.3%	7.6%
Made fun of other people	38.8%	43.9%	43.2%
Hit, shoved or pushed another student and were not just fooling around	14.0%	14.0%	19.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.6%	17.9%	12.9%
Been threatened or injured with a weapon on school property	8.9%	7.9%	6.9%
Seriously considered suicide	14.6%	11.0%	4.5%
Planned suicide	12.9%	8.4%	0.0%
Attempted suicide	6.7%	4.3%	3.0%
Depression Scale (% often or always in Past Month)			
Were very sad	28.7%	27.7%	21.4%
Were grouchy or irritable, or in a bad mood	33.1%	35.5%	31.8%
Felt hopeless about the future	18.4%	15.5%	9.1%
Felt like not eating or eating more than usual	27.4%	24.3%	19.5%
Felt like sleeping a lot more or a lot less than usual	37.4%	37.6%	18.2%
Had difficulty concentrating on school work	34.1%	37.4%	17.4%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.0%	93.8%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.7%	94.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 96.0%	92.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	97.1%	93.4%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 84.4%	81.0%	90.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.1%	75.9%	87.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.4%	71.1%	95.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	89.7%	92.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	25.4%	34.9%	24.0%
'Very' or 'sort of easy' to get e-cigarettes	28.1%	45.5%	24.2%
'Very' or 'sort of easy' to get alcohol	32.2%	50.8%	35.2%
'Very' or 'sort of easy' to get marijuana	14.7%	33.9%	12.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.9%	19.9%	7.8%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.9%	7.1%	3.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.9%	15.2%	9.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	11.2%	20.0%	10.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.9%	17.4%	6.1%

Со	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	28.2%	33.3%	14.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 14.7%	18.0%	13.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.1%	44.5%	28.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.3%	31.5%	31.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.3%	22.2%	8.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.6%	39.1%	12.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.6%	10.0%	3.0%
'No' or 'slight risk' if they use synthetic drugs	18.6%	16.1%	6.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.6%	21.7%	18.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.9%	10.8%	12.9%



Thank You!

2022 Missouri Student Survey Andrew



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	550	1804	928
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	20.8%	12.9%	20.6%
Grade level. 7th Grade	15.8%	11.8%	19.4%
Grade level. 8th Grade	16.1%	11.6%	14.6%
Grade level. 9th Grade	9.0%	14.7%	13.0%
Grade level. 10th Grade	12.2%	14.9%	12.1%
Grade level. 11th Grade	16.1%	15.8%	11.3%
Grade level. 12th Grade	10.0%	18.2%	8.9%
Male	48.4%	49.9%	49.0%
Hispanic or Latino	1.8%	5.5%	1.6%
Race: Black or African American	0.7%	13.5%	2.0%
Race: White	87.9%	81.6%	96.0%
Race: Other*	11.4%	4.9%	2.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.5%	3.2%	4.8%
Used electronic cigarettes	8.4%	11.0%	15.4%
Used hookahs or water pipes	1.1%	1.1%	1.3%
Used alcohol	10.3%	14.9%	14.9%
Used marijuana	4.4%	7.5%	5.9%
Used inhalants	0.4%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	1.8%	0.9%	7.0%
Used `OTC` to get high	1.5%	0.7%	1.9%
Used synthetic drugs	0.4%	1.0%	1.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.5%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.4%	1.1%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.2%	33.8%	28.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.8%	10.2%	6.0%
Rode with someone who was drinking alcohol	15.4%	15.4%	16.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	17.9%	14.2%	18.5%
Posted something online or sent a text that might embarrass or hurt another student	18.3%	17.3%	14.8%
Made fun of other people	44.8%	43.9%	46.0%
Hit, shoved or pushed another student and were not just fooling around	11.1%	14.0%	12.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.3%	17.9%	16.4%
Been threatened or injured with a weapon on school property	6.1%	7.9%	7.6%
Seriously considered suicide	14.0%	11.0%	9.3%
Planned suicide	10.1%	8.4%	8.5%
Attempted suicide	4.3%	4.3%	5.2%
Depression Scale (% often or always in Past Month)			
Were very sad	29.6%	27.7%	27.7%
Were grouchy or irritable, or in a bad mood	38.0%	35.5%	36.5%
Felt hopeless about the future	12.9%	15.5%	18.1%
Felt like not eating or eating more than usual	27.6%	24.3%	26.5%
Felt like sleeping a lot more or a lot less than usual	38.4%	37.6%	35.1%
Had difficulty concentrating on school work	32.6%	37.4%	35.3%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.9%	93.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.4%	94.5%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.1%	92.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	97.1%	96.4%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	85.4%	81.0%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.3%	75.9%	77.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.6%	71.1%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	89.7%	89.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	26.9%	34.9%	37.2%
'Very' or 'sort of easy' to get e-cigarettes	40.3%	45.5%	46.4%
'Very' or 'sort of easy' to get alcohol	43.9%	50.8%	47.8%
'Very' or 'sort of easy' to get marijuana	18.3%	33.9%	30.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.8%	19.9%	22.8%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.5%	7.1%	8.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.5%	15.2%	29.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.5%	20.0%	27.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.8%	17.4%	24.4%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	22.3%	33.3%	27.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 14.0%	18.0%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.8%	44.5%	38.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.1%	31.5%	30.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.5%	22.2%	20.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.2%	39.1%	30.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.0%	10.0%	9.2%
'No' or 'slight risk' if they use synthetic drugs	12.9%	16.1%	15.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.0%	21.7%	22.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.2%	10.8%	12.9%



Thank You!

2022 Missouri Student Survey Atchison



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	224	1804	86
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	18.2%	12.9%	31.0%
Grade level. 7th Grade	16.7%	11.8%	16.7%
Grade level. 8th Grade	15.2%	11.6%	21.4%
Grade level. 9th Grade	10.6%	14.7%	21.4%
Grade level. 10th Grade	12.1%	14.9%	2.4%
Grade level. 11th Grade	9.1%	15.8%	2.4%
Grade level. 12th Grade	18.2%	18.2%	4.8%
Male	48.4%	49.9%	45.2%
Hispanic or Latino	1.5%	5.5%	0.0%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	88.1%	81.6%	97.7%
Race: Other*	11.9%	4.9%	2.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.2%	3.2%	5.1%
Used electronic cigarettes	4.8%	11.0%	0.0%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	6.3%	14.9%	2.7%
Used marijuana	3.2%	7.5%	0.0%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	5.3%
Used `OTC` to get high	1.6%	0.7%	0.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.7%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	21.2%	33.8%	26.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.0%	10.2%	9.8%
Rode with someone who was drinking alcohol	9.5%	15.4%	13.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.2%	14.2%	20.9%
Posted something online or sent a text that might embarrass or hurt another student	10.6%	17.3%	11.9%
Made fun of other people	42.4%	43.9%	34.9%
Hit, shoved or pushed another student and were not just fooling around	12.1%	14.0%	14.3%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.6%	17.9%	23.8%
Been threatened or injured with a weapon on school property	4.5%	7.9%	9.5%
Seriously considered suicide	10.6%	11.0%	9.5%
Planned suicide	4.6%	8.4%	9.3%
Attempted suicide	3.0%	4.3%	7.1%
Depression Scale (% often or always in Past Month)			
Were very sad	26.2%	27.7%	25.6%
Were grouchy or irritable, or in a bad mood	29.2%	35.5%	38.1%
Felt hopeless about the future	15.4%	15.5%	12.2%
Felt like not eating or eating more than usual	21.2%	24.3%	20.9%
Felt like sleeping a lot more or a lot less than usual	27.3%	37.6%	27.9%
Had difficulty concentrating on school work	29.2%	37.4%	25.6%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.3%	93.8%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.6%	94.5%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 94.8%	92.5%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.3%	97.1%	100.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 84.8%	81.0%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.3%	75.9%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.1%	71.1%	87.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	89.7%	92.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.8%	34.9%	32.6%
'Very' or 'sort of easy' to get e-cigarettes	32.3%	45.5%	32.6%
'Very' or 'sort of easy' to get alcohol	40.6%	50.8%	37.2%
'Very' or 'sort of easy' to get marijuana	18.8%	33.9%	19.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.9%	19.9%	19.0%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.6%	7.1%	4.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.6%	15.2%	16.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.7%	20.0%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	10.6%	17.4%	11.6%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	25.0%	33.3%	19.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.5%	18.0%	7.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.5%	44.5%	36.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.4%	31.5%	35.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.9%	22.2%	17.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.8%	39.1%	15.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.4%	10.0%	9.8%
'No' or 'slight risk' if they use synthetic drugs	16.9%	16.1%	12.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.3%	21.7%	17.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.9%	10.8%	7.5%



Thank You!

2022 Missouri Student Survey Audrain



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	921	1804	46
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.3%	12.9%	0.0%
Grade level. 7th Grade	13.5%	11.8%	0.0%
Grade level. 8th Grade	15.8%	11.6%	0.0%
Grade level. 9th Grade	17.6%	14.7%	46.5%
Grade level. 10th Grade	13.5%	14.9%	2.1%
Grade level. 11th Grade	12.2%	15.8%	49.2%
Grade level. 12th Grade	11.2%	18.2%	2.3%
Male	45.7%	49.9%	46.3%
Hispanic or Latino	3.1%	5.5%	3.1%
Race: Black or African American	6.3%	13.5%	0.0%
Race: White	80.7%	81.6%	94.9%
Race: Other*	13.1%	4.9%	5.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	4.4%	3.2%	22.1%
Used electronic cigarettes	13.7%	11.0%	34.6%
Used hookahs or water pipes	1.8%	1.1%	0.0%
Used alcohol	12.0%	14.9%	46.1%
Used marijuana	6.8%	7.5%	6.5%
Used inhalants	1.6%	0.8%	4.3%
Used Rx not prescribed for you by a doctor	1.6%	0.9%	6.5%
Used `OTC` to get high	1.3%	0.7%	2.2%
Used synthetic drugs	0.8%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.8%	0.3%	4.8%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.1%	1.1%	5.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.5%	0.2%	2.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	37.2%	33.8%	28.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	12.3%	10.2%	2.0%
Rode with someone who was drinking alcohol	13.0%	15.4%	26.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.5%	14.2%	36.0%
Posted something online or sent a text that might embarrass or hurt another student	17.3%	17.3%	41.4%
Made fun of other people	42.0%	43.9%	73.8%
Hit, shoved or pushed another student and were not just fooling around	15.2%	14.0%	16.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.0%	17.9%	25.0%
Been threatened or injured with a weapon on school property	8.3%	7.9%	15.1%
Seriously considered suicide	16.4%	11.0%	12.4%
Planned suicide	12.7%	8.4%	12.5%
Attempted suicide	9.1%	4.3%	8.2%
Depression Scale (% often or always in Past Month)			
Were very sad	36.1%	27.7%	33.0%
Were grouchy or irritable, or in a bad mood	40.6%	35.5%	49.6%
Felt hopeless about the future	20.6%	15.5%	16.6%
Felt like not eating or eating more than usual	30.9%	24.3%	33.5%
Felt like sleeping a lot more or a lot less than usual	41.0%	37.6%	49.2%
Had difficulty concentrating on school work	41.6%	37.4%	42.9%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	93.8%	86.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.2%	94.5%	73.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	92.5%	91.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.5%	97.1%	98.0%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	80.1%	81.0%	53.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.9%	75.9%	40.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.4%	71.1%	76.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	89.7%	89.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.0%	34.9%	69.7%
'Very' or 'sort of easy' to get e-cigarettes	42.7%	45.5%	72.1%
'Very' or 'sort of easy' to get alcohol	42.3%	50.8%	80.9%
'Very' or 'sort of easy' to get marijuana	27.9%	33.9%	32.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.9%	19.9%	10.2%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.1%	7.1%	17.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	15.2%	46.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.4%	20.0%	56.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.9%	17.4%	19.1%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.0%	33.3%	42.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	22.9%	18.0%	20.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.6%	44.5%	59.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.5%	31.5%	51.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.3%	22.2%	40.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.5%	39.1%	39.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.4%	10.0%	9.2%
'No' or 'slight risk' if they use synthetic drugs	18.0%	16.1%	9.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.6%	21.7%	17.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	17.1%	10.8%	11.3%



Thank You!

2022 Missouri Student Survey Barry



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	157	1804	493
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	26.1%	12.9%	26.8%
Grade level. 7th Grade	28.8%	11.8%	15.9%
Grade level. 8th Grade	45.2%	11.6%	17.9%
Grade level. 9th Grade	0.0%	14.7%	14.6%
Grade level. 10th Grade	0.0%	14.9%	9.3%
Grade level. 11th Grade	0.0%	15.8%	8.1%
Grade level. 12th Grade	0.0%	18.2%	7.3%
Male	58.3%	49.9%	49.9%
Hispanic or Latino	10.9%	5.5%	6.6%
Race: Black or African American	0.0%	13.5%	0.3%
Race: White	69.3%	81.6%	93.5%
Race: Other*	30.7%	4.9%	6.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.0%	3.2%	7.9%
Used electronic cigarettes	4.4%	11.0%	11.7%
Used hookahs or water pipes	0.4%	1.1%	0.8%
Used alcohol	6.9%	14.9%	10.9%
Used marijuana	1.4%	7.5%	5.2%
Used inhalants	1.4%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	1.0%	0.9%	6.8%
Used `OTC` to get high	0.4%	0.7%	2.6%
Used synthetic drugs	0.4%	1.0%	0.8%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.4%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.3%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.4%	1.1%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	50.3%	33.8%	37.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	18.0%	10.2%	7.2%
Rode with someone who was drinking alcohol	15.6%	15.4%	14.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	8.3%	14.2%	17.1%
Posted something online or sent a text that might embarrass or hurt another student	12.3%	17.3%	10.9%
Made fun of other people	38.1%	43.9%	39.1%
Hit, shoved or pushed another student and were not just fooling around	20.4%	14.0%	17.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	24.3%	17.9%	22.0%
Been threatened or injured with a weapon on school property	9.8%	7.9%	7.7%
Seriously considered suicide	9.3%	11.0%	9.8%
Planned suicide	7.4%	8.4%	10.5%
Attempted suicide	3.8%	4.3%	7.9%
Depression Scale (% often or always in Past Month)			
Were very sad	34.3%	27.7%	24.6%
Were grouchy or irritable, or in a bad mood	40.4%	35.5%	33.8%
Felt hopeless about the future	20.2%	15.5%	13.3%
Felt like not eating or eating more than usual	26.7%	24.3%	23.7%
Felt like sleeping a lot more or a lot less than usual	36.2%	37.6%	30.3%
Had difficulty concentrating on school work	20.0%	37.4%	23.6%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.1%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.9%	94.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	ina 99.6%	92.5%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.8%	97.1%	96.5%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	es 83.2%	81.0%	82.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.0%	75.9%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.8%	71.1%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.3%	89.7%	88.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	19.2%	34.9%	35.0%
'Very' or 'sort of easy' to get e-cigarettes	27.6%	45.5%	32.8%
'Very' or 'sort of easy' to get alcohol	27.2%	50.8%	38.5%
'Very' or 'sort of easy' to get marijuana	21.4%	33.9%	26.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.5%	19.9%	18.4%
Friends' perception of coolness (% reflects pretty cool + ve	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	2.2%	7.1%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	9.8%	15.2%	19.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	5.4%	20.0%	17.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.1%	17.4%	15.7%

Сог	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	20.8%	33.3%	32.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	y 13.8%	18.0%	20.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	29.1%	44.5%	39.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.3%	31.5%	38.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.6%	22.2%	28.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.9%	39.1%	34.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.6%	10.0%	13.9%
'No' or 'slight risk' if they use synthetic drugs	14.3%	16.1%	16.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.9%	21.7%	23.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	10.8%	15.2%



Thank You!

2022 Missouri Student Survey Barton



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	283	1804	63
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	9.9%	12.9%	48.1%
Grade level. 7th Grade	12.6%	11.8%	27.9%
Grade level. 8th Grade	16.8%	11.6%	24.0%
Grade level. 9th Grade	44.5%	14.7%	0.0%
Grade level. 10th Grade	5.8%	14.9%	0.0%
Grade level. 11th Grade	4.7%	15.8%	0.0%
Grade level. 12th Grade	5.8%	18.2%	0.0%
Male	49.2%	49.9%	48.5%
Hispanic or Latino	1.6%	5.5%	1.9%
Race: Black or African American	2.6%	13.5%	0.0%
Race: White	82.1%	81.6%	94.3%
Race: Other*	15.4%	4.9%	5.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.6%	3.2%	5.2%
Used electronic cigarettes	9.1%	11.0%	4.0%
Used hookahs or water pipes	1.6%	1.1%	0.0%
Used alcohol	9.6%	14.9%	3.0%
Used marijuana	2.7%	7.5%	5.9%
Used inhalants	0.0%	0.8%	4.0%
Used Rx not prescribed for you by a doctor	2.7%	0.9%	11.0%
Used `OTC` to get high	0.5%	0.7%	4.0%
Used synthetic drugs	0.5%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.5%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.5%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	27.5%	33.8%	36.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.7%	10.2%	2.9%
Rode with someone who was drinking alcohol	12.8%	15.4%	14.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.0%	14.2%	29.5%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	17.3%	13.3%
Made fun of other people	49.5%	43.9%	54.9%
Hit, shoved or pushed another student and were not just fooling around	13.8%	14.0%	21.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.4%	17.9%	21.2%
Been threatened or injured with a weapon on school property	7.2%	7.9%	13.5%
Seriously considered suicide	14.0%	11.0%	17.1%
Planned suicide	11.9%	8.4%	16.5%
Attempted suicide	6.2%	4.3%	6.9%
Depression Scale (% often or always in Past Month)			
Were very sad	32.5%	27.7%	33.0%
Were grouchy or irritable, or in a bad mood	39.9%	35.5%	37.9%
Felt hopeless about the future	18.6%	15.5%	18.4%
Felt like not eating or eating more than usual	30.1%	24.3%	29.1%
Felt like sleeping a lot more or a lot less than usual	37.1%	37.6%	36.9%
Had difficulty concentrating on school work	36.9%	37.4%	32.0%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.6%	93.8%	98.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	94.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.5%	92.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	97.1%	93.9%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	83.5%	81.0%	86.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.7%	75.9%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.2%	71.1%	87.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.7%	89.7%	90.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	31.1%	34.9%	29.7%
'Very' or 'sort of easy' to get e-cigarettes	40.4%	45.5%	27.7%
'Very' or 'sort of easy' to get alcohol	45.3%	50.8%	29.4%
'Very' or 'sort of easy' to get marijuana	26.3%	33.9%	15.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.4%	19.9%	31.3%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.6%	7.1%	3.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.9%	15.2%	5.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.4%	20.0%	12.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.8%	17.4%	6.7%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.0%	33.3%	19.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.2%	18.0%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.6%	44.5%	35.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.6%	31.5%	26.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.2%	22.2%	20.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.7%	39.1%	21.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.6%	10.0%	11.9%
'No' or 'slight risk' if they use synthetic drugs	18.0%	16.1%	7.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.3%	21.7%	27.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.3%	10.8%	11.9%



Thank You!

2022 Missouri Student Survey Bates



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	139	1804	54
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.1%	12.9%	24.5%
Grade level. 7th Grade	13.9%	11.8%	17.6%
Grade level. 8th Grade	22.1%	11.6%	23.4%
Grade level. 9th Grade	11.3%	14.7%	0.0%
Grade level. 10th Grade	14.3%	14.9%	18.6%
Grade level. 11th Grade	13.9%	15.8%	16.0%
Grade level. 12th Grade	12.6%	18.2%	0.0%
Male	47.4%	49.9%	49.7%
Hispanic or Latino	2.2%	5.5%	1.1%
Race: Black or African American	1.3%	13.5%	1.1%
Race: White	91.2%	81.6%	96.3%
Race: Other*	7.5%	4.9%	2.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	0.9%	3.2%	15.4%
Used electronic cigarettes	9.0%	11.0%	18.6%
Used hookahs or water pipes	0.0%	1.1%	2.4%
Used alcohol	9.4%	14.9%	23.3%
Used marijuana	4.8%	7.5%	11.6%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	2.2%	0.9%	7.2%
Used `OTC` to get high	0.0%	0.7%	2.8%
Used synthetic drugs	1.7%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.8%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.8%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	35.2%	33.8%	19.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.9%	10.2%	2.1%
Rode with someone who was drinking alcohol	12.8%	15.4%	22.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.7%	14.2%	20.3%
Posted something online or sent a text that might embarrass or hurt another student	9.9%	17.3%	10.4%
Made fun of other people	39.7%	43.9%	40.6%
Hit, shoved or pushed another student and were not just fooling around	14.7%	14.0%	16.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.9%	17.9%	26.6%
Been threatened or injured with a weapon on school property	9.5%	7.9%	8.3%
Seriously considered suicide	16.4%	11.0%	12.0%
Planned suicide	10.5%	8.4%	9.9%
Attempted suicide	5.7%	4.3%	2.1%
Depression Scale (% often or always in Past Month)			
Were very sad	24.6%	27.7%	19.7%
Were grouchy or irritable, or in a bad mood	33.9%	35.5%	35.9%
Felt hopeless about the future	13.6%	15.5%	8.6%
Felt like not eating or eating more than usual	18.5%	24.3%	21.9%
Felt like sleeping a lot more or a lot less than usual	30.5%	37.6%	30.2%
Had difficulty concentrating on school work	32.7%	37.4%	17.8%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.8%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.3%	94.5%	87.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	ina 95.0%	92.5%	96.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	97.1%	96.8%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	es 83.0%	81.0%	87.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.9%	75.9%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.0%	71.1%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	89.7%	89.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	33.0%	34.9%	46.4%
'Very' or 'sort of easy' to get e-cigarettes	38.7%	45.5%	49.0%
'Very' or 'sort of easy' to get alcohol	46.4%	50.8%	55.5%
'Very' or 'sort of easy' to get marijuana	12.2%	33.9%	31.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	13.9%	19.9%	25.0%
Friends' perception of coolness (% reflects pretty cool + ve	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.0%	7.1%	12.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.3%	15.2%	18.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.9%	20.0%	24.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.8%	17.4%	20.2%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	24.7%	33.3%	38.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.9%	18.0%	25.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.5%	44.5%	50.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.8%	31.5%	43.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.7%	22.2%	37.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.7%	39.1%	35.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.1%	10.0%	13.6%
'No' or 'slight risk' if they use synthetic drugs	15.3%	16.1%	19.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	21.7%	45.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	10.8%	17.4%



Thank You!

2022 Missouri Student Survey Benton



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Bollinger



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	80	1804	300
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	21.7%	12.9%	15.5%
Grade level. 7th Grade	19.7%	11.8%	5.7%
Grade level. 8th Grade	0.0%	11.6%	8.3%
Grade level. 9th Grade	19.7%	14.7%	15.5%
Grade level. 10th Grade	14.6%	14.9%	25.8%
Grade level. 11th Grade	14.0%	15.8%	15.9%
Grade level. 12th Grade	10.2%	18.2%	13.3%
Male	47.9%	49.9%	48.9%
Hispanic or Latino	1.2%	5.5%	0.8%
Race: Black or African American	0.0%	13.5%	0.8%
Race: White	95.8%	81.6%	97.7%
Race: Other*	4.2%	4.9%	1.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.7%	3.2%	16.4%
Used electronic cigarettes	17.9%	11.0%	19.6%
Used hookahs or water pipes	3.6%	1.1%	1.6%
Used alcohol	16.7%	14.9%	19.8%
Used marijuana	4.8%	7.5%	4.3%
Used inhalants	1.2%	0.8%	1.2%
Used Rx not prescribed for you by a doctor	2.5%	0.9%	9.5%
Used `OTC` to get high	1.3%	0.7%	3.9%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	1.3%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.4%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.5%	1.1%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.3%	0.2%	0.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	47.3%	33.8%	42.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.2%	10.2%	6.1%
Rode with someone who was drinking alcohol	17.3%	15.4%	18.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	10.1%	14.2%	21.9%
Posted something online or sent a text that might embarrass or hurt another student	15.6%	17.3%	23.7%
Made fun of other people	41.3%	43.9%	56.7%
Hit, shoved or pushed another student and were not just fooling around	15.6%	14.0%	24.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.0%	17.9%	23.0%
Been threatened or injured with a weapon on school property	4.2%	7.9%	8.3%
Seriously considered suicide	11.4%	11.0%	9.1%
Planned suicide	3.0%	8.4%	9.3%
Attempted suicide	3.0%	4.3%	5.7%
Depression Scale (% often or always in Past Month)			
Were very sad	25.0%	27.7%	27.5%
Were grouchy or irritable, or in a bad mood	34.1%	35.5%	40.3%
Felt hopeless about the future	15.6%	15.5%	18.0%
Felt like not eating or eating more than usual	21.6%	24.3%	24.9%
Felt like sleeping a lot more or a lot less than usual	28.0%	37.6%	34.6%
Had difficulty concentrating on school work	33.5%	37.4%	30.6%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.4%	93.8%	81.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.7%	94.5%	83.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 90.6%	92.5%	89.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	97.1%	92.3%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 72.7%	81.0%	69.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.2%	75.9%	58.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.2%	71.1%	73.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.2%	89.7%	86.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	39.3%	34.9%	54.5%
'Very' or 'sort of easy' to get e-cigarettes	36.7%	45.5%	53.2%
'Very' or 'sort of easy' to get alcohol	35.3%	50.8%	60.2%
'Very' or 'sort of easy' to get marijuana	24.6%	33.9%	38.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.8%	19.9%	29.8%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	15.2%	7.1%	13.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.4%	15.2%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.8%	20.0%	31.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.6%	17.4%	22.4%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.1%	33.3%	38.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /c	day 22.2%	18.0%	28.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.3%	44.5%	47.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	45.6%	31.5%	48.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	46.3%	22.2%	35.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.7%	39.1%	34.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.0%	10.0%	13.5%
'No' or 'slight risk' if they use synthetic drugs	14.2%	16.1%	15.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	21.7%	23.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.0%	10.8%	18.0%



Thank You!

2022 Missouri Student Survey Boone



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	604	1804	911
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	8.7%	12.9%	29.5%
Grade level. 7th Grade	21.9%	11.8%	32.2%
Grade level. 8th Grade	20.3%	11.6%	27.7%
Grade level. 9th Grade	6.8%	14.7%	4.3%
Grade level. 10th Grade	25.4%	14.9%	4.1%
Grade level. 11th Grade	9.8%	15.8%	1.4%
Grade level. 12th Grade	7.1%	18.2%	0.9%
Male	52.4%	49.9%	49.7%
Hispanic or Latino	5.7%	5.5%	1.9%
Race: Black or African American	4.7%	13.5%	8.9%
Race: White	77.5%	81.6%	82.6%
Race: Other*	17.9%	4.9%	8.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.2%	3.2%	1.9%
Used electronic cigarettes	7.6%	11.0%	3.6%
Used hookahs or water pipes	0.6%	1.1%	1.1%
Used alcohol	15.4%	14.9%	5.2%
Used marijuana	4.6%	7.5%	5.4%
Used inhalants	0.6%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	0.6%	0.9%	8.1%
Used `OTC` to get high	0.4%	0.7%	2.2%
Used synthetic drugs	1.0%	1.0%	0.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.1%	0.3%	0.3%
Used heroin or `smack`	0.1%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.3%	1.1%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.1%
Used `club drugs` such as ecstasy	0.1%	0.2%	0.6%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	23.8%	33.8%	25.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	10.2%	8.0%
Rode with someone who was drinking alcohol	10.9%	15.4%	16.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.0%	14.2%	15.0%
Posted something online or sent a text that might embarrass or hurt another student	14.2%	17.3%	13.7%
Made fun of other people	44.8%	43.9%	39.9%
Hit, shoved or pushed another student and were not just fooling around	8.7%	14.0%	13.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.8%	17.9%	17.2%
Been threatened or injured with a weapon on school property	4.5%	7.9%	7.6%
Seriously considered suicide	10.8%	11.0%	11.0%
Planned suicide	9.0%	8.4%	8.0%
Attempted suicide	7.3%	4.3%	6.6%
Depression Scale (% often or always in Past Month)			
Were very sad	25.2%	27.7%	23.9%
Were grouchy or irritable, or in a bad mood	29.3%	35.5%	30.3%
Felt hopeless about the future	7.1%	15.5%	12.5%
Felt like not eating or eating more than usual	18.1%	24.3%	21.2%
Felt like sleeping a lot more or a lot less than usual	22.5%	37.6%	31.2%
Had difficulty concentrating on school work	23.4%	37.4%	28.8%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.2%	93.8%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.8%	94.5%	97.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 93.6%	92.5%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	99.6%	97.1%	97.3%
Friends' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 85.8%	81.0%	87.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.3%	75.9%	83.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.9%	71.1%	77.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.9%	89.7%	89.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	27.7%	34.9%	23.3%
'Very' or 'sort of easy' to get e-cigarettes	32.5%	45.5%	24.9%
'Very' or 'sort of easy' to get alcohol	42.8%	50.8%	36.0%
'Very' or 'sort of easy' to get marijuana	17.8%	33.9%	23.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	11.5%	19.9%	17.2%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.3%	7.1%	8.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	9.5%	15.2%	17.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.3%	20.0%	15.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.7%	17.4%	25.1%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	24.2%	33.3%	26.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /	'day 14.7%	18.0%	14.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.3%	44.5%	37.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.9%	31.5%	26.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	14.8%	22.2%	17.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.8%	39.1%	29.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs $% \left(1\right) =\left(1\right) \left(1\right) \left($	10.4%	10.0%	12.0%
'No' or 'slight risk' if they use synthetic drugs	19.7%	16.1%	17.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	21.7%	23.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.7%	10.8%	12.7%



Thank You!

2022 Missouri Student Survey Buchanan



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,490	1804	1026
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	6.9%	12.9%	26.8%
Grade level. 7th Grade	19.3%	11.8%	15.7%
Grade level. 8th Grade	19.2%	11.6%	19.0%
Grade level. 9th Grade	16.2%	14.7%	13.6%
Grade level. 10th Grade	15.4%	14.9%	9.0%
Grade level. 11th Grade	13.3%	15.8%	8.9%
Grade level. 12th Grade	9.8%	18.2%	6.8%
Male	49.7%	49.9%	50.4%
Hispanic or Latino	6.7%	5.5%	4.3%
Race: Black or African American	4.1%	13.5%	5.5%
Race: White	79.0%	81.6%	88.4%
Race: Other*	17.0%	4.9%	6.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.5%	3.2%	4.3%
Used electronic cigarettes	15.0%	11.0%	12.6%
Used hookahs or water pipes	1.1%	1.1%	0.4%
Used alcohol	10.0%	14.9%	8.9%
Used marijuana	9.1%	7.5%	5.1%
Used inhalants	0.5%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	1.1%	0.9%	7.8%
Used `OTC` to get high	2.1%	0.7%	2.5%
Used synthetic drugs	0.7%	1.0%	1.1%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.3%	0.3%	0.2%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.5%	1.1%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	36.0%	33.8%	30.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.0%	10.2%	8.5%
Rode with someone who was drinking alcohol	9.9%	15.4%	12.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	9.6%	14.2%	16.1%
Posted something online or sent a text that might embarrass or hurt another student	11.0%	17.3%	14.4%
Made fun of other people	30.8%	43.9%	38.0%
Hit, shoved or pushed another student and were not just fooling around	9.5%	14.0%	14.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.1%	17.9%	22.2%
Been threatened or injured with a weapon on school property	6.5%	7.9%	7.4%
Seriously considered suicide	13.9%	11.0%	13.1%
Planned suicide	22.3%	8.4%	11.2%
Attempted suicide	17.1%	4.3%	7.3%
Depression Scale (% often or always in Past Month)			
Were very sad	26.4%	27.7%	30.3%
Were grouchy or irritable, or in a bad mood	36.9%	35.5%	35.3%
Felt hopeless about the future	18.7%	15.5%	15.5%
Felt like not eating or eating more than usual	27.2%	24.3%	24.0%
Felt like sleeping a lot more or a lot less than usual	36.1%	37.6%	31.5%
Had difficulty concentrating on school work	35.9%	37.4%	32.5%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	93.8%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.3%	94.5%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 92.7%	92.5%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.3%	97.1%	95.8%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 83.0%	81.0%	86.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.9%	75.9%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.7%	71.1%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.2%	89.7%	88.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.9%	34.9%	34.0%
'Very' or 'sort of easy' to get e-cigarettes	47.0%	45.5%	41.9%
'Very' or 'sort of easy' to get alcohol	42.2%	50.8%	38.0%
'Very' or 'sort of easy' to get marijuana	33.0%	33.9%	30.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.9%	19.9%	20.7%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.2%	7.1%	8.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.0%	15.2%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.2%	20.0%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.8%	17.4%	25.2%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.9%	33.3%	27.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 14.7%	18.0%	18.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.9%	44.5%	37.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.5%	31.5%	33.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.4%	22.2%	24.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.9%	39.1%	31.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.6%	10.0%	14.7%
'No' or 'slight risk' if they use synthetic drugs	16.7%	16.1%	19.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.1%	21.7%	26.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	10.8%	18.5%



Thank You!

2022 Missouri Student Survey Butler



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	392	1804	474
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	6.2%	12.9%	0.1%
Grade level. 7th Grade	16.9%	11.8%	0.0%
Grade level. 8th Grade	16.6%	11.6%	0.0%
Grade level. 9th Grade	29.5%	14.7%	42.2%
Grade level. 10th Grade	14.1%	14.9%	26.3%
Grade level. 11th Grade	14.1%	15.8%	27.5%
Grade level. 12th Grade	2.6%	18.2%	4.0%
Male	47.9%	49.9%	48.5%
Hispanic or Latino	2.8%	5.5%	1.5%
Race: Black or African American	5.2%	13.5%	5.7%
Race: White	82.5%	81.6%	91.0%
Race: Other*	12.3%	4.9%	3.2%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.1%	3.2%	9.4%
Used electronic cigarettes	10.1%	11.0%	22.9%
Used hookahs or water pipes	1.4%	1.1%	3.7%
Used alcohol	7.1%	14.9%	19.1%
Used marijuana	5.0%	7.5%	11.1%
Used inhalants	0.3%	0.8%	1.0%
Used Rx not prescribed for you by a doctor	2.2%	0.9%	9.8%
Used `OTC` to get high	1.0%	0.7%	4.1%
Used synthetic drugs	0.3%	1.0%	0.8%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.4%
Used heroin or `smack`	0.0%	0.2%	0.6%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.4%	1.1%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.6%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	43.2%	33.8%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.7%	10.2%	5.7%
Rode with someone who was drinking alcohol	9.2%	15.4%	15.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	10.1%	14.2%	14.2%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	17.3%	14.4%
Made fun of other people	40.4%	43.9%	47.3%
Hit, shoved or pushed another student and were not just fooling around	10.0%	14.0%	11.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.6%	17.9%	15.8%
Been threatened or injured with a weapon on school property	10.0%	7.9%	9.0%
Seriously considered suicide	10.4%	11.0%	12.1%
Planned suicide	9.4%	8.4%	9.1%
Attempted suicide	5.9%	4.3%	4.9%
Depression Scale (% often or always in Past Month)			
Were very sad	31.4%	27.7%	31.1%
Were grouchy or irritable, or in a bad mood	36.9%	35.5%	37.1%
Felt hopeless about the future	19.4%	15.5%	20.1%
Felt like not eating or eating more than usual	31.3%	24.3%	25.7%
Felt like sleeping a lot more or a lot less than usual	37.3%	37.6%	32.7%
Had difficulty concentrating on school work	38.9%	37.4%	34.3%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.3%	93.8%	87.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.8%	94.5%	90.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.8%	92.5%	88.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	97.1%	94.8%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	82.9%	81.0%	77.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.3%	75.9%	66.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.1%	71.1%	57.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.2%	89.7%	86.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	36.3%	34.9%	46.5%
'Very' or 'sort of easy' to get e-cigarettes	45.5%	45.5%	57.5%
'Very' or 'sort of easy' to get alcohol	41.6%	50.8%	56.1%
'Very' or 'sort of easy' to get marijuana	31.5%	33.9%	49.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.6%	19.9%	24.7%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.4%	7.1%	9.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.8%	15.2%	30.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.1%	20.0%	33.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.9%	17.4%	34.0%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.0%	33.3%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.8%	18.0%	19.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.6%	44.5%	48.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.9%	31.5%	38.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.7%	22.2%	27.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.1%	39.1%	46.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.4%	10.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	10.6%	16.1%	9.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.9%	21.7%	24.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.8%	10.8%	14.1%



Thank You!

2022 Missouri Student Survey Caldwell



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	458	1804	360
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	7.3%	12.9%	9.7%
Grade level. 7th Grade	17.5%	11.8%	14.6%
Grade level. 8th Grade	18.8%	11.6%	14.6%
Grade level. 9th Grade	19.7%	14.7%	16.7%
Grade level. 10th Grade	14.0%	14.9%	12.5%
Grade level. 11th Grade	12.4%	15.8%	16.7%
Grade level. 12th Grade	10.2%	18.2%	15.3%
Male	50.6%	49.9%	51.0%
Hispanic or Latino	0.0%	5.5%	1.4%
Race: Black or African American	0.3%	13.5%	0.7%
Race: White	80.7%	81.6%	95.9%
Race: Other*	19.0%	4.9%	3.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.2%	3.2%	8.5%
Used electronic cigarettes	7.9%	11.0%	7.8%
Used hookahs or water pipes	2.0%	1.1%	1.4%
Used alcohol	11.3%	14.9%	11.4%
Used marijuana	3.7%	7.5%	3.6%
Used inhalants	1.7%	0.8%	0.7%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	5.1%
Used `OTC` to get high	2.0%	0.7%	2.2%
Used synthetic drugs	1.7%	1.0%	0.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.7%	0.3%	0.7%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.7%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.3%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	29.3%	33.8%	23.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	10.2%	6.8%
Rode with someone who was drinking alcohol	17.0%	15.4%	15.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.1%	14.2%	20.5%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	17.3%	15.1%
Made fun of other people	42.0%	43.9%	51.4%
Hit, shoved or pushed another student and were not just fooling around	12.0%	14.0%	13.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.4%	17.9%	15.0%
Been threatened or injured with a weapon on school property	5.4%	7.9%	8.2%
Seriously considered suicide	13.0%	11.0%	14.5%
Planned suicide	9.5%	8.4%	11.0%
Attempted suicide	4.4%	4.3%	6.2%
Depression Scale (% often or always in Past Month)			
Were very sad	33.0%	27.7%	28.1%
Were grouchy or irritable, or in a bad mood	41.2%	35.5%	32.6%
Felt hopeless about the future	21.0%	15.5%	15.1%
Felt like not eating or eating more than usual	27.5%	24.3%	24.0%
Felt like sleeping a lot more or a lot less than usual	32.5%	37.6%	31.7%
Had difficulty concentrating on school work	36.4%	37.4%	34.2%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.9%	93.8%	89.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	94.5%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	94.8%	92.5%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.6%	97.1%	94.8%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 82.3%	81.0%	82.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.5%	75.9%	73.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.0%	71.1%	77.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.3%	89.7%	88.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	35.4%	34.9%	45.2%
'Very' or 'sort of easy' to get e-cigarettes	41.1%	45.5%	39.0%
'Very' or 'sort of easy' to get alcohol	44.4%	50.8%	47.3%
'Very' or 'sort of easy' to get marijuana	26.2%	33.9%	26.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.3%	19.9%	23.8%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.8%	7.1%	9.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.1%	15.2%	20.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.7%	20.0%	19.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.3%	17.4%	16.7%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.7%	33.3%	27.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.5%	18.0%	20.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.9%	44.5%	43.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.2%	31.5%	40.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.2%	22.2%	25.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.7%	39.1%	27.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	10.0%	11.2%
'No' or 'slight risk' if they use synthetic drugs	14.7%	16.1%	16.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	21.7%	21.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	10.8%	16.7%



Thank You!

2022 Missouri Student Survey Callaway



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Camden



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Cape Girardeau



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	72	1804	357
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.9%	12.9%	6.3%
Grade level. 7th Grade	15.3%	11.8%	12.8%
Grade level. 8th Grade	72.9%	11.6%	16.1%
Grade level. 9th Grade	0.0%	14.7%	22.0%
Grade level. 10th Grade	0.0%	14.9%	13.7%
Grade level. 11th Grade	0.0%	15.8%	16.4%
Grade level. 12th Grade	0.0%	18.2%	12.6%
Male	52.4%	49.9%	44.5%
Hispanic or Latino	0.9%	5.5%	2.0%
Race: Black or African American	3.1%	13.5%	8.0%
Race: White	93.3%	81.6%	87.4%
Race: Other*	3.6%	4.9%	4.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	0.0%	3.2%	2.7%
Used electronic cigarettes	0.7%	11.0%	19.9%
Used hookahs or water pipes	0.0%	1.1%	0.8%
Used alcohol	2.5%	14.9%	18.9%
Used marijuana	1.0%	7.5%	3.3%
Used inhalants	0.0%	0.8%	1.0%
Used Rx not prescribed for you by a doctor	0.5%	0.9%	6.4%
Used `OTC` to get high	0.5%	0.7%	1.3%
Used synthetic drugs	0.0%	1.0%	0.3%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.3%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	37.9%	33.8%	22.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.9%	10.2%	3.6%
Rode with someone who was drinking alcohol	39.8%	15.4%	30.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	5.5%	14.2%	39.2%
Posted something online or sent a text that might embarrass or hurt another student	5.6%	17.3%	19.4%
Made fun of other people	49.7%	43.9%	63.4%
Hit, shoved or pushed another student and were not just fooling around	6.6%	14.0%	11.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	9.5%	17.9%	13.8%
Been threatened or injured with a weapon on school property	0.9%	7.9%	3.1%
Seriously considered suicide	2.9%	11.0%	7.5%
Planned suicide	1.7%	8.4%	6.1%
Attempted suicide	0.5%	4.3%	2.1%
Depression Scale (% often or always in Past Month)			
Were very sad	45.2%	27.7%	27.1%
Were grouchy or irritable, or in a bad mood	17.6%	35.5%	37.8%
Felt hopeless about the future	7.8%	15.5%	14.9%
Felt like not eating or eating more than usual	13.5%	24.3%	21.4%
Felt like sleeping a lot more or a lot less than usual	46.7%	37.6%	30.0%
Had difficulty concentrating on school work	46.9%	37.4%	27.8%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.6%	93.8%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.5%	94.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 97.7%	92.5%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.7%	97.1%	96.3%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 94.4%	81.0%	85.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.3%	75.9%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	92.6%	71.1%	73.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	89.7%	91.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	43.7%	34.9%	42.2%
'Very' or 'sort of easy' to get e-cigarettes	10.5%	45.5%	39.7%
'Very' or 'sort of easy' to get alcohol	48.2%	50.8%	55.0%
'Very' or 'sort of easy' to get marijuana	37.6%	33.9%	26.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	6.9%	19.9%	16.6%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.0%	7.1%	5.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	5.4%	15.2%	21.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	35.6%	20.0%	28.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	36.0%	17.4%	24.3%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)	74 , 24.4		200, 2000
'No' or 'slight risk' if they used e-cigarettes	45.4%	33.3%	35.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 10.5%	18.0%	21.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	49.1%	44.5%	53.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	51.5%	31.5%	43.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	45.5%	22.2%	25.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	45.6%	39.1%	30.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	10.0%	6.6%
'No' or 'slight risk' if they use synthetic drugs	10.0%	16.1%	13.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	10.6%	21.7%	21.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.2%	10.8%	11.6%



Thank You!

2022 Missouri Student Survey Carroll



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	333	1804	229
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.8%	12.9%	1.9%
Grade level. 7th Grade	12.7%	11.8%	6.5%
Grade level. 8th Grade	16.9%	11.6%	1.9%
Grade level. 9th Grade	15.3%	14.7%	19.1%
Grade level. 10th Grade	16.9%	14.9%	28.5%
Grade level. 11th Grade	10.2%	15.8%	28.0%
Grade level. 12th Grade	10.2%	18.2%	14.2%
Male	47.9%	49.9%	48.1%
Hispanic or Latino	3.4%	5.5%	0.8%
Race: Black or African American	1.7%	13.5%	2.4%
Race: White	93.2%	81.6%	96.0%
Race: Other*	5.1%	4.9%	1.6%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.5%	3.2%	12.5%
Used electronic cigarettes	5.3%	11.0%	19.6%
Used hookahs or water pipes	0.9%	1.1%	1.9%
Used alcohol	14.4%	14.9%	23.4%
Used marijuana	0.9%	7.5%	6.3%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	0.9%	0.9%	1.9%
Used `OTC` to get high	0.0%	0.7%	0.5%
Used synthetic drugs	1.8%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			, ,
Used cocaine or `crack`	0.0%	0.3%	1.9%
Used heroin or `smack`	0.0%	0.2%	0.8%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	3.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.8%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	25.4%	33.8%	29.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	10.2%	6.4%
Rode with someone who was drinking alcohol	17.7%	15.4%	18.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	17.6%	14.2%	12.8%
Posted something online or sent a text that might embarrass or hurt another student	17.6%	17.3%	15.3%
Made fun of other people	42.0%	43.9%	51.5%
Hit, shoved or pushed another student and were not just fooling around	11.8%	14.0%	10.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	11.0%	17.9%	13.9%
Been threatened or injured with a weapon on school property	5.9%	7.9%	6.9%
Seriously considered suicide	7.6%	11.0%	8.9%
Planned suicide	5.1%	8.4%	10.3%
Attempted suicide	2.5%	4.3%	4.0%
Depression Scale (% often or always in Past Month)			
Were very sad	23.3%	27.7%	28.5%
Were grouchy or irritable, or in a bad mood	33.1%	35.5%	38.4%
Felt hopeless about the future	10.2%	15.5%	14.8%
Felt like not eating or eating more than usual	19.5%	24.3%	27.6%
Felt like sleeping a lot more or a lot less than usual	23.7%	37.6%	34.0%
Had difficulty concentrating on school work	28.8%	37.4%	38.9%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.4%	93.8%	87.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.3%	94.5%	89.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	97.2%	92.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	97.1%	96.7%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 82.2%	81.0%	69.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.0%	75.9%	67.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.8%	71.1%	70.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.2%	89.7%	92.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	29.7%	34.9%	58.1%
'Very' or 'sort of easy' to get e-cigarettes	33.1%	45.5%	63.5%
'Very' or 'sort of easy' to get alcohol	46.6%	50.8%	70.9%
'Very' or 'sort of easy' to get marijuana	19.5%	33.9%	35.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.1%	19.9%	24.8%
Friends' perception of coolness (% reflects pretty cool + very	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.6%	7.1%	14.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.6%	15.2%	30.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.5%	20.0%	39.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	10.1%	17.4%	23.3%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.9%	33.3%	38.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.1%	18.0%	25.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.6%	44.5%	51.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.0%	31.5%	36.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.0%	22.2%	26.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.4%	39.1%	41.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	10.0%	7.8%
'No' or 'slight risk' if they use synthetic drugs	13.8%	16.1%	8.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.7%	21.7%	18.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.1%	10.8%	9.4%



Thank You!

2022 Missouri Student Survey Carter



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	115	1804	295
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	12.1%
Grade level. 7th Grade	20.8%	11.8%	21.2%
Grade level. 8th Grade	15.8%	11.6%	20.2%
Grade level. 9th Grade	25.7%	14.7%	5.1%
Grade level. 10th Grade	15.8%	14.9%	10.1%
Grade level. 11th Grade	7.9%	15.8%	18.2%
Grade level. 12th Grade	13.9%	18.2%	13.1%
Male	50.0%	49.9%	48.5%
Hispanic or Latino	3.0%	5.5%	1.0%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	91.1%	81.6%	96.9%
Race: Other*	8.9%	4.9%	3.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.3%	3.2%	10.6%
Used electronic cigarettes	5.6%	11.0%	18.3%
Used hookahs or water pipes	0.0%	1.1%	2.2%
Used alcohol	8.1%	14.9%	13.2%
Used marijuana	0.0%	7.5%	5.5%
Used inhalants	0.0%	0.8%	2.2%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	8.8%
Used `OTC` to get high	0.0%	0.7%	3.3%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	1.2%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	40.0%	33.8%	33.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.9%	10.2%	5.2%
Rode with someone who was drinking alcohol	8.9%	15.4%	14.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.0%	14.2%	16.2%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	17.3%	13.1%
Made fun of other people	47.5%	43.9%	41.2%
Hit, shoved or pushed another student and were not just fooling around	13.9%	14.0%	15.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.0%	17.9%	22.2%
Been threatened or injured with a weapon on school property	4.0%	7.9%	7.1%
Seriously considered suicide	3.0%	11.0%	10.2%
Planned suicide	3.0%	8.4%	7.2%
Attempted suicide	2.0%	4.3%	5.1%
Depression Scale (% often or always in Past Month)			
Were very sad	21.8%	27.7%	33.3%
Were grouchy or irritable, or in a bad mood	38.6%	35.5%	39.8%
Felt hopeless about the future	11.9%	15.5%	18.4%
Felt like not eating or eating more than usual	23.8%	24.3%	24.5%
Felt like sleeping a lot more or a lot less than usual	30.7%	37.6%	32.3%
Had difficulty concentrating on school work	25.7%	37.4%	29.3%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.5%	93.8%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.4%	94.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	92.5%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	97.1%	96.5%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	83.2%	81.0%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.0%	75.9%	66.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.9%	71.1%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.0%	89.7%	84.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.7%	34.9%	45.5%
'Very' or 'sort of easy' to get e-cigarettes	42.6%	45.5%	48.0%
'Very' or 'sort of easy' to get alcohol	34.7%	50.8%	49.0%
'Very' or 'sort of easy' to get marijuana	20.8%	33.9%	30.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.9%	19.9%	23.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.0%	7.1%	12.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.9%	15.2%	21.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.8%	20.0%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	6.9%	17.4%	18.6%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	22.2%	33.3%	25.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.3%	18.0%	16.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	28.6%	44.5%	34.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.6%	31.5%	37.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.3%	22.2%	25.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.7%	39.1%	24.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.2%	10.0%	8.3%
'No' or 'slight risk' if they use synthetic drugs	7.2%	16.1%	9.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	14.6%	21.7%	16.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.2%	10.8%	14.6%



Thank You!

2022 Missouri Student Survey Cass



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,470	1804	999
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.9%	12.9%	21.8%
Grade level. 7th Grade	11.8%	11.8%	15.7%
Grade level. 8th Grade	13.2%	11.6%	12.2%
Grade level. 9th Grade	18.5%	14.7%	13.7%
Grade level. 10th Grade	15.7%	14.9%	14.6%
Grade level. 11th Grade	14.2%	15.8%	12.4%
Grade level. 12th Grade	9.7%	18.2%	9.6%
Male	48.7%	49.9%	49.4%
Hispanic or Latino	2.9%	5.5%	2.9%
Race: Black or African American	4.0%	13.5%	3.7%
Race: White	88.7%	81.6%	92.2%
Race: Other*	7.3%	4.9%	4.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.1%	3.2%	3.0%
Used electronic cigarettes	9.8%	11.0%	10.3%
Used hookahs or water pipes	1.1%	1.1%	1.3%
Used alcohol	7.4%	14.9%	11.9%
Used marijuana	7.0%	7.5%	5.4%
Used inhalants	0.7%	0.8%	0.8%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	7.2%
Used `OTC` to get high	1.5%	0.7%	1.6%
Used synthetic drugs	0.6%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		
Used cocaine or `crack`	0.5%	0.3%	0.5%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.7%	1.1%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.7%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.5%	33.8%	22.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.1%	10.2%	4.7%
Rode with someone who was drinking alcohol	12.2%	15.4%	13.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.0%	14.2%	15.0%
Posted something online or sent a text that might embarrass or hurt another student	14.2%	17.3%	12.6%
Made fun of other people	35.9%	43.9%	39.4%
Hit, shoved or pushed another student and were not just fooling around	10.2%	14.0%	10.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.0%	17.9%	12.9%
Been threatened or injured with a weapon on school property	8.6%	7.9%	6.8%
Seriously considered suicide	13.2%	11.0%	9.5%
Planned suicide	9.5%	8.4%	7.3%
Attempted suicide	7.1%	4.3%	4.4%
Depression Scale (% often or always in Past Month)			
Were very sad	32.4%	27.7%	26.1%
Were grouchy or irritable, or in a bad mood	38.5%	35.5%	29.5%
Felt hopeless about the future	20.7%	15.5%	13.2%
Felt like not eating or eating more than usual	30.2%	24.3%	20.7%
Felt like sleeping a lot more or a lot less than usual	38.9%	37.6%	32.8%
Had difficulty concentrating on school work	43.3%	37.4%	27.2%

C	2022 Jounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.4%	93.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.2%	94.5%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 90.9%	92.5%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	97.1%	95.9%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	s 83.6%	81.0%	85.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.8%	75.9%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.3%	71.1%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.7%	89.7%	88.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.9%	34.9%	36.6%
'Very' or 'sort of easy' to get e-cigarettes	39.7%	45.5%	41.3%
'Very' or 'sort of easy' to get alcohol	37.8%	50.8%	44.2%
'Very' or 'sort of easy' to get marijuana	30.1%	33.9%	30.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.0%	19.9%	21.0%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.7%	7.1%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.4%	15.2%	21.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.9%	20.0%	21.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.7%	17.4%	21.9%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.2%	33.3%	30.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ıy 15.8%	18.0%	18.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.2%	44.5%	43.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.9%	31.5%	34.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.3%	22.2%	23.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.5%	39.1%	31.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	10.0%	12.8%
'No' or 'slight risk' if they use synthetic drugs	17.3%	16.1%	20.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.6%	21.7%	31.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.4%	10.8%	18.5%



Thank You!

2022 Missouri Student Survey Cedar



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Chariton



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	89	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	0.0%
Grade level. 7th Grade	29.5%	11.8%	0.0%
Grade level. 8th Grade	13.6%	11.6%	0.0%
Grade level. 9th Grade	18.2%	14.7%	0.0%
Grade level. 10th Grade	19.3%	14.9%	0.0%
Grade level. 11th Grade	9.1%	15.8%	0.0%
Grade level. 12th Grade	10.2%	18.2%	0.0%
Male	46.1%	49.9%	0.0%
Hispanic or Latino	6.7%	5.5%	0.0%
Race: Black or African American	3.4%	13.5%	0.0%
Race: White	86.4%	81.6%	0.0%
Race: Other*	10.2%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.4%	3.2%	0.0%
Used electronic cigarettes	6.9%	11.0%	0.0%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	10.5%	14.9%	0.0%
Used marijuana	2.3%	7.5%	0.0%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	0.0%
Used `OTC` to get high	2.3%	0.7%	0.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	19.1%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.4%	10.2%	0.0%
Rode with someone who was drinking alcohol	17.2%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.9%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	20.2%	17.3%	0.0%
Made fun of other people	44.9%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	9.0%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.9%	17.9%	0.0%
Been threatened or injured with a weapon on school property	4.5%	7.9%	0.0%
Seriously considered suicide	9.1%	11.0%	0.0%
Planned suicide	4.5%	8.4%	0.0%
Attempted suicide	5.6%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	22.5%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	28.1%	35.5%	0.0%
Felt hopeless about the future	15.7%	15.5%	0.0%
Felt like not eating or eating more than usual	22.5%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	25.8%	37.6%	0.0%
Had difficulty concentrating on school work	22.5%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.9%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 96.3%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.8%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 80.5%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.0%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.0%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.8%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	35.6%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	35.2%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	45.5%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	22.7%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.5%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.8%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.8%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.9%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.4%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.4%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.2%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.1%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.2%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.1%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.6%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	11.5%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.8%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.8%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Christian



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	3,162	1804	1351
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.5%	12.9%	6.5%
Grade level. 7th Grade	17.7%	11.8%	27.8%
Grade level. 8th Grade	19.3%	11.6%	31.8%
Grade level. 9th Grade	23.5%	14.7%	10.9%
Grade level. 10th Grade	12.4%	14.9%	9.1%
Grade level. 11th Grade	9.5%	15.8%	6.8%
Grade level. 12th Grade	6.0%	18.2%	7.2%
Male	48.6%	49.9%	49.4%
Hispanic or Latino	2.5%	5.5%	1.6%
Race: Black or African American	0.7%	13.5%	0.8%
Race: White	88.4%	81.6%	96.0%
Race: Other*	10.9%	4.9%	3.2%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.7%	3.2%	3.4%
Used electronic cigarettes	5.7%	11.0%	8.7%
Used hookahs or water pipes	0.7%	1.1%	0.4%
Used alcohol	4.9%	14.9%	8.0%
Used marijuana	3.0%	7.5%	2.7%
Used inhalants	0.8%	0.8%	0.7%
Used Rx not prescribed for you by a doctor	1.0%	0.9%	6.5%
Used `OTC` to get high	1.5%	0.7%	1.9%
Used synthetic drugs	0.6%	1.0%	0.1%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.3%	0.3%	0.6%
Used heroin or `smack`	0.1%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.6%	1.1%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.3%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.1%	33.8%	31.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.8%	10.2%	6.3%
Rode with someone who was drinking alcohol	10.4%	15.4%	11.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.0%	14.2%	15.7%
Posted something online or sent a text that might embarrass or hurt another student	13.3%	17.3%	11.5%
Made fun of other people	40.7%	43.9%	44.7%
Hit, shoved or pushed another student and were not just fooling around	9.9%	14.0%	12.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.8%	17.9%	15.1%
Been threatened or injured with a weapon on school property	5.9%	7.9%	7.1%
Seriously considered suicide	12.4%	11.0%	10.1%
Planned suicide	8.6%	8.4%	8.1%
Attempted suicide	5.9%	4.3%	4.0%
Depression Scale (% often or always in Past Month)			
Were very sad	27.9%	27.7%	27.3%
Were grouchy or irritable, or in a bad mood	31.7%	35.5%	30.1%
Felt hopeless about the future	16.2%	15.5%	14.5%
Felt like not eating or eating more than usual	25.5%	24.3%	21.5%
Felt like sleeping a lot more or a lot less than usual	33.5%	37.6%	28.8%
Had difficulty concentrating on school work	38.0%	37.4%	30.7%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.6%	93.8%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.6%	94.5%	97.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 95.9%	92.5%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.8%	97.1%	97.0%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 88.2%	81.0%	89.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.2%	75.9%	84.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.3%	71.1%	83.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	89.7%	91.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	28.0%	34.9%	29.3%
'Very' or 'sort of easy' to get e-cigarettes	33.4%	45.5%	34.2%
'Very' or 'sort of easy' to get alcohol	38.4%	50.8%	40.3%
'Very' or 'sort of easy' to get marijuana	20.1%	33.9%	20.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.7%	19.9%	20.2%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.7%	7.1%	7.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.0%	15.2%	18.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.0%	20.0%	17.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.6%	17.4%	16.2%

	2022	2022	2020
	unty Data	MO Data	County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	25.3%	33.3%	26.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	/ 14.2%	18.0%	12.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.5%	44.5%	38.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.4%	31.5%	29.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	16.5%	22.2%	18.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.7%	39.1%	24.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	10.0%	7.2%
'No' or 'slight risk' if they use synthetic drugs	14.1%	16.1%	9.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.1%	21.7%	20.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.1%	10.8%	10.8%



Thank You!

2022 Missouri Student Survey Clark



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Clay



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	11,258	1804	10383
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.0%	12.9%	17.9%
Grade level. 7th Grade	16.7%	11.8%	18.8%
Grade level. 8th Grade	15.9%	11.6%	17.3%
Grade level. 9th Grade	13.1%	14.7%	12.6%
Grade level. 10th Grade	16.1%	14.9%	14.5%
Grade level. 11th Grade	13.0%	15.8%	11.2%
Grade level. 12th Grade	9.1%	18.2%	7.7%
Male	48.9%	49.9%	49.1%
Hispanic or Latino	7.0%	5.5%	4.8%
Race: Black or African American	4.8%	13.5%	6.1%
Race: White	75.8%	81.6%	86.4%
Race: Other*	19.4%	4.9%	7.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.5%	3.2%	2.1%
Used electronic cigarettes	5.9%	11.0%	7.9%
Used hookahs or water pipes	0.9%	1.1%	0.7%
Used alcohol	6.4%	14.9%	7.7%
Used marijuana	4.0%	7.5%	4.9%
Used inhalants	0.8%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	6.8%
Used `OTC` to get high	1.1%	0.7%	1.3%
Used synthetic drugs	0.7%	1.0%	0.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.4%	0.3%	0.5%
Used heroin or `smack`	0.1%	0.2%	0.1%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.1%	1.1%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.5%	0.2%	0.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.4%	33.8%	26.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	10.2%	6.4%
Rode with someone who was drinking alcohol	12.4%	15.4%	12.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.2%	14.2%	15.0%
Posted something online or sent a text that might embarrass or hurt another student	13.7%	17.3%	12.5%
Made fun of other people	38.1%	43.9%	39.9%
Hit, shoved or pushed another student and were not just fooling around	10.3%	14.0%	9.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	12.5%	17.9%	13.6%
Been threatened or injured with a weapon on school property	5.9%	7.9%	6.1%
Seriously considered suicide	10.7%	11.0%	9.6%
Planned suicide	7.5%	8.4%	7.3%
Attempted suicide	4.9%	4.3%	3.9%
Depression Scale (% often or always in Past Month)			
Were very sad	26.2%	27.7%	24.8%
Were grouchy or irritable, or in a bad mood	31.0%	35.5%	30.3%
Felt hopeless about the future	16.4%	15.5%	14.9%
Felt like not eating or eating more than usual	24.5%	24.3%	20.7%
Felt like sleeping a lot more or a lot less than usual	32.2%	37.6%	31.7%
Had difficulty concentrating on school work	35.5%	37.4%	31.4%

Сог	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.1%	93.8%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.8%	94.5%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.7%	92.5%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.9%	97.1%	96.7%
Friends' perception of wrongness (% reflects wrong + very wrong	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	87.8%	81.0%	89.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.4%	75.9%	84.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.2%	71.1%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.0%	89.7%	90.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	29.6%	34.9%	31.3%
'Very' or 'sort of easy' to get e-cigarettes	36.7%	45.5%	40.4%
'Very' or 'sort of easy' to get alcohol	42.4%	50.8%	45.0%
'Very' or 'sort of easy' to get marijuana	25.8%	33.9%	29.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.6%	19.9%	20.4%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.7%	7.1%	7.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.9%	15.2%	20.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.4%	20.0%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.3%	17.4%	21.0%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.0%	33.3%	27.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.8%	18.0%	15.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.1%	44.5%	38.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.7%	31.5%	27.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.0%	22.2%	19.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.3%	39.1%	30.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.0%	10.0%	10.8%
'No' or 'slight risk' if they use synthetic drugs	16.6%	16.1%	16.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.2%	21.7%	24.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.8%	10.8%	14.4%



Thank You!

2022 Missouri Student Survey Clinton



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	126	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	24.0%	12.9%	0.0%
Grade level. 7th Grade	26.4%	11.8%	0.0%
Grade level. 8th Grade	33.1%	11.6%	0.0%
Grade level. 9th Grade	0.0%	14.7%	0.0%
Grade level. 10th Grade	9.9%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	6.6%	18.2%	0.0%
Male	47.6%	49.9%	0.0%
Hispanic or Latino	6.6%	5.5%	0.0%
Race: Black or African American	2.4%	13.5%	0.0%
Race: White	84.0%	81.6%	0.0%
Race: Other*	13.6%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	7.3%	3.2%	0.0%
Used electronic cigarettes	11.4%	11.0%	0.0%
Used hookahs or water pipes	0.8%	1.1%	0.0%
Used alcohol	12.8%	14.9%	0.0%
Used marijuana	6.6%	7.5%	0.0%
Used inhalants	1.6%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	4.1%	0.9%	0.0%
Used `OTC` to get high	3.3%	0.7%	0.0%
Used synthetic drugs	3.3%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.4%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.6%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	44.4%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	10.2%	0.0%
Rode with someone who was drinking alcohol	20.2%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	19.8%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	22.2%	17.3%	0.0%
Made fun of other people	48.4%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	17.5%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	23.0%	17.9%	0.0%
Been threatened or injured with a weapon on school property	11.9%	7.9%	0.0%
Seriously considered suicide	20.2%	11.0%	0.0%
Planned suicide	16.8%	8.4%	0.0%
Attempted suicide	9.7%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	45.2%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	46.8%	35.5%	0.0%
Felt hopeless about the future	29.4%	15.5%	0.0%
Felt like not eating or eating more than usual	30.2%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	46.0%	37.6%	0.0%
Had difficulty concentrating on school work	37.6%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.1%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.8%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	ana 94.8%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.3%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	tes 88.1%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.0%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.0%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	27.0%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	34.4%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	37.6%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	21.4%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.4%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + ve	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.7%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.2%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.2%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.8%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.8%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.7%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.8%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.7%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.6%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.1%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.8%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	18.2%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.0%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Cole



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	509	1804	184
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.6%	12.9%	24.3%
Grade level. 7th Grade	13.8%	11.8%	19.7%
Grade level. 8th Grade	15.0%	11.6%	8.5%
Grade level. 9th Grade	17.0%	14.7%	11.1%
Grade level. 10th Grade	12.3%	14.9%	20.9%
Grade level. 11th Grade	13.5%	15.8%	13.6%
Grade level. 12th Grade	11.8%	18.2%	2.0%
Male	50.9%	49.9%	45.5%
Hispanic or Latino	3.0%	5.5%	0.7%
Race: Black or African American	11.1%	13.5%	11.6%
Race: White	79.6%	81.6%	85.0%
Race: Other*	9.3%	4.9%	3.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.2%	3.2%	4.1%
Used electronic cigarettes	12.3%	11.0%	18.8%
Used hookahs or water pipes	1.0%	1.1%	0.0%
Used alcohol	16.9%	14.9%	10.9%
Used marijuana	6.1%	7.5%	10.8%
Used inhalants	0.9%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	1.3%	0.9%	8.1%
Used `OTC` to get high	0.8%	0.7%	3.1%
Used synthetic drugs	2.1%	1.0%	1.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	·		·
Used cocaine or `crack`	0.9%	0.3%	0.0%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.1%	1.1%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.2%	0.9%
Used `club drugs` such as ecstasy	0.8%	0.2%	1.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	32.1%	33.8%	29.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.0%	10.2%	10.0%
Rode with someone who was drinking alcohol	20.7%	15.4%	16.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.0%	14.2%	17.5%
Posted something online or sent a text that might embarrass or hurt another student	14.6%	17.3%	11.9%
Made fun of other people	50.8%	43.9%	52.5%
Hit, shoved or pushed another student and were not just fooling around	14.5%	14.0%	16.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.0%	17.9%	18.7%
Been threatened or injured with a weapon on school property	8.3%	7.9%	11.5%
Seriously considered suicide	17.4%	11.0%	17.7%
Planned suicide	11.5%	8.4%	13.7%
Attempted suicide	8.6%	4.3%	5.0%
Depression Scale (% often or always in Past Month)			
Were very sad	34.6%	27.7%	32.0%
Were grouchy or irritable, or in a bad mood	39.3%	35.5%	32.9%
Felt hopeless about the future	18.7%	15.5%	18.7%
Felt like not eating or eating more than usual	30.8%	24.3%	20.8%
Felt like sleeping a lot more or a lot less than usual	36.5%	37.6%	34.8%
Had difficulty concentrating on school work	38.3%	37.4%	41.1%

·	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.6%	93.8%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.3%	94.5%	97.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 95.4%	92.5%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	97.1%	97.2%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 83.2%	81.0%	86.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.4%	75.9%	77.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.5%	71.1%	68.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.7%	89.7%	88.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	35.5%	34.9%	35.4%
'Very' or 'sort of easy' to get e-cigarettes	45.1%	45.5%	47.0%
'Very' or 'sort of easy' to get alcohol	50.5%	50.8%	49.9%
'Very' or 'sort of easy' to get marijuana	27.2%	33.9%	35.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.0%	19.9%	20.9%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.1%	7.1%	7.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.6%	15.2%	24.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.3%	20.0%	21.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.6%	17.4%	31.1%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.1%	33.3%	30.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.0%	13.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.7%	44.5%	35.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.6%	31.5%	30.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.1%	22.2%	14.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.4%	39.1%	33.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.9%	10.0%	8.4%
'No' or 'slight risk' if they use synthetic drugs	18.9%	16.1%	12.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.1%	21.7%	22.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.3%	10.8%	9.2%



Thank You!

2022 Missouri Student Survey Cooper



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	235	1804	125
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.4%	12.9%	3.3%
Grade level. 7th Grade	22.9%	11.8%	71.3%
Grade level. 8th Grade	27.9%	11.6%	4.7%
Grade level. 9th Grade	7.4%	14.7%	9.3%
Grade level. 10th Grade	5.4%	14.9%	8.0%
Grade level. 11th Grade	13.6%	15.8%	3.3%
Grade level. 12th Grade	5.4%	18.2%	0.0%
Male	53.9%	49.9%	54.3%
Hispanic or Latino	3.7%	5.5%	0.7%
Race: Black or African American	3.9%	13.5%	6.0%
Race: White	64.5%	81.6%	90.0%
Race: Other*	31.7%	4.9%	4.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.3%	3.2%	4.7%
Used electronic cigarettes	7.4%	11.0%	5.4%
Used hookahs or water pipes	0.4%	1.1%	0.7%
Used alcohol	11.0%	14.9%	10.3%
Used marijuana	2.5%	7.5%	0.7%
Used inhalants	1.2%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	2.9%	0.9%	9.0%
Used `OTC` to get high	1.2%	0.7%	4.2%
Used synthetic drugs	4.6%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.4%	0.2%	0.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	35.9%	33.8%	29.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.1%	10.2%	11.3%
Rode with someone who was drinking alcohol	16.9%	15.4%	17.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	22.4%	14.2%	25.8%
Posted something online or sent a text that might embarrass or hurt another student	18.9%	17.3%	16.0%
Made fun of other people	46.7%	43.9%	45.0%
Hit, shoved or pushed another student and were not just fooling around	19.7%	14.0%	25.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.1%	17.9%	30.0%
Been threatened or injured with a weapon on school property	12.0%	7.9%	23.8%
Seriously considered suicide	7.8%	11.0%	19.7%
Planned suicide	6.3%	8.4%	22.1%
Attempted suicide	6.7%	4.3%	10.1%
Depression Scale (% often or always in Past Month)			
Were very sad	22.7%	27.7%	40.4%
Were grouchy or irritable, or in a bad mood	31.0%	35.5%	36.9%
Felt hopeless about the future	14.7%	15.5%	23.0%
Felt like not eating or eating more than usual	23.2%	24.3%	31.5%
Felt like sleeping a lot more or a lot less than usual	28.0%	37.6%	35.3%
Had difficulty concentrating on school work	29.7%	37.4%	47.3%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.0%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.7%	94.5%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 93.6%	92.5%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.7%	97.1%	95.6%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 81.9%	81.0%	87.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.7%	75.9%	82.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.3%	71.1%	85.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	89.7%	92.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	36.4%	34.9%	30.4%
'Very' or 'sort of easy' to get e-cigarettes	37.5%	45.5%	29.5%
'Very' or 'sort of easy' to get alcohol	43.2%	50.8%	54.8%
'Very' or 'sort of easy' to get marijuana	27.4%	33.9%	22.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.8%	19.9%	18.8%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.7%	7.1%	9.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	11.2%	15.2%	22.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	13.6%	20.0%	24.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.4%	17.4%	16.6%

Со	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	36.0%	33.3%	35.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 19.0%	18.0%	26.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.4%	44.5%	49.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.0%	31.5%	38.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.3%	22.2%	30.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.3%	39.1%	30.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.8%	10.0%	22.6%
'No' or 'slight risk' if they use synthetic drugs	19.3%	16.1%	25.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.0%	21.7%	34.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.7%	10.8%	21.9%



Thank You!

2022 Missouri Student Survey Grundy



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	310	1804	347
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	18.5%	12.9%	14.4%
Grade level. 7th Grade	15.6%	11.8%	17.4%
Grade level. 8th Grade	0.0%	11.6%	13.6%
Grade level. 9th Grade	15.6%	14.7%	18.2%
Grade level. 10th Grade	22.2%	14.9%	15.2%
Grade level. 11th Grade	16.3%	15.8%	18.2%
Grade level. 12th Grade	11.9%	18.2%	3.0%
Male	47.7%	49.9%	47.3%
Hispanic or Latino	2.2%	5.5%	1.5%
Race: Black or African American	0.0%	13.5%	0.8%
Race: White	91.2%	81.6%	96.2%
Race: Other*	8.8%	4.9%	3.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	9.0%	3.2%	12.4%
Used electronic cigarettes	11.8%	11.0%	18.8%
Used hookahs or water pipes	1.4%	1.1%	2.3%
Used alcohol	10.0%	14.9%	15.7%
Used marijuana	4.3%	7.5%	6.3%
Used inhalants	0.7%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	1.5%	0.9%	8.0%
Used `OTC` to get high	0.7%	0.7%	2.4%
Used synthetic drugs	0.7%	1.0%	1.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	1.5%	0.3%	0.8%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.3%	1.1%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.2%	0.0%
Used `club drugs` such as ecstasy	2.3%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	28.7%	33.8%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	10.2%	7.7%
Rode with someone who was drinking alcohol	12.8%	15.4%	14.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.7%	14.2%	20.6%
Posted something online or sent a text that might embarrass or hurt another student	10.6%	17.3%	15.2%
Made fun of other people	34.7%	43.9%	46.2%
Hit, shoved or pushed another student and were not just fooling around	11.3%	14.0%	16.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.0%	17.9%	23.5%
Been threatened or injured with a weapon on school property	7.9%	7.9%	10.7%
Seriously considered suicide	17.1%	11.0%	10.8%
Planned suicide	13.2%	8.4%	7.6%
Attempted suicide	7.9%	4.3%	4.5%
Depression Scale (% often or always in Past Month)			
Were very sad	33.8%	27.7%	29.0%
Were grouchy or irritable, or in a bad mood	36.7%	35.5%	37.9%
Felt hopeless about the future	22.0%	15.5%	16.7%
Felt like not eating or eating more than usual	30.5%	24.3%	24.4%
Felt like sleeping a lot more or a lot less than usual	37.1%	37.6%	33.6%
Had difficulty concentrating on school work	32.5%	37.4%	28.0%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.5%	93.8%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.0%	94.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.8%	92.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.4%	97.1%	94.2%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	78.5%	81.0%	81.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.7%	75.9%	72.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.3%	71.1%	74.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.3%	89.7%	87.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	42.3%	34.9%	43.5%
'Very' or 'sort of easy' to get e-cigarettes	46.3%	45.5%	46.2%
'Very' or 'sort of easy' to get alcohol	42.9%	50.8%	52.3%
'Very' or 'sort of easy' to get marijuana	27.7%	33.9%	30.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.8%	19.9%	30.3%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.0%	7.1%	12.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.5%	15.2%	28.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.8%	20.0%	29.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.8%	17.4%	23.7%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.1%	33.3%	30.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.0%	21.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.5%	44.5%	40.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.1%	31.5%	36.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.3%	22.2%	29.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.3%	39.1%	31.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.0%	10.0%	11.5%
'No' or 'slight risk' if they use synthetic drugs	15.9%	16.1%	16.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.4%	21.7%	24.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.2%	10.8%	13.8%



Thank You!

2022 Missouri Student Survey Harrison



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	97	1804	68
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	19.0%	12.9%	16.8%
Grade level. 7th Grade	5.2%	11.8%	35.5%
Grade level. 8th Grade	21.6%	11.6%	8.4%
Grade level. 9th Grade	23.3%	14.7%	9.3%
Grade level. 10th Grade	16.4%	14.9%	3.7%
Grade level. 11th Grade	14.7%	15.8%	25.2%
Grade level. 12th Grade	0.0%	18.2%	0.9%
Male	46.6%	49.9%	49.1%
Hispanic or Latino	1.7%	5.5%	1.0%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	94.1%	81.6%	98.1%
Race: Other*	5.9%	4.9%	1.9%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	13.0%	3.2%	12.4%
Used electronic cigarettes	19.5%	11.0%	12.6%
Used hookahs or water pipes	3.4%	1.1%	5.8%
Used alcohol	18.3%	14.9%	14.4%
Used marijuana	5.2%	7.5%	5.8%
Used inhalants	4.3%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	5.8%
Used `OTC` to get high	1.7%	0.7%	0.0%
Used synthetic drugs	0.9%	1.0%	3.9%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	5.8%
Used heroin or `smack`	0.9%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.7%	1.1%	5.0%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.2%	1.0%
Used `club drugs` such as ecstasy	1.8%	0.2%	3.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	36.1%	33.8%	21.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.1%	10.2%	1.0%
Rode with someone who was drinking alcohol	23.3%	15.4%	18.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.3%	14.2%	6.7%
Posted something online or sent a text that might embarrass or hurt another student	12.7%	17.3%	12.4%
Made fun of other people	50.0%	43.9%	47.6%
Hit, shoved or pushed another student and were not just fooling around	11.9%	14.0%	14.3%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.6%	17.9%	18.9%
Been threatened or injured with a weapon on school property	4.2%	7.9%	4.7%
Seriously considered suicide	16.9%	11.0%	14.6%
Planned suicide	9.3%	8.4%	19.4%
Attempted suicide	8.5%	4.3%	7.7%
Depression Scale (% often or always in Past Month)			
Were very sad	30.5%	27.7%	27.9%
Were grouchy or irritable, or in a bad mood	38.1%	35.5%	26.9%
Felt hopeless about the future	19.3%	15.5%	12.5%
Felt like not eating or eating more than usual	31.9%	24.3%	22.3%
Felt like sleeping a lot more or a lot less than usual	34.7%	37.6%	38.5%
Had difficulty concentrating on school work	29.7%	37.4%	31.1%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.9%	93.8%	90.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.6%	94.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 98.2%	92.5%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	97.1%	96.0%
Friends' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette:	s 73.9%	81.0%	71.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.4%	75.9%	61.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.5%	71.1%	72.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.6%	89.7%	79.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.1%	34.9%	34.6%
'Very' or 'sort of easy' to get e-cigarettes	48.3%	45.5%	40.4%
'Very' or 'sort of easy' to get alcohol	50.4%	50.8%	44.8%
'Very' or 'sort of easy' to get marijuana	19.7%	33.9%	21.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.6%	19.9%	31.4%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.0%	7.1%	6.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.1%	15.2%	7.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.4%	20.0%	17.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.5%	17.4%	8.5%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.3%	33.3%	30.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /o	day 22.2%	18.0%	21.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.7%	44.5%	42.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	41.0%	31.5%	38.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	35.9%	22.2%	32.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.6%	39.1%	26.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.4%	10.0%	8.5%
'No' or 'slight risk' if they use synthetic drugs	16.2%	16.1%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.1%	21.7%	13.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.1%	10.8%	8.5%



Thank You!

2022 Missouri Student Survey Henry



	2022	2022	2020
Approximate Sample Size	County Data 499	MO Data 1804	County Data 445
Demographics (% reflects "yes" answer)	433	1004	113
Grade level. 6th Grade	17.9%	12.9%	28.3%
Grade level. 7th Grade	16.6%	11.8%	26.3%
Grade level. 8th Grade	19.7%	11.6%	10.4%
Grade level. 9th Grade	6.6%	14.7%	22.9%
Grade level. 10th Grade	10.7%	14.9%	5.4%
Grade level. 11th Grade	16.2%	15.8%	3.3%
Grade level. 12th Grade	12.4%	18.2%	3.3%
Male	49.1%	49.9%	50.4%
Hispanic or Latino	2.1%	5.5%	1.3%
Race: Black or African American	1.0%	13.5%	1.3%
Race: White	90.7%	81.6%	96.2%
Race: Other*	8.3%	4.9%	2.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.9%	3.2%	6.0%
Used electronic cigarettes	9.9%	11.0%	8.5%
Used hookahs or water pipes	1.4%	1.1%	0.9%
Used alcohol	11.7%	14.9%	10.0%
Used marijuana	4.3%	7.5%	5.2%
Used inhalants	0.7%	0.8%	1.7%
Used Rx not prescribed for you by a doctor	0.7%	0.9%	7.8%
Used `OTC` to get high	1.1%	0.7%	2.6%
Used synthetic drugs	0.7%	1.0%	0.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.1%	1.1%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.4%	0.2%	0.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.5%	33.8%	32.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.2%	10.2%	5.0%
Rode with someone who was drinking alcohol	15.4%	15.4%	15.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.4%	14.2%	22.0%
Posted something online or sent a text that might embarrass or hurt another student	16.4%	17.3%	15.8%
Made fun of other people	43.0%	43.9%	52.5%
Hit, shoved or pushed another student and were not just fooling around	16.3%	14.0%	19.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.0%	17.9%	21.2%
Been threatened or injured with a weapon on school property	7.8%	7.9%	8.3%
Seriously considered suicide	10.7%	11.0%	8.4%
Planned suicide	4.9%	8.4%	8.0%
Attempted suicide	5.2%	4.3%	4.2%
Depression Scale (% often or always in Past Month)			
Were very sad	26.5%	27.7%	21.2%
Were grouchy or irritable, or in a bad mood	33.3%	35.5%	30.1%
Felt hopeless about the future	14.0%	15.5%	12.9%
Felt like not eating or eating more than usual	28.4%	24.3%	22.4%
Felt like sleeping a lot more or a lot less than usual	34.5%	37.6%	27.8%
Had difficulty concentrating on school work	30.3%	37.4%	29.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.8%	93.8%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	94.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 94.1%	92.5%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	97.1%	96.7%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	es 82.1%	81.0%	87.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.2%	75.9%	85.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.2%	71.1%	83.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.9%	89.7%	94.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	37.8%	34.9%	35.6%
'Very' or 'sort of easy' to get e-cigarettes	42.4%	45.5%	38.6%
'Very' or 'sort of easy' to get alcohol	44.8%	50.8%	43.8%
'Very' or 'sort of easy' to get marijuana	30.2%	33.9%	24.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.5%	19.9%	15.2%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.2%	7.1%	5.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.3%	15.2%	20.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.3%	20.0%	20.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.2%	17.4%	16.4%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.9%	33.3%	32.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 17.8%	18.0%	16.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.4%	44.5%	39.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.9%	31.5%	32.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.6%	22.2%	23.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.7%	39.1%	26.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.7%	10.0%	10.8%
'No' or 'slight risk' if they use synthetic drugs	16.7%	16.1%	15.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	21.7%	21.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.8%	10.8%	13.4%



Thank You!

2022 Missouri Student Survey Hickory



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Holt



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Howard



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	290	1804	154
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	10.9%	12.9%	12.0%
Grade level. 7th Grade	9.7%	11.8%	9.3%
Grade level. 8th Grade	6.7%	11.6%	14.2%
Grade level. 9th Grade	24.8%	14.7%	20.8%
Grade level. 10th Grade	15.2%	14.9%	16.9%
Grade level. 11th Grade	17.6%	15.8%	15.8%
Grade level. 12th Grade	15.2%	18.2%	10.9%
Male	53.9%	49.9%	49.7%
Hispanic or Latino	1.9%	5.5%	1.8%
Race: Black or African American	4.8%	13.5%	5.4%
Race: White	78.3%	81.6%	91.3%
Race: Other*	16.9%	4.9%	3.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	9.2%	3.2%	10.1%
Used electronic cigarettes	14.8%	11.0%	15.6%
Used hookahs or water pipes	2.5%	1.1%	0.6%
Used alcohol	20.1%	14.9%	16.9%
Used marijuana	9.9%	7.5%	4.5%
Used inhalants	0.6%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.9%	0.9%	10.3%
Used `OTC` to get high	0.0%	0.7%	3.3%
Used synthetic drugs	0.0%	1.0%	0.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	1.1%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	3.1%	1.1%	2.3%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.6%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.6%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.5%	33.8%	26.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	10.2%	5.6%
Rode with someone who was drinking alcohol	20.9%	15.4%	17.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.0%	14.2%	15.9%
Posted something online or sent a text that might embarrass or hurt another student	13.3%	17.3%	8.7%
Made fun of other people	45.2%	43.9%	42.2%
Hit, shoved or pushed another student and were not just fooling around	9.0%	14.0%	9.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.2%	17.9%	17.9%
Been threatened or injured with a weapon on school property	4.2%	7.9%	3.3%
Seriously considered suicide	9.1%	11.0%	8.5%
Planned suicide	6.6%	8.4%	7.2%
Attempted suicide	6.1%	4.3%	3.4%
Depression Scale (% often or always in Past Month)			
Were very sad	25.3%	27.7%	24.7%
Were grouchy or irritable, or in a bad mood	34.3%	35.5%	34.8%
Felt hopeless about the future	10.3%	15.5%	10.6%
Felt like not eating or eating more than usual	22.6%	24.3%	18.7%
Felt like sleeping a lot more or a lot less than usual	28.5%	37.6%	27.5%
Had difficulty concentrating on school work	34.3%	37.4%	30.8%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	93.8%	88.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.8%	94.5%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.7%	92.5%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	97.1%	99.4%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	80.5%	81.0%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.6%	75.9%	71.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.3%	71.1%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.6%	89.7%	93.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.4%	34.9%	42.5%
'Very' or 'sort of easy' to get e-cigarettes	41.5%	45.5%	45.1%
'Very' or 'sort of easy' to get alcohol	50.6%	50.8%	51.1%
'Very' or 'sort of easy' to get marijuana	25.0%	33.9%	27.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.0%	19.9%	15.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.8%	7.1%	9.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.2%	15.2%	18.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.1%	20.0%	23.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.4%	17.4%	13.3%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.1%	33.3%	29.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	11.5%	18.0%	16.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	46.4%	44.5%	47.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.0%	31.5%	38.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.1%	22.2%	30.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.3%	39.1%	29.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.5%	10.0%	10.1%
'No' or 'slight risk' if they use synthetic drugs	17.2%	16.1%	15.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.0%	21.7%	24.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.3%	10.8%	12.9%



Thank You!

2022 Missouri Student Survey Howell



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,454	1804	1190
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.0%	12.9%	10.3%
Grade level. 7th Grade	18.6%	11.8%	6.5%
Grade level. 8th Grade	14.6%	11.6%	8.7%
Grade level. 9th Grade	19.1%	14.7%	26.1%
Grade level. 10th Grade	17.2%	14.9%	21.8%
Grade level. 11th Grade	12.3%	15.8%	15.8%
Grade level. 12th Grade	7.1%	18.2%	10.8%
Male	48.5%	49.9%	47.1%
Hispanic or Latino	2.0%	5.5%	1.3%
Race: Black or African American	0.2%	13.5%	0.4%
Race: White	85.8%	81.6%	96.8%
Race: Other*	14.0%	4.9%	2.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.6%	3.2%	12.5%
Used electronic cigarettes	15.5%	11.0%	21.7%
Used hookahs or water pipes	1.4%	1.1%	2.8%
Used alcohol	12.2%	14.9%	18.1%
Used marijuana	5.8%	7.5%	7.2%
Used inhalants	1.6%	0.8%	1.7%
Used Rx not prescribed for you by a doctor	2.7%	0.9%	10.8%
Used `OTC` to get high	2.0%	0.7%	3.0%
Used synthetic drugs	1.5%	1.0%	0.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.1%	0.3%	1.6%
Used heroin or `smack`	0.2%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.1%	1.1%	3.0%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	1.0%
Used `club drugs` such as ecstasy	0.6%	0.2%	2.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.9%	33.8%	36.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.2%	10.2%	9.8%
Rode with someone who was drinking alcohol	12.2%	15.4%	14.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.8%	14.2%	17.0%
Posted something online or sent a text that might embarrass or hurt another student	15.5%	17.3%	15.9%
Made fun of other people	44.9%	43.9%	49.7%
Hit, shoved or pushed another student and were not just fooling around	13.6%	14.0%	12.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.6%	17.9%	18.5%
Been threatened or injured with a weapon on school property	9.2%	7.9%	8.5%
Seriously considered suicide	18.2%	11.0%	16.1%
Planned suicide	14.4%	8.4%	12.7%
Attempted suicide	9.3%	4.3%	8.6%
Depression Scale (% often or always in Past Month)			
Were very sad	35.5%	27.7%	35.2%
Were grouchy or irritable, or in a bad mood	38.4%	35.5%	41.6%
Felt hopeless about the future	21.2%	15.5%	20.4%
Felt like not eating or eating more than usual	32.0%	24.3%	27.9%
Felt like sleeping a lot more or a lot less than usual	38.8%	37.6%	36.8%
Had difficulty concentrating on school work	40.7%	37.4%	37.9%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wi	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.2%	93.8%	90.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.0%	94.5%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.6%	92.5%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	97.1%	95.2%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	79.4%	81.0%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.9%	75.9%	71.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.6%	71.1%	69.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.1%	89.7%	86.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.8%	34.9%	46.0%
'Very' or 'sort of easy' to get e-cigarettes	42.8%	45.5%	53.2%
'Very' or 'sort of easy' to get alcohol	42.7%	50.8%	51.1%
'Very' or 'sort of easy' to get marijuana	23.7%	33.9%	37.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.8%	19.9%	27.8%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.7%	7.1%	12.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.6%	15.2%	31.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.2%	20.0%	33.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.1%	17.4%	29.6%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.2%	33.3%	30.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /o	day 17.9%	18.0%	19.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.7%	44.5%	40.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.7%	31.5%	37.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.3%	22.2%	26.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.5%	39.1%	36.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.5%	10.0%	8.8%
'No' or 'slight risk' if they use synthetic drugs	16.0%	16.1%	14.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	21.7%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.6%	10.8%	14.1%



Thank You!

2022 Missouri Student Survey Iron



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	586	1804	93
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.5%	12.9%	23.7%
Grade level. 7th Grade	16.6%	11.8%	57.9%
Grade level. 8th Grade	17.2%	11.6%	18.4%
Grade level. 9th Grade	13.8%	14.7%	0.0%
Grade level. 10th Grade	15.9%	14.9%	0.0%
Grade level. 11th Grade	11.0%	15.8%	0.0%
Grade level. 12th Grade	11.0%	18.2%	0.0%
Male	49.3%	49.9%	45.5%
Hispanic or Latino	2.1%	5.5%	1.3%
Race: Black or African American	0.7%	13.5%	1.3%
Race: White	91.7%	81.6%	97.4%
Race: Other*	7.6%	4.9%	1.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.7%	3.2%	2.6%
Used electronic cigarettes	10.8%	11.0%	9.2%
Used hookahs or water pipes	2.1%	1.1%	0.0%
Used alcohol	11.7%	14.9%	5.3%
Used marijuana	4.3%	7.5%	0.0%
Used inhalants	0.7%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	2.9%	0.9%	10.7%
Used `OTC` to get high	2.9%	0.7%	2.7%
Used synthetic drugs	0.7%	1.0%	1.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.7%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.5%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.5%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	41.4%	33.8%	41.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	10.2%	9.1%
Rode with someone who was drinking alcohol	13.9%	15.4%	12.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.0%	14.2%	16.9%
Posted something online or sent a text that might embarrass or hurt another student	14.5%	17.3%	6.5%
Made fun of other people	40.7%	43.9%	36.4%
Hit, shoved or pushed another student and were not just fooling around	13.8%	14.0%	16.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.2%	17.9%	27.3%
Been threatened or injured with a weapon on school property	7.6%	7.9%	7.7%
Seriously considered suicide	14.6%	11.0%	11.8%
Planned suicide	13.2%	8.4%	10.5%
Attempted suicide	6.2%	4.3%	5.2%
Depression Scale (% often or always in Past Month)			
Were very sad	33.1%	27.7%	26.0%
Were grouchy or irritable, or in a bad mood	42.0%	35.5%	29.9%
Felt hopeless about the future	23.6%	15.5%	13.2%
Felt like not eating or eating more than usual	31.9%	24.3%	25.6%
Felt like sleeping a lot more or a lot less than usual	36.1%	37.6%	38.2%
Had difficulty concentrating on school work	41.0%	37.4%	21.8%

C	2022 Jounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.0%	93.8%	98.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.4%	94.5%	97.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 90.2%	92.5%	97.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	97.1%	97.2%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette:	s 79.3%	81.0%	92.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.6%	75.9%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.0%	71.1%	87.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.7%	89.7%	92.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	37.5%	34.9%	27.6%
'Very' or 'sort of easy' to get e-cigarettes	38.9%	45.5%	27.6%
'Very' or 'sort of easy' to get alcohol	40.6%	50.8%	35.5%
'Very' or 'sort of easy' to get marijuana	27.3%	33.9%	9.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.7%	19.9%	14.3%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.8%	7.1%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.3%	15.2%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.0%	20.0%	17.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.1%	17.4%	9.1%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.9%	33.3%	31.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.6%	18.0%	20.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.3%	44.5%	37.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.7%	31.5%	45.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.3%	22.2%	25.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.9%	39.1%	20.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.3%	10.0%	11.8%
'No' or 'slight risk' if they use synthetic drugs	16.9%	16.1%	21.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.4%	21.7%	23.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	10.8%	16.9%



Thank You!

2022 Missouri Student Survey Jackson



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	3,247	1804	4239
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.1%	12.9%	29.3%
Grade level. 7th Grade	16.8%	11.8%	8.6%
Grade level. 8th Grade	14.1%	11.6%	19.6%
Grade level. 9th Grade	16.0%	14.7%	10.1%
Grade level. 10th Grade	14.5%	14.9%	14.9%
Grade level. 11th Grade	15.0%	15.8%	7.3%
Grade level. 12th Grade	7.5%	18.2%	10.2%
Male	48.4%	49.9%	48.7%
Hispanic or Latino	8.5%	5.5%	6.4%
Race: Black or African American	21.4%	13.5%	24.0%
Race: White	60.6%	81.6%	67.0%
Race: Other*	17.9%	4.9%	9.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.8%	3.2%	1.7%
Used electronic cigarettes	8.1%	11.0%	5.6%
Used hookahs or water pipes	1.2%	1.1%	0.7%
Used alcohol	9.6%	14.9%	7.2%
Used marijuana	7.1%	7.5%	5.0%
Used inhalants	1.3%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	1.1%	0.9%	8.1%
Used `OTC` to get high	1.5%	0.7%	2.1%
Used synthetic drugs	0.6%	1.0%	0.9%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.5%	0.3%	0.5%
Used heroin or `smack`	0.2%	0.2%	0.1%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.2%	1.1%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.3%	0.2%	0.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	40.5%	33.8%	31.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.7%	10.2%	7.3%
Rode with someone who was drinking alcohol	15.0%	15.4%	15.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.0%	14.2%	16.7%
Posted something online or sent a text that might embarrass or hurt another student	16.8%	17.3%	13.5%
Made fun of other people	43.8%	43.9%	44.7%
Hit, shoved or pushed another student and were not just fooling around	14.3%	14.0%	12.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.8%	17.9%	17.5%
Been threatened or injured with a weapon on school property	7.4%	7.9%	6.3%
Seriously considered suicide	11.9%	11.0%	9.9%
Planned suicide	9.0%	8.4%	7.9%
Attempted suicide	6.0%	4.3%	4.9%
Depression Scale (% often or always in Past Month)			
Were very sad	26.8%	27.7%	23.9%
Were grouchy or irritable, or in a bad mood	35.3%	35.5%	30.2%
Felt hopeless about the future	16.4%	15.5%	13.2%
Felt like not eating or eating more than usual	24.9%	24.3%	20.2%
Felt like sleeping a lot more or a lot less than usual	34.4%	37.6%	30.1%
Had difficulty concentrating on school work	36.4%	37.4%	29.8%

C	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.0%	93.8%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.6%	94.5%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 91.8%	92.5%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	97.1%	95.6%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	s 85.0%	81.0%	88.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.4%	75.9%	83.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.1%	71.1%	74.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.3%	89.7%	88.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.2%	34.9%	26.9%
'Very' or 'sort of easy' to get e-cigarettes	35.9%	45.5%	32.3%
'Very' or 'sort of easy' to get alcohol	41.0%	50.8%	40.4%
'Very' or 'sort of easy' to get marijuana	31.3%	33.9%	27.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.3%	19.9%	19.4%
Friends' perception of coolness (% reflects pretty cool + very	<u>cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	7.1%	6.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.8%	15.2%	17.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.8%	20.0%	17.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.6%	17.4%	22.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.5%	33.3%	26.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.8%	18.0%	17.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.4%	44.5%	40.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.6%	31.5%	29.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.2%	22.2%	20.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	39.5%	39.1%	32.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.5%	10.0%	12.3%
'No' or 'slight risk' if they use synthetic drugs	20.3%	16.1%	19.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.0%	21.7%	26.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.3%	10.8%	16.0%



Thank You!

2022 Missouri Student Survey Jasper



	2022	2022	2020
Approximate Sample Size	County Data 1,980	MO Data 1804	County Data 1441
Demographics (% reflects "yes" answer)	1,300	1001	1111
Grade level. 6th Grade	19.6%	12.9%	24.8%
Grade level. 7th Grade	17.6%	11.8%	8.0%
Grade level. 8th Grade	17.7%	11.6%	10.3%
Grade level. 9th Grade	7.5%	14.7%	17.6%
Grade level. 10th Grade	19.0%	14.9%	21.6%
Grade level. 11th Grade	18.2%	15.8%	17.6%
Grade level. 12th Grade	0.4%	18.2%	0.0%
Male	49.6%	49.9%	46.0%
Hispanic or Latino	7.6%	5.5%	3.4%
Race: Black or African American	1.5%	13.5%	1.4%
Race: White	85.6%	81.6%	95.3%
Race: Other*	12.9%	4.9%	3.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.1%	3.2%	6.6%
Used electronic cigarettes	10.9%	11.0%	13.1%
Used hookahs or water pipes	1.1%	1.1%	2.2%
Used alcohol	8.5%	14.9%	12.3%
Used marijuana	4.8%	7.5%	6.1%
Used inhalants	1.0%	0.8%	0.3%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	5.3%
Used `OTC` to get high	1.9%	0.7%	1.1%
Used synthetic drugs	0.7%	1.0%	0.3%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.9%	0.3%	0.6%
Used heroin or `smack`	0.1%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.9%	1.1%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.2%
Used `club drugs` such as ecstasy	0.5%	0.2%	0.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	32.0%	33.8%	21.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.4%	10.2%	5.5%
Rode with someone who was drinking alcohol	12.0%	15.4%	12.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.1%	14.2%	15.2%
Posted something online or sent a text that might embarrass or hurt another student	12.7%	17.3%	10.7%
Made fun of other people	38.9%	43.9%	36.7%
Hit, shoved or pushed another student and were not just fooling around	12.0%	14.0%	13.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.3%	17.9%	16.7%
Been threatened or injured with a weapon on school property	8.0%	7.9%	6.0%
Seriously considered suicide	11.6%	11.0%	10.4%
Planned suicide	8.4%	8.4%	8.1%
Attempted suicide	6.1%	4.3%	6.3%
Depression Scale (% often or always in Past Month)			
Were very sad	30.5%	27.7%	29.2%
Were grouchy or irritable, or in a bad mood	35.5%	35.5%	33.5%
Felt hopeless about the future	18.4%	15.5%	15.6%
Felt like not eating or eating more than usual	27.0%	24.3%	25.6%
Felt like sleeping a lot more or a lot less than usual	35.3%	37.6%	32.4%
Had difficulty concentrating on school work	36.7%	37.4%	29.7%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.6%	93.8%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.3%	94.5%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 94.0%	92.5%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	97.1%	95.2%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 83.5%	81.0%	84.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.1%	75.9%	77.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.4%	71.1%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.0%	89.7%	88.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.9%	34.9%	37.8%
'Very' or 'sort of easy' to get e-cigarettes	38.0%	45.5%	40.4%
'Very' or 'sort of easy' to get alcohol	37.4%	50.8%	46.4%
'Very' or 'sort of easy' to get marijuana	27.0%	33.9%	31.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.7%	19.9%	26.2%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.4%	7.1%	10.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.2%	15.2%	24.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.4%	20.0%	23.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.2%	17.4%	22.7%

Со	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	31.3%	33.3%	27.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 16.5%	18.0%	15.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.6%	44.5%	34.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.0%	31.5%	31.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.1%	22.2%	23.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.4%	39.1%	27.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	10.0%	10.4%
'No' or 'slight risk' if they use synthetic drugs	14.0%	16.1%	10.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	21.7%	16.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	10.8%	12.0%



Thank You!

2022 Missouri Student Survey Jefferson



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	730	1804	1209
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.3%	12.9%	25.7%
Grade level. 7th Grade	15.3%	11.8%	26.8%
Grade level. 8th Grade	13.2%	11.6%	25.4%
Grade level. 9th Grade	18.5%	14.7%	3.9%
Grade level. 10th Grade	18.3%	14.9%	9.8%
Grade level. 11th Grade	13.1%	15.8%	4.4%
Grade level. 12th Grade	5.3%	18.2%	3.9%
Male	49.0%	49.9%	48.8%
Hispanic or Latino	2.3%	5.5%	1.0%
Race: Black or African American	0.9%	13.5%	0.8%
Race: White	87.0%	81.6%	96.5%
Race: Other*	12.1%	4.9%	2.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.3%	3.2%	2.9%
Used electronic cigarettes	11.0%	11.0%	13.9%
Used hookahs or water pipes	1.1%	1.1%	0.8%
Used alcohol	11.3%	14.9%	10.1%
Used marijuana	7.2%	7.5%	5.7%
Used inhalants	0.5%	0.8%	1.5%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	9.3%
Used `OTC` to get high	2.2%	0.7%	2.5%
Used synthetic drugs	1.2%	1.0%	0.8%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	111111		,
Used cocaine or `crack`	0.6%	0.3%	0.5%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.4%	1.1%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.2%	0.2%
Used `club drugs` such as ecstasy	0.4%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	32.4%	33.8%	38.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	10.2%	9.1%
Rode with someone who was drinking alcohol	13.8%	15.4%	15.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.8%	14.2%	17.2%
Posted something online or sent a text that might embarrass or hurt another student	14.8%	17.3%	15.9%
Made fun of other people	44.9%	43.9%	42.5%
Hit, shoved or pushed another student and were not just fooling around	12.4%	14.0%	16.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.4%	17.9%	21.7%
Been threatened or injured with a weapon on school property	8.2%	7.9%	9.4%
Seriously considered suicide	12.4%	11.0%	14.4%
Planned suicide	6.6%	8.4%	10.8%
Attempted suicide	4.6%	4.3%	7.6%
Depression Scale (% often or always in Past Month)			
Were very sad	28.8%	27.7%	29.9%
Were grouchy or irritable, or in a bad mood	36.8%	35.5%	36.2%
Felt hopeless about the future	17.5%	15.5%	18.4%
Felt like not eating or eating more than usual	25.8%	24.3%	25.1%
Felt like sleeping a lot more or a lot less than usual	34.4%	37.6%	35.0%
Had difficulty concentrating on school work	36.3%	37.4%	36.2%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.9%	93.8%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.5%	94.5%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	94.7%	92.5%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.2%	97.1%	96.3%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 85.7%	81.0%	89.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.0%	75.9%	81.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.8%	71.1%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	89.7%	91.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.7%	34.9%	28.1%
'Very' or 'sort of easy' to get e-cigarettes	38.8%	45.5%	40.1%
'Very' or 'sort of easy' to get alcohol	45.0%	50.8%	41.7%
'Very' or 'sort of easy' to get marijuana	27.0%	33.9%	25.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.9%	19.9%	17.3%
Friends' perception of coolness (% reflects pretty cool + very	v cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.9%	7.1%	9.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.0%	15.2%	26.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.4%	20.0%	20.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.4%	17.4%	21.4%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	27.1%	33.3%	25.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /o	day 16.2%	18.0%	14.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.4%	44.5%	37.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.3%	31.5%	31.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.7%	22.2%	21.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.4%	39.1%	27.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	10.0%	7.3%
'No' or 'slight risk' if they use synthetic drugs	15.8%	16.1%	12.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.5%	21.7%	20.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.9%	10.8%	10.4%



Thank You!

2022 Missouri Student Survey Johnson



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	192	1804	624
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	8.3%	12.9%	26.9%
Grade level. 7th Grade	13.3%	11.8%	18.8%
Grade level. 8th Grade	14.9%	11.6%	20.2%
Grade level. 9th Grade	20.4%	14.7%	9.4%
Grade level. 10th Grade	15.0%	14.9%	9.4%
Grade level. 11th Grade	17.5%	15.8%	9.6%
Grade level. 12th Grade	10.6%	18.2%	5.7%
Male	49.8%	49.9%	51.1%
Hispanic or Latino	4.7%	5.5%	3.0%
Race: Black or African American	0.0%	13.5%	3.7%
Race: White	83.0%	81.6%	90.6%
Race: Other*	17.0%	4.9%	5.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.1%	3.2%	5.0%
Used electronic cigarettes	14.6%	11.0%	8.7%
Used hookahs or water pipes	0.9%	1.1%	1.6%
Used alcohol	14.7%	14.9%	9.0%
Used marijuana	8.5%	7.5%	3.4%
Used inhalants	0.0%	0.8%	1.8%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	8.8%
Used `OTC` to get high	0.0%	0.7%	2.0%
Used synthetic drugs	0.0%	1.0%	1.2%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.5%	0.3%	0.4%
Used heroin or `smack`	0.0%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.5%	1.1%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.2%
Used `club drugs` such as ecstasy	1.2%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.3%	33.8%	26.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.8%	10.2%	4.3%
Rode with someone who was drinking alcohol	20.2%	15.4%	12.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.7%	14.2%	21.4%
Posted something online or sent a text that might embarrass or hurt another student	22.7%	17.3%	13.8%
Made fun of other people	47.8%	43.9%	49.0%
Hit, shoved or pushed another student and were not just fooling around	18.0%	14.0%	13.3%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.4%	17.9%	19.6%
Been threatened or injured with a weapon on school property	9.4%	7.9%	7.8%
Seriously considered suicide	14.8%	11.0%	11.2%
Planned suicide	11.0%	8.4%	6.9%
Attempted suicide	4.7%	4.3%	3.9%
Depression Scale (% often or always in Past Month)			
Were very sad	33.3%	27.7%	22.2%
Were grouchy or irritable, or in a bad mood	37.7%	35.5%	29.4%
Felt hopeless about the future	18.0%	15.5%	10.2%
Felt like not eating or eating more than usual	30.3%	24.3%	19.0%
Felt like sleeping a lot more or a lot less than usual	36.5%	37.6%	29.3%
Had difficulty concentrating on school work	44.3%	37.4%	28.9%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.5%	94.5%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 93.9%	92.5%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.4%	97.1%	96.5%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 77.1%	81.0%	87.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.4%	75.9%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	67.2%	71.1%	83.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.4%	89.7%	89.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	43.0%	34.9%	29.5%
'Very' or 'sort of easy' to get e-cigarettes	48.3%	45.5%	30.6%
'Very' or 'sort of easy' to get alcohol	52.6%	50.8%	40.0%
'Very' or 'sort of easy' to get marijuana	35.7%	33.9%	20.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.9%	19.9%	18.1%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.3%	7.1%	8.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.2%	15.2%	20.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.7%	20.0%	19.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.9%	17.4%	17.3%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.4%	33.3%	26.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.5%	18.0%	15.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.3%	44.5%	40.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.0%	31.5%	32.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	22.2%	25.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.8%	39.1%	25.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.4%	10.0%	9.0%
'No' or 'slight risk' if they use synthetic drugs	10.2%	16.1%	15.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	21.7%	21.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.6%	10.8%	13.9%



Thank You!

2022 Missouri Student Survey Knox



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Laclede



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	127	1804	85
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	20.8%	12.9%	0.0%
Grade level. 7th Grade	18.3%	11.8%	43.4%
Grade level. 8th Grade	60.9%	11.6%	55.3%
Grade level. 9th Grade	0.0%	14.7%	0.0%
Grade level. 10th Grade	0.0%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	1.3%
Male	70.1%	49.9%	48.7%
Hispanic or Latino	1.5%	5.5%	2.1%
Race: Black or African American	0.4%	13.5%	0.6%
Race: White	91.0%	81.6%	95.5%
Race: Other*	8.6%	4.9%	3.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	13.0%	3.2%	11.4%
Used electronic cigarettes	14.6%	11.0%	13.4%
Used hookahs or water pipes	0.4%	1.1%	0.3%
Used alcohol	14.6%	14.9%	18.5%
Used marijuana	12.2%	7.5%	3.6%
Used inhalants	1.1%	0.8%	4.4%
Used Rx not prescribed for you by a doctor	1.1%	0.9%	14.1%
Used `OTC` to get high	0.4%	0.7%	2.6%
Used synthetic drugs	0.9%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	111111		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	4.1%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	37.1%	33.8%	35.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.0%	10.2%	6.3%
Rode with someone who was drinking alcohol	26.4%	15.4%	16.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	20.9%	14.2%	24.1%
Posted something online or sent a text that might embarrass or hurt another student	5.8%	17.3%	30.9%
Made fun of other people	22.3%	43.9%	48.6%
Hit, shoved or pushed another student and were not just fooling around	19.9%	14.0%	17.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	12.2%	17.9%	37.9%
Been threatened or injured with a weapon on school property	6.6%	7.9%	10.0%
Seriously considered suicide	16.5%	11.0%	14.4%
Planned suicide	4.7%	8.4%	15.8%
Attempted suicide	4.3%	4.3%	9.9%
Depression Scale (% often or always in Past Month)			
Were very sad	22.2%	27.7%	34.3%
Were grouchy or irritable, or in a bad mood	22.0%	35.5%	46.9%
Felt hopeless about the future	6.8%	15.5%	20.8%
Felt like not eating or eating more than usual	20.1%	24.3%	29.3%
Felt like sleeping a lot more or a lot less than usual	24.4%	37.6%	40.1%
Had difficulty concentrating on school work	17.8%	37.4%	35.6%

C	2022 County Data	2022 MO Data	2020 County Data	
Parents' perception of wrongness (% reflects wrong + very v	vrong)			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.7%	93.8%	95.7%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.8%	94.5%	92.9%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	97.3%	92.5%	94.4%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.8%	97.1%	92.9%	
Friends' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 84.1%	81.0%	83.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.2%	75.9%	74.6%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	89.1%	71.1%	80.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.6%	89.7%	90.9%	
Perception of Availability (% very easy + sort of easy)				
'Very' or 'sort of easy' to get cigarettes	23.8%	34.9%	33.4%	
'Very' or 'sort of easy' to get e-cigarettes	10.2%	45.5%	37.5%	
'Very' or 'sort of easy' to get alcohol	23.6%	50.8%	51.0%	
'Very' or 'sort of easy' to get marijuana	6.0%	33.9%	19.3%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	7.4%	19.9%	21.8%	
Friends' perception of coolness (% reflects pretty cool + very cool)				
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.0%	7.1%	4.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.2%	15.2%	18.6%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	7.9%	20.0%	22.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.4%	17.4%	11.5%	

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	42.4%	33.3%	25.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	29.6%	18.0%	12.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.1%	44.5%	44.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.1%	31.5%	37.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.3%	22.2%	33.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.1%	39.1%	35.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	25.5%	10.0%	10.7%
'No' or 'slight risk' if they use synthetic drugs	29.8%	16.1%	24.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	33.3%	21.7%	30.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	30.0%	10.8%	13.3%



Thank You!

2022 Missouri Student Survey Lafayette



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	1,780	1804	540
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.5%	12.9%	20.3%
Grade level. 7th Grade	14.5%	11.8%	14.3%
Grade level. 8th Grade	17.0%	11.6%	16.6%
Grade level. 9th Grade	16.4%	14.7%	12.4%
Grade level. 10th Grade	15.8%	14.9%	14.7%
Grade level. 11th Grade	12.7%	15.8%	12.6%
Grade level. 12th Grade	9.1%	18.2%	9.1%
Male	49.8%	49.9%	48.6%
Hispanic or Latino	2.8%	5.5%	1.9%
Race: Black or African American	1.9%	13.5%	2.1%
Race: White	87.1%	81.6%	94.3%
Race: Other*	11.0%	4.9%	3.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	4.1%	3.2%	8.9%
Used electronic cigarettes	13.7%	11.0%	16.0%
Used hookahs or water pipes	1.7%	1.1%	1.7%
Used alcohol	14.3%	14.9%	15.1%
Used marijuana	7.6%	7.5%	5.6%
Used inhalants	1.1%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	2.2%	0.9%	8.3%
Used `OTC` to get high	1.3%	0.7%	2.7%
Used synthetic drugs	0.4%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	1.1%	0.3%	1.0%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.8%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.2%	0.3%
Used `club drugs` such as ecstasy	1.1%	0.2%	1.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.4%	33.8%	30.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.4%	10.2%	6.2%
Rode with someone who was drinking alcohol	17.3%	15.4%	14.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.4%	14.2%	15.7%
Posted something online or sent a text that might embarrass or hurt another student	18.7%	17.3%	14.8%
Made fun of other people	48.1%	43.9%	47.2%
Hit, shoved or pushed another student and were not just fooling around	14.3%	14.0%	13.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.2%	17.9%	17.4%
Been threatened or injured with a weapon on school property	9.3%	7.9%	7.3%
Seriously considered suicide	15.7%	11.0%	9.7%
Planned suicide	10.4%	8.4%	7.1%
Attempted suicide	6.9%	4.3%	4.2%
Depression Scale (% often or always in Past Month)			
Were very sad	29.7%	27.7%	24.1%
Were grouchy or irritable, or in a bad mood	37.3%	35.5%	36.2%
Felt hopeless about the future	16.3%	15.5%	16.0%
Felt like not eating or eating more than usual	27.7%	24.3%	22.8%
Felt like sleeping a lot more or a lot less than usual	35.0%	37.6%	31.5%
Had difficulty concentrating on school work	34.0%	37.4%	29.8%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.5%	93.8%	89.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.6%	94.5%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 92.1%	92.5%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	97.1%	94.2%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 81.6%	81.0%	85.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.3%	75.9%	73.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.8%	71.1%	72.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.7%	89.7%	90.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.3%	34.9%	38.8%
'Very' or 'sort of easy' to get e-cigarettes	45.4%	45.5%	43.6%
'Very' or 'sort of easy' to get alcohol	49.1%	50.8%	46.9%
'Very' or 'sort of easy' to get marijuana	30.8%	33.9%	34.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.5%	19.9%	19.9%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.9%	7.1%	8.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.0%	15.2%	21.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.0%	20.0%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.5%	17.4%	23.6%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	31.9%	33.3%	36.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /	'day 19.7%	18.0%	23.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.1%	44.5%	47.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.1%	31.5%	37.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.9%	22.2%	31.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.8%	39.1%	38.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs $% \left(1\right) =\left(1\right) \left(1\right) \left($	10.2%	10.0%	13.3%
'No' or 'slight risk' if they use synthetic drugs	18.5%	16.1%	18.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.6%	21.7%	27.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.9%	10.8%	16.3%



Thank You!

2022 Missouri Student Survey Lawrence



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Lewis



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Lincoln



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	1,488	1804	109
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	10.9%	12.9%	18.6%
Grade level. 7th Grade	10.3%	11.8%	34.6%
Grade level. 8th Grade	10.6%	11.6%	32.7%
Grade level. 9th Grade	32.9%	14.7%	1.0%
Grade level. 10th Grade	15.4%	14.9%	1.0%
Grade level. 11th Grade	11.6%	15.8%	0.0%
Grade level. 12th Grade	8.3%	18.2%	12.0%
Male	49.7%	49.9%	49.5%
Hispanic or Latino	8.2%	5.5%	1.3%
Race: Black or African American	2.3%	13.5%	0.0%
Race: White	86.8%	81.6%	96.5%
Race: Other*	10.9%	4.9%	3.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.1%	3.2%	3.0%
Used electronic cigarettes	14.0%	11.0%	9.1%
Used hookahs or water pipes	1.8%	1.1%	0.0%
Used alcohol	14.7%	14.9%	15.1%
Used marijuana	7.5%	7.5%	2.0%
Used inhalants	1.0%	0.8%	1.1%
Used Rx not prescribed for you by a doctor	2.4%	0.9%	7.6%
Used `OTC` to get high	1.7%	0.7%	1.1%
Used synthetic drugs	0.5%	1.0%	0.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	0.7%	0.3%	1.1%
Used heroin or `smack`	0.4%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.6%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.5%	33.8%	27.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.6%	10.2%	3.9%
Rode with someone who was drinking alcohol	17.9%	15.4%	23.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.5%	14.2%	16.0%
Posted something online or sent a text that might embarrass or hurt another student	16.9%	17.3%	6.4%
Made fun of other people	45.6%	43.9%	35.4%
Hit, shoved or pushed another student and were not just fooling around	12.7%	14.0%	14.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.7%	17.9%	16.4%
Been threatened or injured with a weapon on school property	8.3%	7.9%	10.0%
Seriously considered suicide	17.4%	11.0%	13.6%
Planned suicide	12.5%	8.4%	7.3%
Attempted suicide	8.5%	4.3%	5.3%
Depression Scale (% often or always in Past Month)			
Were very sad	35.3%	27.7%	25.3%
Were grouchy or irritable, or in a bad mood	40.7%	35.5%	30.9%
Felt hopeless about the future	20.3%	15.5%	15.6%
Felt like not eating or eating more than usual	31.5%	24.3%	22.6%
Felt like sleeping a lot more or a lot less than usual	39.1%	37.6%	32.0%
Had difficulty concentrating on school work	41.8%	37.4%	24.7%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.4%	93.8%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.7%	94.5%	97.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	92.5%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	97.1%	96.9%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	81.4%	81.0%	85.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.0%	75.9%	82.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.3%	71.1%	84.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.9%	89.7%	94.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.5%	34.9%	37.1%
'Very' or 'sort of easy' to get e-cigarettes	45.3%	45.5%	41.8%
'Very' or 'sort of easy' to get alcohol	50.5%	50.8%	42.1%
'Very' or 'sort of easy' to get marijuana	30.0%	33.9%	27.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.7%	19.9%	18.9%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.9%	7.1%	5.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.0%	15.2%	22.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.5%	20.0%	19.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.8%	17.4%	20.3%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.9%	33.3%	23.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.3%	18.0%	13.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.2%	44.5%	27.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.5%	31.5%	29.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.9%	22.2%	20.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.6%	39.1%	21.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.4%	10.0%	3.3%
'No' or 'slight risk' if they use synthetic drugs	15.9%	16.1%	9.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.6%	21.7%	19.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.5%	10.8%	6.4%



Thank You!

2022 Missouri Student Survey Linn



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	630	1804	480
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	9.4%	12.9%	12.1%
Grade level. 7th Grade	20.0%	11.8%	22.3%
Grade level. 8th Grade	18.3%	11.6%	29.3%
Grade level. 9th Grade	12.2%	14.7%	5.7%
Grade level. 10th Grade	13.3%	14.9%	14.0%
Grade level. 11th Grade	13.9%	15.8%	5.1%
Grade level. 12th Grade	12.8%	18.2%	11.5%
Male	48.7%	49.9%	48.4%
Hispanic or Latino	6.3%	5.5%	2.6%
Race: Black or African American	0.5%	13.5%	0.6%
Race: White	84.5%	81.6%	96.8%
Race: Other*	14.9%	4.9%	2.6%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.2%	3.2%	9.0%
Used electronic cigarettes	17.7%	11.0%	20.1%
Used hookahs or water pipes	1.0%	1.1%	1.3%
Used alcohol	24.0%	14.9%	20.3%
Used marijuana	3.7%	7.5%	3.9%
Used inhalants	0.5%	0.8%	2.6%
Used Rx not prescribed for you by a doctor	2.6%	0.9%	4.6%
Used `OTC` to get high	1.0%	0.7%	2.6%
Used synthetic drugs	0.5%	1.0%	1.3%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.5%	0.3%	1.3%
Used heroin or `smack`	0.5%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.6%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.2%	0.7%
Used `club drugs` such as ecstasy	0.5%	0.2%	1.3%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	28.5%	33.8%	29.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.7%	10.2%	4.5%
Rode with someone who was drinking alcohol	20.4%	15.4%	21.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	22.6%	14.2%	26.1%
Posted something online or sent a text that might embarrass or hurt another student	19.0%	17.3%	17.3%
Made fun of other people	52.3%	43.9%	60.3%
Hit, shoved or pushed another student and were not just fooling around	15.9%	14.0%	19.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.4%	17.9%	19.7%
Been threatened or injured with a weapon on school property	9.2%	7.9%	5.1%
Seriously considered suicide	16.6%	11.0%	16.1%
Planned suicide	12.5%	8.4%	14.2%
Attempted suicide	8.3%	4.3%	6.4%
Depression Scale (% often or always in Past Month)			
Were very sad	30.9%	27.7%	32.5%
Were grouchy or irritable, or in a bad mood	36.9%	35.5%	37.2%
Felt hopeless about the future	15.5%	15.5%	20.4%
Felt like not eating or eating more than usual	29.4%	24.3%	28.8%
Felt like sleeping a lot more or a lot less than usual	36.9%	37.6%	35.9%
Had difficulty concentrating on school work	34.9%	37.4%	33.8%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.3%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.6%	94.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.8%	92.5%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.4%	97.1%	96.1%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	81.4%	81.0%	78.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.8%	75.9%	76.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.2%	71.1%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.8%	89.7%	91.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	36.1%	34.9%	36.9%
'Very' or 'sort of easy' to get e-cigarettes	44.8%	45.5%	43.9%
'Very' or 'sort of easy' to get alcohol	53.9%	50.8%	49.4%
'Very' or 'sort of easy' to get marijuana	23.7%	33.9%	21.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.0%	19.9%	17.4%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.2%	7.1%	12.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	15.2%	29.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.1%	20.0%	28.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.4%	17.4%	18.6%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	34.5%	33.3%	28.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.9%	18.0%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.8%	44.5%	43.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	31.5%	37.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	22.2%	26.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.8%	39.1%	23.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.7%	10.0%	6.4%
'No' or 'slight risk' if they use synthetic drugs	10.8%	16.1%	10.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	21.7%	16.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.7%	10.8%	9.7%



Thank You!

2022 Missouri Student Survey Livingston



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	792	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.0%	12.9%	0.0%
Grade level. 7th Grade	13.8%	11.8%	0.0%
Grade level. 8th Grade	12.9%	11.6%	0.0%
Grade level. 9th Grade	14.2%	14.7%	0.0%
Grade level. 10th Grade	16.1%	14.9%	0.0%
Grade level. 11th Grade	16.0%	15.8%	0.0%
Grade level. 12th Grade	12.0%	18.2%	0.0%
Male	48.3%	49.9%	0.0%
Hispanic or Latino	6.3%	5.5%	0.0%
Race: Black or African American	3.1%	13.5%	0.0%
Race: White	85.8%	81.6%	0.0%
Race: Other*	11.1%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.8%	3.2%	0.0%
Used electronic cigarettes	17.7%	11.0%	0.0%
Used hookahs or water pipes	1.4%	1.1%	0.0%
Used alcohol	17.6%	14.9%	0.0%
Used marijuana	8.8%	7.5%	0.0%
Used inhalants	0.4%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	0.9%	0.9%	0.0%
Used `OTC` to get high	1.7%	0.7%	0.0%
Used synthetic drugs	0.9%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	1.2%	0.3%	0.0%
Used heroin or `smack`	0.3%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.4%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.8%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	29.7%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	10.2%	0.0%
Rode with someone who was drinking alcohol	16.8%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.7%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	14.0%	17.3%	0.0%
Made fun of other people	42.9%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	11.0%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.3%	17.9%	0.0%
Been threatened or injured with a weapon on school property	6.7%	7.9%	0.0%
Seriously considered suicide	11.5%	11.0%	0.0%
Planned suicide	9.9%	8.4%	0.0%
Attempted suicide	6.1%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	28.3%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	34.5%	35.5%	0.0%
Felt hopeless about the future	13.9%	15.5%	0.0%
Felt like not eating or eating more than usual	26.4%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	33.9%	37.6%	0.0%
Had difficulty concentrating on school work	33.3%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.0%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.8%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 93.0%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.6%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 79.7%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.8%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.3%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.6%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	49.7%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	51.5%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	29.5%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.9%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.1%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.5%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.8%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.9%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.1%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.6%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.2%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.1%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.5%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.9%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.0%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	13.0%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.5%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.7%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Macon



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	471	1804	352
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.2%	12.9%	11.4%
Grade level. 7th Grade	16.0%	11.8%	23.9%
Grade level. 8th Grade	14.2%	11.6%	19.9%
Grade level. 9th Grade	16.0%	14.7%	5.7%
Grade level. 10th Grade	15.1%	14.9%	6.3%
Grade level. 11th Grade	17.8%	15.8%	22.2%
Grade level. 12th Grade	6.7%	18.2%	10.8%
Male	51.6%	49.9%	48.6%
Hispanic or Latino	1.8%	5.5%	1.2%
Race: Black or African American	1.8%	13.5%	1.7%
Race: White	84.3%	81.6%	95.4%
Race: Other*	13.9%	4.9%	2.9%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	4.2%	3.2%	9.1%
Used electronic cigarettes	12.1%	11.0%	15.9%
Used hookahs or water pipes	2.3%	1.1%	0.6%
Used alcohol	12.4%	14.9%	16.1%
Used marijuana	6.2%	7.5%	2.3%
Used inhalants	1.0%	0.8%	2.3%
Used Rx not prescribed for you by a doctor	1.4%	0.9%	6.9%
Used `OTC` to get high	1.0%	0.7%	1.7%
Used synthetic drugs	0.5%	1.0%	1.1%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	0.0%	0.3%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.9%	1.1%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.0%	0.2%	0.6%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	29.5%	33.8%	28.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.3%	10.2%	5.2%
Rode with someone who was drinking alcohol	15.0%	15.4%	16.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	17.8%	14.2%	14.8%
Posted something online or sent a text that might embarrass or hurt another student	20.0%	17.3%	13.6%
Made fun of other people	48.9%	43.9%	42.6%
Hit, shoved or pushed another student and were not just fooling around	12.4%	14.0%	12.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.9%	17.9%	18.3%
Been threatened or injured with a weapon on school property	6.3%	7.9%	6.3%
Seriously considered suicide	18.8%	11.0%	14.0%
Planned suicide	13.8%	8.4%	11.0%
Attempted suicide	10.2%	4.3%	7.5%
Depression Scale (% often or always in Past Month)			
Were very sad	31.1%	27.7%	29.0%
Were grouchy or irritable, or in a bad mood	32.4%	35.5%	31.3%
Felt hopeless about the future	19.1%	15.5%	17.7%
Felt like not eating or eating more than usual	26.3%	24.3%	24.3%
Felt like sleeping a lot more or a lot less than usual	31.1%	37.6%	32.4%
Had difficulty concentrating on school work	31.1%	37.4%	33.0%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.1%	93.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.1%	94.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	92.5%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	97.1%	97.1%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	79.6%	81.0%	81.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.4%	75.9%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.9%	71.1%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.3%	89.7%	89.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.5%	34.9%	36.2%
'Very' or 'sort of easy' to get e-cigarettes	41.3%	45.5%	37.7%
'Very' or 'sort of easy' to get alcohol	45.1%	50.8%	47.2%
'Very' or 'sort of easy' to get marijuana	27.0%	33.9%	18.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.9%	19.9%	19.4%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.9%	7.1%	10.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.9%	15.2%	22.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.6%	20.0%	24.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.7%	17.4%	16.5%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.6%	33.3%	27.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.6%	18.0%	14.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.6%	44.5%	36.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.6%	31.5%	32.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.7%	22.2%	23.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.9%	39.1%	27.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.9%	10.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	15.9%	16.1%	10.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.2%	21.7%	19.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	10.8%	12.1%



Thank You!

2022 Missouri Student Survey Madison



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	211	1804	456
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	20.7%	12.9%	35.6%
Grade level. 7th Grade	0.0%	11.8%	33.3%
Grade level. 8th Grade	0.0%	11.6%	26.7%
Grade level. 9th Grade	47.7%	14.7%	0.0%
Grade level. 10th Grade	16.1%	14.9%	2.2%
Grade level. 11th Grade	10.3%	15.8%	2.2%
Grade level. 12th Grade	5.2%	18.2%	0.0%
Male	48.9%	49.9%	50.6%
Hispanic or Latino	1.2%	5.5%	1.1%
Race: Black or African American	0.0%	13.5%	1.1%
Race: White	93.7%	81.6%	97.8%
Race: Other*	6.3%	4.9%	1.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	12.6%	3.2%	6.9%
Used electronic cigarettes	30.6%	11.0%	11.5%
Used hookahs or water pipes	4.0%	1.1%	1.1%
Used alcohol	19.4%	14.9%	8.0%
Used marijuana	14.5%	7.5%	4.7%
Used inhalants	1.2%	0.8%	2.4%
Used Rx not prescribed for you by a doctor	4.9%	0.9%	8.2%
Used `OTC` to get high	2.5%	0.7%	3.6%
Used synthetic drugs	0.6%	1.0%	1.2%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.3%	0.3%	0.0%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	3.8%	1.1%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.0%
Used `club drugs` such as ecstasy	1.9%	0.2%	1.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	36.0%	33.8%	32.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	10.2%	8.0%
Rode with someone who was drinking alcohol	24.6%	15.4%	16.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.6%	14.2%	23.3%
Posted something online or sent a text that might embarrass or hurt another student	17.7%	17.3%	12.2%
Made fun of other people	46.6%	43.9%	44.9%
Hit, shoved or pushed another student and were not just fooling around	14.9%	14.0%	18.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.3%	17.9%	18.9%
Been threatened or injured with a weapon on school property	9.7%	7.9%	8.9%
Seriously considered suicide	16.6%	11.0%	14.4%
Planned suicide	12.1%	8.4%	10.2%
Attempted suicide	7.4%	4.3%	6.7%
Depression Scale (% often or always in Past Month)			
Were very sad	36.6%	27.7%	27.8%
Were grouchy or irritable, or in a bad mood	36.4%	35.5%	34.8%
Felt hopeless about the future	18.8%	15.5%	13.6%
Felt like not eating or eating more than usual	30.3%	24.3%	24.4%
Felt like sleeping a lot more or a lot less than usual	34.3%	37.6%	34.4%
Had difficulty concentrating on school work	28.6%	37.4%	24.4%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.6%	93.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.9%	94.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 92.9%	92.5%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	97.1%	95.0%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 70.5%	81.0%	83.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	61.9%	75.9%	77.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.6%	71.1%	82.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.0%	89.7%	88.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	48.3%	34.9%	35.6%
'Very' or 'sort of easy' to get e-cigarettes	54.5%	45.5%	39.3%
'Very' or 'sort of easy' to get alcohol	51.7%	50.8%	38.2%
'Very' or 'sort of easy' to get marijuana	39.2%	33.9%	22.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.6%	19.9%	20.2%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.0%	7.1%	15.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	33.0%	15.2%	32.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.4%	20.0%	24.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.4%	17.4%	26.7%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.4%	33.3%	29.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 21.6%	18.0%	19.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.5%	44.5%	36.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.7%	31.5%	38.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.1%	22.2%	20.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.5%	39.1%	23.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	10.0%	10.1%
'No' or 'slight risk' if they use synthetic drugs	14.9%	16.1%	17.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.3%	21.7%	24.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	10.8%	14.6%



Thank You!

2022 Missouri Student Survey Maries



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	154	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	0.0%
Grade level. 7th Grade	0.0%	11.8%	0.0%
Grade level. 8th Grade	0.0%	11.6%	0.0%
Grade level. 9th Grade	32.7%	14.7%	0.0%
Grade level. 10th Grade	23.5%	14.9%	0.0%
Grade level. 11th Grade	29.4%	15.8%	0.0%
Grade level. 12th Grade	14.4%	18.2%	0.0%
Male	47.7%	49.9%	0.0%
Hispanic or Latino	7.2%	5.5%	0.0%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	90.7%	81.6%	0.0%
Race: Other*	9.3%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	7.6%	3.2%	0.0%
Used electronic cigarettes	27.9%	11.0%	0.0%
Used hookahs or water pipes	3.4%	1.1%	0.0%
Used alcohol	25.5%	14.9%	0.0%
Used marijuana	14.6%	7.5%	0.0%
Used inhalants	1.4%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	4.9%	0.9%	0.0%
Used `OTC` to get high	0.7%	0.7%	0.0%
Used synthetic drugs	0.7%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	1.4%	0.3%	0.0%
Used heroin or `smack`	0.7%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	4.9%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.7%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.1%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	10.2%	0.0%
Rode with someone who was drinking alcohol	20.1%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	19.5%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	18.8%	17.3%	0.0%
Made fun of other people	46.1%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	10.4%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.9%	17.9%	0.0%
Been threatened or injured with a weapon on school property	9.1%	7.9%	0.0%
Seriously considered suicide	21.1%	11.0%	0.0%
Planned suicide	15.7%	8.4%	0.0%
Attempted suicide	11.1%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	41.6%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	46.1%	35.5%	0.0%
Felt hopeless about the future	24.0%	15.5%	0.0%
Felt like not eating or eating more than usual	29.9%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	37.3%	37.6%	0.0%
Had difficulty concentrating on school work	41.6%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.0%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.9%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 86.5%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 63.4%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	59.7%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	62.1%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	83.0%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	52.9%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	68.0%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	69.3%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	51.6%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.2%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + very	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.2%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.9%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.7%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	43.8%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	34.2%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	55.2%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.8%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	41.4%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	46.4%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	16.3%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	17.0%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	32.0%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	22.2%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Marion



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	619	1804	126
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	31.3%	12.9%	0.0%
Grade level. 7th Grade	32.6%	11.8%	0.0%
Grade level. 8th Grade	36.2%	11.6%	51.8%
Grade level. 9th Grade	0.0%	14.7%	0.7%
Grade level. 10th Grade	0.0%	14.9%	47.5%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	0.0%
Male	48.4%	49.9%	47.8%
Hispanic or Latino	1.8%	5.5%	1.8%
Race: Black or African American	3.5%	13.5%	4.1%
Race: White	83.6%	81.6%	91.6%
Race: Other*	12.8%	4.9%	4.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.9%	3.2%	4.2%
Used electronic cigarettes	4.7%	11.0%	18.4%
Used hookahs or water pipes	0.5%	1.1%	2.3%
Used alcohol	4.7%	14.9%	18.2%
Used marijuana	2.8%	7.5%	6.1%
Used inhalants	1.4%	0.8%	3.3%
Used Rx not prescribed for you by a doctor	1.4%	0.9%	11.0%
Used `OTC` to get high	1.4%	0.7%	2.9%
Used synthetic drugs	1.0%	1.0%	4.3%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.5%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.0%	1.1%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.2%	1.0%
Used `club drugs` such as ecstasy	0.5%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	37.2%	33.8%	25.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.2%	10.2%	3.5%
Rode with someone who was drinking alcohol	9.0%	15.4%	17.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.3%	14.2%	27.9%
Posted something online or sent a text that might embarrass or hurt another student	15.6%	17.3%	20.5%
Made fun of other people	38.4%	43.9%	61.8%
Hit, shoved or pushed another student and were not just fooling around	14.2%	14.0%	11.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.8%	17.9%	16.4%
Been threatened or injured with a weapon on school property	8.5%	7.9%	7.8%
Seriously considered suicide	9.9%	11.0%	16.5%
Planned suicide	8.5%	8.4%	14.6%
Attempted suicide	5.4%	4.3%	6.8%
Depression Scale (% often or always in Past Month)			
Were very sad	21.9%	27.7%	26.7%
Were grouchy or irritable, or in a bad mood	35.3%	35.5%	37.1%
Felt hopeless about the future	13.0%	15.5%	16.2%
Felt like not eating or eating more than usual	20.4%	24.3%	23.3%
Felt like sleeping a lot more or a lot less than usual	30.9%	37.6%	26.7%
Had difficulty concentrating on school work	33.9%	37.4%	29.0%

C	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.0%	93.8%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.4%	94.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 96.0%	92.5%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	97.1%	97.1%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	89.3%	81.0%	88.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	86.6%	75.9%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	86.1%	71.1%	78.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.0%	89.7%	92.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	20.6%	34.9%	45.9%
'Very' or 'sort of easy' to get e-cigarettes	26.1%	45.5%	55.7%
'Very' or 'sort of easy' to get alcohol	25.2%	50.8%	60.0%
'Very' or 'sort of easy' to get marijuana	13.1%	33.9%	32.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	12.2%	19.9%	20.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.8%	7.1%	5.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.7%	15.2%	25.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.7%	20.0%	27.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.1%	17.4%	20.8%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.7%	33.3%	40.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.0%	18.0%	24.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.6%	44.5%	49.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.0%	31.5%	35.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.6%	22.2%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.1%	39.1%	35.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.9%	10.0%	8.4%
'No' or 'slight risk' if they use synthetic drugs	21.0%	16.1%	18.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.5%	21.7%	31.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.6%	10.8%	16.6%



Thank You!

2022 Missouri Student Survey McDonald



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Mercer



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Miller



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	179	1804	559
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.6%	12.9%	36.1%
Grade level. 7th Grade	11.8%	11.8%	24.2%
Grade level. 8th Grade	15.0%	11.6%	13.7%
Grade level. 9th Grade	31.4%	14.7%	10.6%
Grade level. 10th Grade	26.2%	14.9%	9.3%
Grade level. 11th Grade	0.0%	15.8%	3.1%
Grade level. 12th Grade	0.0%	18.2%	3.1%
Male	51.2%	49.9%	49.1%
Hispanic or Latino	1.8%	5.5%	1.3%
Race: Black or African American	0.3%	13.5%	0.4%
Race: White	95.1%	81.6%	96.5%
Race: Other*	4.6%	4.9%	3.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	10.1%	3.2%	7.2%
Used electronic cigarettes	20.0%	11.0%	13.5%
Used hookahs or water pipes	0.9%	1.1%	1.4%
Used alcohol	14.9%	14.9%	11.9%
Used marijuana	2.1%	7.5%	3.7%
Used inhalants	0.0%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	0.9%	0.9%	6.0%
Used `OTC` to get high	0.6%	0.7%	2.3%
Used synthetic drugs	0.9%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.9%	0.3%	0.9%
Used heroin or `smack`	0.0%	0.2%	0.5%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.9%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	38.7%	33.8%	30.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.0%	10.2%	6.2%
Rode with someone who was drinking alcohol	30.3%	15.4%	19.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.2%	14.2%	15.8%
Posted something online or sent a text that might embarrass or hurt another student	14.9%	17.3%	9.6%
Made fun of other people	49.9%	43.9%	39.5%
Hit, shoved or pushed another student and were not just fooling around	25.2%	14.0%	16.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.2%	17.9%	19.7%
Been threatened or injured with a weapon on school property	11.5%	7.9%	7.5%
Seriously considered suicide	11.3%	11.0%	11.5%
Planned suicide	8.1%	8.4%	8.9%
Attempted suicide	4.9%	4.3%	5.3%
Depression Scale (% often or always in Past Month)			
Were very sad	22.8%	27.7%	24.6%
Were grouchy or irritable, or in a bad mood	36.5%	35.5%	29.5%
Felt hopeless about the future	17.4%	15.5%	13.7%
Felt like not eating or eating more than usual	24.9%	24.3%	21.8%
Felt like sleeping a lot more or a lot less than usual	29.4%	37.6%	30.7%
Had difficulty concentrating on school work	32.9%	37.4%	30.7%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.3%	93.8%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.2%	94.5%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 92.8%	92.5%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.6%	97.1%	98.1%
Friends' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette:	s 77.8%	81.0%	83.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.5%	75.9%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.8%	71.1%	83.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.6%	89.7%	91.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	46.1%	34.9%	28.2%
'Very' or 'sort of easy' to get e-cigarettes	57.3%	45.5%	33.9%
'Very' or 'sort of easy' to get alcohol	58.4%	50.8%	41.6%
'Very' or 'sort of easy' to get marijuana	31.7%	33.9%	19.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.9%	19.9%	16.9%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.0%	7.1%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	15.2%	16.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.8%	20.0%	15.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	7.0%	17.4%	8.8%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	41.0%	33.3%	27.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /o	day 29.8%	18.0%	12.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	46.1%	44.5%	35.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	51.7%	31.5%	34.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	41.0%	22.2%	28.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.7%	39.1%	22.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.5%	10.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	20.5%	16.1%	14.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	30.5%	21.7%	18.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	19.4%	10.8%	9.9%



Thank You!

2022 Missouri Student Survey Pemiscot



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	404	1804	104
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	10.0%	12.9%	12.4%
Grade level. 7th Grade	23.9%	11.8%	21.8%
Grade level. 8th Grade	17.5%	11.6%	20.5%
Grade level. 9th Grade	12.0%	14.7%	3.0%
Grade level. 10th Grade	14.3%	14.9%	14.9%
Grade level. 11th Grade	14.3%	15.8%	16.1%
Grade level. 12th Grade	8.0%	18.2%	11.3%
Male	47.9%	49.9%	41.2%
Hispanic or Latino	2.0%	5.5%	4.0%
Race: Black or African American	28.6%	13.5%	26.2%
Race: White	66.8%	81.6%	71.1%
Race: Other*	4.6%	4.9%	2.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.6%	3.2%	1.6%
Used electronic cigarettes	14.1%	11.0%	5.5%
Used hookahs or water pipes	1.2%	1.1%	0.5%
Used alcohol	12.6%	14.9%	7.1%
Used marijuana	5.7%	7.5%	9.0%
Used inhalants	2.0%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	5.3%	0.9%	13.6%
Used `OTC` to get high	2.4%	0.7%	2.6%
Used synthetic drugs	1.6%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	1.2%	0.3%	0.0%
Used heroin or `smack`	0.4%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.8%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.8%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	49.4%	33.8%	50.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	13.6%	10.2%	4.4%
Rode with someone who was drinking alcohol	15.9%	15.4%	23.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	18.1%	14.2%	16.8%
Posted something online or sent a text that might embarrass or hurt another student	17.8%	17.3%	20.0%
Made fun of other people	46.7%	43.9%	59.3%
Hit, shoved or pushed another student and were not just fooling around	17.0%	14.0%	9.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.5%	17.9%	23.2%
Been threatened or injured with a weapon on school property	8.9%	7.9%	4.1%
Seriously considered suicide	12.4%	11.0%	14.7%
Planned suicide	9.3%	8.4%	7.5%
Attempted suicide	7.3%	4.3%	2.1%
Depression Scale (% often or always in Past Month)			
Were very sad	31.6%	27.7%	17.2%
Were grouchy or irritable, or in a bad mood	40.2%	35.5%	43.8%
Felt hopeless about the future	16.3%	15.5%	12.6%
Felt like not eating or eating more than usual	30.5%	24.3%	21.1%
Felt like sleeping a lot more or a lot less than usual	38.1%	37.6%	39.7%
Had difficulty concentrating on school work	34.0%	37.4%	28.7%

Cor	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	93.8%	89.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.2%	94.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.6%	92.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.9%	97.1%	88.3%
Friends' perception of wrongness (% reflects wrong + very wrong	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	74.8%	81.0%	89.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.7%	75.9%	77.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.0%	71.1%	71.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.3%	89.7%	84.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.1%	34.9%	32.5%
'Very' or 'sort of easy' to get e-cigarettes	43.9%	45.5%	34.7%
'Very' or 'sort of easy' to get alcohol	44.9%	50.8%	42.2%
'Very' or 'sort of easy' to get marijuana	27.1%	33.9%	32.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.1%	19.9%	21.3%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.9%	7.1%	4.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.0%	15.2%	23.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.4%	20.0%	20.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.7%	17.4%	22.5%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.6%	33.3%	39.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	23.4%	18.0%	19.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.5%	44.5%	43.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.6%	31.5%	36.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.0%	22.2%	22.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.4%	39.1%	42.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.8%	10.0%	8.5%
'No' or 'slight risk' if they use synthetic drugs	20.5%	16.1%	14.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	29.9%	21.7%	27.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	19.0%	10.8%	19.5%



Thank You!

2022 Missouri Student Survey Perry



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Pettis



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	145	1804	216
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.0%	12.9%	5.1%
Grade level. 7th Grade	22.9%	11.8%	6.5%
Grade level. 8th Grade	12.2%	11.6%	4.7%
Grade level. 9th Grade	13.0%	14.7%	25.5%
Grade level. 10th Grade	18.1%	14.9%	28.4%
Grade level. 11th Grade	11.7%	15.8%	17.9%
Grade level. 12th Grade	11.2%	18.2%	12.0%
Male	50.2%	49.9%	48.1%
Hispanic or Latino	7.3%	5.5%	5.0%
Race: Black or African American	3.1%	13.5%	3.3%
Race: White	82.2%	81.6%	91.8%
Race: Other*	14.7%	4.9%	5.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.0%	3.2%	3.8%
Used electronic cigarettes	11.5%	11.0%	14.2%
Used hookahs or water pipes	1.1%	1.1%	0.8%
Used alcohol	19.1%	14.9%	17.0%
Used marijuana	7.8%	7.5%	10.0%
Used inhalants	2.2%	0.8%	0.7%
Used Rx not prescribed for you by a doctor	2.3%	0.9%	9.7%
Used `OTC` to get high	2.6%	0.7%	3.3%
Used synthetic drugs	0.7%	1.0%	1.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	2.5%	0.3%	1.4%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.4%	1.1%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.7%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	32.4%	33.8%	27.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.7%	10.2%	6.3%
Rode with someone who was drinking alcohol	13.5%	15.4%	9.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.4%	14.2%	12.0%
Posted something online or sent a text that might embarrass or hurt another student	14.3%	17.3%	13.0%
Made fun of other people	48.3%	43.9%	35.6%
Hit, shoved or pushed another student and were not just fooling around	12.8%	14.0%	6.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.6%	17.9%	12.5%
Been threatened or injured with a weapon on school property	6.7%	7.9%	3.8%
Seriously considered suicide	11.3%	11.0%	4.8%
Planned suicide	8.5%	8.4%	4.0%
Attempted suicide	5.6%	4.3%	1.9%
Depression Scale (% often or always in Past Month)			
Were very sad	23.3%	27.7%	27.9%
Were grouchy or irritable, or in a bad mood	28.7%	35.5%	38.0%
Felt hopeless about the future	18.6%	15.5%	13.1%
Felt like not eating or eating more than usual	22.7%	24.3%	21.2%
Felt like sleeping a lot more or a lot less than usual	33.8%	37.6%	33.2%
Had difficulty concentrating on school work	40.0%	37.4%	29.4%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.2%	93.8%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	94.5%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 94.6%	92.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	97.1%	98.8%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 82.3%	81.0%	91.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.1%	75.9%	82.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.6%	71.1%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	89.7%	89.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.6%	34.9%	42.0%
'Very' or 'sort of easy' to get e-cigarettes	40.3%	45.5%	45.9%
'Very' or 'sort of easy' to get alcohol	46.4%	50.8%	47.4%
'Very' or 'sort of easy' to get marijuana	26.9%	33.9%	35.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.1%	19.9%	19.2%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.0%	7.1%	5.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.4%	15.2%	24.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.1%	20.0%	24.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.6%	17.4%	21.7%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.9%	33.3%	38.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	27.0%	18.0%	18.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.3%	44.5%	42.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.6%	31.5%	28.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.0%	22.2%	18.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.6%	39.1%	43.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	15.2%	10.0%	9.7%
'No' or 'slight risk' if they use synthetic drugs	24.6%	16.1%	11.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	21.7%	23.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	10.8%	12.2%



Thank You!

2022 Missouri Student Survey Phelps



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	1,424	1804	1516
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.4%	12.9%	26.6%
Grade level. 7th Grade	9.4%	11.8%	12.4%
Grade level. 8th Grade	13.7%	11.6%	15.2%
Grade level. 9th Grade	20.7%	14.7%	18.9%
Grade level. 10th Grade	22.4%	14.9%	9.1%
Grade level. 11th Grade	13.3%	15.8%	11.6%
Grade level. 12th Grade	8.2%	18.2%	6.1%
Male	52.5%	49.9%	51.8%
Hispanic or Latino	3.0%	5.5%	1.9%
Race: Black or African American	1.9%	13.5%	2.6%
Race: White	76.7%	81.6%	91.2%
Race: Other*	21.3%	4.9%	6.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.8%	3.2%	6.2%
Used electronic cigarettes	13.6%	11.0%	13.1%
Used hookahs or water pipes	2.5%	1.1%	2.1%
Used alcohol	11.1%	14.9%	11.4%
Used marijuana	7.7%	7.5%	5.9%
Used inhalants	0.9%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	7.0%
Used `OTC` to get high	1.1%	0.7%	2.1%
Used synthetic drugs	0.4%	1.0%	0.2%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.8%	0.3%	0.9%
Used heroin or `smack`	0.3%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.0%	1.1%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.2%	0.7%
Used `club drugs` such as ecstasy	0.8%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.3%	33.8%	30.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	12.3%	10.2%	9.3%
Rode with someone who was drinking alcohol	12.8%	15.4%	14.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.5%	14.2%	17.1%
Posted something online or sent a text that might embarrass or hurt another student	13.3%	17.3%	13.7%
Made fun of other people	44.3%	43.9%	39.3%
Hit, shoved or pushed another student and were not just fooling around	12.5%	14.0%	14.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.1%	17.9%	20.2%
Been threatened or injured with a weapon on school property	9.2%	7.9%	9.3%
Seriously considered suicide	16.4%	11.0%	14.9%
Planned suicide	10.3%	8.4%	11.4%
Attempted suicide	5.4%	4.3%	7.9%
Depression Scale (% often or always in Past Month)			
Were very sad	30.7%	27.7%	28.5%
Were grouchy or irritable, or in a bad mood	36.7%	35.5%	34.6%
Felt hopeless about the future	17.8%	15.5%	18.7%
Felt like not eating or eating more than usual	29.8%	24.3%	26.5%
Felt like sleeping a lot more or a lot less than usual	35.2%	37.6%	34.2%
Had difficulty concentrating on school work	38.8%	37.4%	34.5%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.0%	93.8%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.7%	94.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 92.2%	92.5%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	97.1%	96.5%
Friends' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	s 81.7%	81.0%	85.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.2%	75.9%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.0%	71.1%	78.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	89.7%	89.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	37.4%	34.9%	34.8%
'Very' or 'sort of easy' to get e-cigarettes	47.0%	45.5%	40.4%
'Very' or 'sort of easy' to get alcohol	47.0%	50.8%	41.3%
'Very' or 'sort of easy' to get marijuana	31.5%	33.9%	27.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.1%	19.9%	20.7%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	7.1%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.2%	15.2%	18.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.6%	20.0%	17.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.6%	17.4%	16.5%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	27.1%	33.3%	29.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.9%	18.0%	17.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.5%	44.5%	35.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.6%	31.5%	30.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.7%	22.2%	21.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.5%	39.1%	28.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.1%	10.0%	10.4%
'No' or 'slight risk' if they use synthetic drugs	11.9%	16.1%	14.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.9%	21.7%	21.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.9%	10.8%	13.3%



Thank You!

2022 Missouri Student Survey Pike



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Platte



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	6,433	1804	5478
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.4%	12.9%	14.7%
Grade level. 7th Grade	15.9%	11.8%	14.5%
Grade level. 8th Grade	15.4%	11.6%	12.7%
Grade level. 9th Grade	14.8%	14.7%	18.5%
Grade level. 10th Grade	16.3%	14.9%	15.2%
Grade level. 11th Grade	12.4%	15.8%	14.2%
Grade level. 12th Grade	8.8%	18.2%	10.2%
Male	49.2%	49.9%	49.2%
Hispanic or Latino	6.7%	5.5%	4.2%
Race: Black or African American	5.6%	13.5%	6.9%
Race: White	72.9%	81.6%	86.4%
Race: Other*	21.4%	4.9%	6.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.3%	3.2%	2.0%
Used electronic cigarettes	5.1%	11.0%	8.5%
Used hookahs or water pipes	0.6%	1.1%	0.9%
Used alcohol	5.7%	14.9%	8.9%
Used marijuana	3.5%	7.5%	5.3%
Used inhalants	0.7%	0.8%	0.7%
Used Rx not prescribed for you by a doctor	1.0%	0.9%	5.6%
Used `OTC` to get high	0.7%	0.7%	1.6%
Used synthetic drugs	0.9%	1.0%	0.8%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.3%	0.3%	0.6%
Used heroin or `smack`	0.1%	0.2%	0.1%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.0%	1.1%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.2%
Used `club drugs` such as ecstasy	0.5%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	29.6%	33.8%	27.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.5%	10.2%	5.6%
Rode with someone who was drinking alcohol	12.4%	15.4%	13.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.1%	14.2%	12.7%
Posted something online or sent a text that might embarrass or hurt another student	12.9%	17.3%	9.5%
Made fun of other people	36.1%	43.9%	35.2%
Hit, shoved or pushed another student and were not just fooling around	8.0%	14.0%	7.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	10.9%	17.9%	10.3%
Been threatened or injured with a weapon on school property	5.1%	7.9%	5.3%
Seriously considered suicide	9.3%	11.0%	9.3%
Planned suicide	6.7%	8.4%	6.9%
Attempted suicide	4.1%	4.3%	3.6%
Depression Scale (% often or always in Past Month)			
Were very sad	23.9%	27.7%	23.8%
Were grouchy or irritable, or in a bad mood	29.8%	35.5%	29.2%
Felt hopeless about the future	15.0%	15.5%	13.8%
Felt like not eating or eating more than usual	23.1%	24.3%	21.2%
Felt like sleeping a lot more or a lot less than usual	30.6%	37.6%	28.8%
Had difficulty concentrating on school work	33.5%	37.4%	30.7%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.1%	93.8%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.6%	94.5%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 95.7%	92.5%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.9%	97.1%	97.1%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 88.2%	81.0%	89.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.6%	75.9%	84.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.5%	71.1%	74.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.5%	89.7%	89.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	27.0%	34.9%	32.0%
'Very' or 'sort of easy' to get e-cigarettes	33.7%	45.5%	42.6%
'Very' or 'sort of easy' to get alcohol	41.0%	50.8%	45.8%
'Very' or 'sort of easy' to get marijuana	23.9%	33.9%	32.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.6%	19.9%	20.3%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.8%	7.1%	6.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.1%	15.2%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	13.6%	20.0%	19.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.2%	17.4%	21.8%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	23.8%	33.3%	25.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.6%	18.0%	14.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.4%	44.5%	37.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	22.6%	31.5%	24.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	15.2%	22.2%	17.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.3%	39.1%	32.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.2%	10.0%	10.2%
'No' or 'slight risk' if they use synthetic drugs	15.2%	16.1%	15.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	21.7%	22.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.1%	10.8%	13.8%



Thank You!

2022 Missouri Student Survey Polk



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	125	1804	409
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	7.7%	12.9%	16.4%
Grade level. 7th Grade	20.6%	11.8%	18.9%
Grade level. 8th Grade	12.3%	11.6%	16.9%
Grade level. 9th Grade	14.3%	14.7%	13.4%
Grade level. 10th Grade	18.2%	14.9%	12.4%
Grade level. 11th Grade	14.1%	15.8%	10.6%
Grade level. 12th Grade	12.7%	18.2%	11.4%
Male	50.0%	49.9%	47.5%
Hispanic or Latino	2.9%	5.5%	1.6%
Race: Black or African American	0.9%	13.5%	1.0%
Race: White	80.1%	81.6%	95.7%
Race: Other*	19.0%	4.9%	3.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.1%	3.2%	10.1%
Used electronic cigarettes	12.3%	11.0%	12.2%
Used hookahs or water pipes	1.8%	1.1%	1.8%
Used alcohol	11.0%	14.9%	11.5%
Used marijuana	4.7%	7.5%	5.9%
Used inhalants	1.4%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	7.3%
Used `OTC` to get high	0.7%	0.7%	0.8%
Used synthetic drugs	0.7%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.9%	0.3%	1.1%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	3.3%	1.1%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.9%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	45.7%	33.8%	27.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.2%	10.2%	7.0%
Rode with someone who was drinking alcohol	13.7%	15.4%	11.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.6%	14.2%	14.2%
Posted something online or sent a text that might embarrass or hurt another student	9.4%	17.3%	8.4%
Made fun of other people	54.9%	43.9%	45.4%
Hit, shoved or pushed another student and were not just fooling around	14.4%	14.0%	12.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.8%	17.9%	17.6%
Been threatened or injured with a weapon on school property	5.2%	7.9%	5.8%
Seriously considered suicide	11.0%	11.0%	9.4%
Planned suicide	9.2%	8.4%	10.0%
Attempted suicide	6.8%	4.3%	6.1%
Depression Scale (% often or always in Past Month)			
Were very sad	23.3%	27.7%	27.3%
Were grouchy or irritable, or in a bad mood	30.3%	35.5%	34.9%
Felt hopeless about the future	16.2%	15.5%	13.8%
Felt like not eating or eating more than usual	21.5%	24.3%	22.8%
Felt like sleeping a lot more or a lot less than usual	29.5%	37.6%	30.5%
Had difficulty concentrating on school work	36.7%	37.4%	31.4%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.8%	93.8%	89.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.0%	94.5%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	na 87.8%	92.5%	90.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.7%	97.1%	93.2%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 74.3%	81.0%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.7%	75.9%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.0%	71.1%	76.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	89.7%	92.3%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	42.8%	34.9%	39.5%
'Very' or 'sort of easy' to get e-cigarettes	42.4%	45.5%	40.6%
'Very' or 'sort of easy' to get alcohol	44.4%	50.8%	44.0%
'Very' or 'sort of easy' to get marijuana	35.5%	33.9%	29.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.6%	19.9%	19.5%
Friends' perception of coolness (% reflects pretty cool + very	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.1%	7.1%	10.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.8%	15.2%	19.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.5%	20.0%	20.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.5%	17.4%	20.6%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.4%	33.3%	34.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.7%	18.0%	20.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.0%	44.5%	33.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.2%	31.5%	34.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	22.2%	24.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.0%	39.1%	34.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.4%	10.0%	9.4%
'No' or 'slight risk' if they use synthetic drugs	22.4%	16.1%	14.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	28.9%	21.7%	19.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	19.5%	10.8%	14.3%



Thank You!

2022 Missouri Student Survey Pulaski



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	16	1804	222
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	58.6%	12.9%	0.6%
Grade level. 7th Grade	0.0%	11.8%	0.0%
Grade level. 8th Grade	41.4%	11.6%	0.0%
Grade level. 9th Grade	0.0%	14.7%	95.0%
Grade level. 10th Grade	0.0%	14.9%	3.5%
Grade level. 11th Grade	0.0%	15.8%	0.9%
Grade level. 12th Grade	0.0%	18.2%	0.0%
Male	61.7%	49.9%	60.7%
Hispanic or Latino	18.1%	5.5%	7.6%
Race: Black or African American	0.0%	13.5%	12.4%
Race: White	81.9%	81.6%	76.7%
Race: Other*	18.1%	4.9%	10.9%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	0.0%	3.2%	2.7%
Used electronic cigarettes	0.0%	11.0%	4.3%
Used hookahs or water pipes	0.0%	1.1%	1.2%
Used alcohol	8.4%	14.9%	4.1%
Used marijuana	0.0%	7.5%	3.5%
Used inhalants	4.3%	0.8%	1.0%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	7.4%
Used `OTC` to get high	0.0%	0.7%	3.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	, , , , , , , , , , , , , , , , , , ,		,
Used cocaine or `crack`	0.0%	0.3%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.1%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	27.3%	33.8%	17.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	10.2%	5.6%
Rode with someone who was drinking alcohol	11.9%	15.4%	6.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	7.3%	14.2%	7.3%
Posted something online or sent a text that might embarrass or hurt another student	8.4%	17.3%	8.3%
Made fun of other people	8.4%	43.9%	43.8%
Hit, shoved or pushed another student and were not just fooling around	29.0%	14.0%	8.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	26.0%	17.9%	11.7%
Been threatened or injured with a weapon on school property	7.3%	7.9%	4.6%
Seriously considered suicide	0.0%	11.0%	12.4%
Planned suicide	0.0%	8.4%	7.8%
Attempted suicide	0.0%	4.3%	5.2%
Depression Scale (% often or always in Past Month)			
Were very sad	12.7%	27.7%	29.6%
Were grouchy or irritable, or in a bad mood	24.3%	35.5%	37.9%
Felt hopeless about the future	0.0%	15.5%	21.7%
Felt like not eating or eating more than usual	23.0%	24.3%	25.0%
Felt like sleeping a lot more or a lot less than usual	11.4%	37.6%	46.2%
Had difficulty concentrating on school work	25.4%	37.4%	47.4%

Cc	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	93.8%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	94.5%	97.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	100.0%	92.5%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	97.1%	97.4%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	100.0%	81.0%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.7%	75.9%	82.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	100.0%	71.1%	77.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	89.7%	89.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	15.7%	34.9%	32.0%
'Very' or 'sort of easy' to get e-cigarettes	15.7%	45.5%	38.9%
'Very' or 'sort of easy' to get alcohol	17.0%	50.8%	45.8%
'Very' or 'sort of easy' to get marijuana	0.0%	33.9%	26.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	0.0%	19.9%	23.2%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	0.0%	7.1%	9.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	7.3%	15.2%	24.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	0.0%	20.0%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	0.0%	17.4%	25.3%

Со	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	31.4%	33.3%	25.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	y 23.0%	18.0%	10.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	54.5%	44.5%	33.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	54.5%	31.5%	21.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	38.5%	22.2%	13.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	11.4%	39.1%	32.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.4%	10.0%	4.1%
'No' or 'slight risk' if they use synthetic drugs	15.7%	16.1%	7.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.0%	21.7%	20.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.4%	10.8%	9.6%



Thank You!

2022 Missouri Student Survey Putnam



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Ralls



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Randolph



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Ray



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	675	1804	633
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	23.5%	12.9%	10.6%
Grade level. 7th Grade	15.6%	11.8%	11.0%
Grade level. 8th Grade	12.6%	11.6%	7.8%
Grade level. 9th Grade	14.8%	14.7%	26.9%
Grade level. 10th Grade	13.4%	14.9%	14.3%
Grade level. 11th Grade	11.7%	15.8%	17.0%
Grade level. 12th Grade	8.4%	18.2%	12.4%
Male	49.0%	49.9%	49.4%
Hispanic or Latino	2.6%	5.5%	1.6%
Race: Black or African American	1.1%	13.5%	1.8%
Race: White	85.8%	81.6%	96.1%
Race: Other*	13.1%	4.9%	2.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.2%	3.2%	11.2%
Used electronic cigarettes	12.1%	11.0%	22.0%
Used hookahs or water pipes	1.7%	1.1%	2.3%
Used alcohol	11.3%	14.9%	21.6%
Used marijuana	6.4%	7.5%	10.6%
Used inhalants	0.9%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	2.0%	0.9%	8.5%
Used `OTC` to get high	1.7%	0.7%	2.4%
Used synthetic drugs	0.6%	1.0%	1.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.2%	0.3%	1.9%
Used heroin or `smack`	0.3%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.9%	1.1%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.7%
Used `club drugs` such as ecstasy	0.6%	0.2%	1.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	39.9%	33.8%	29.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.1%	10.2%	3.9%
Rode with someone who was drinking alcohol	20.5%	15.4%	24.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	18.3%	14.2%	20.0%
Posted something online or sent a text that might embarrass or hurt another student	14.2%	17.3%	18.7%
Made fun of other people	43.3%	43.9%	48.5%
Hit, shoved or pushed another student and were not just fooling around	15.9%	14.0%	12.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	22.3%	17.9%	18.4%
Been threatened or injured with a weapon on school property	11.2%	7.9%	10.1%
Seriously considered suicide	15.6%	11.0%	15.0%
Planned suicide	13.1%	8.4%	13.5%
Attempted suicide	6.5%	4.3%	6.7%
Depression Scale (% often or always in Past Month)			
Were very sad	37.0%	27.7%	33.0%
Were grouchy or irritable, or in a bad mood	42.4%	35.5%	39.9%
Felt hopeless about the future	20.7%	15.5%	19.3%
Felt like not eating or eating more than usual	30.4%	24.3%	27.7%
Felt like sleeping a lot more or a lot less than usual	34.5%	37.6%	36.5%
Had difficulty concentrating on school work	41.9%	37.4%	37.2%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.4%	93.8%	90.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.8%	94.5%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.7%	92.5%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	97.1%	93.5%
Friends' perception of wrongness (% reflects wrong + very wi	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	80.4%	81.0%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.3%	75.9%	71.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.3%	71.1%	67.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.2%	89.7%	87.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	40.4%	34.9%	51.2%
'Very' or 'sort of easy' to get e-cigarettes	46.0%	45.5%	59.2%
'Very' or 'sort of easy' to get alcohol	51.4%	50.8%	62.8%
'Very' or 'sort of easy' to get marijuana	30.9%	33.9%	43.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.6%	19.9%	31.9%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.6%	7.1%	12.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.7%	15.2%	32.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.6%	20.0%	35.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.2%	17.4%	28.9%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.1%	33.3%	36.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.3%	18.0%	20.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.4%	44.5%	44.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.6%	31.5%	34.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.5%	22.2%	27.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.3%	39.1%	34.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	10.0%	10.2%
'No' or 'slight risk' if they use synthetic drugs	16.1%	16.1%	15.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.5%	21.7%	26.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	10.8%	16.2%



Thank You!

2022 Missouri Student Survey Reynolds



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	190	1804	171
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.1%	12.9%	10.7%
Grade level. 7th Grade	12.2%	11.8%	21.3%
Grade level. 8th Grade	18.3%	11.6%	20.0%
Grade level. 9th Grade	28.0%	14.7%	6.7%
Grade level. 10th Grade	24.4%	14.9%	16.0%
Grade level. 11th Grade	0.0%	15.8%	13.3%
Grade level. 12th Grade	0.0%	18.2%	12.0%
Male	51.8%	49.9%	51.4%
Hispanic or Latino	1.2%	5.5%	1.3%
Race: Black or African American	1.2%	13.5%	2.7%
Race: White	88.1%	81.6%	94.7%
Race: Other*	10.7%	4.9%	2.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	11.0%	3.2%	15.3%
Used electronic cigarettes	16.0%	11.0%	16.4%
Used hookahs or water pipes	3.7%	1.1%	0.0%
Used alcohol	18.5%	14.9%	19.4%
Used marijuana	7.3%	7.5%	5.6%
Used inhalants	2.5%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	2.5%	0.9%	8.5%
Used `OTC` to get high	1.2%	0.7%	4.3%
Used synthetic drugs	1.2%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		, ,
Used cocaine or `crack`	0.0%	0.3%	1.4%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.3%	1.1%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.2%	1.4%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.0%	33.8%	37.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.8%	10.2%	6.8%
Rode with someone who was drinking alcohol	19.8%	15.4%	17.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.9%	14.2%	17.3%
Posted something online or sent a text that might embarrass or hurt another student	13.1%	17.3%	16.0%
Made fun of other people	37.6%	43.9%	40.5%
Hit, shoved or pushed another student and were not just fooling around	16.7%	14.0%	14.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.2%	17.9%	24.0%
Been threatened or injured with a weapon on school property	9.5%	7.9%	5.3%
Seriously considered suicide	17.9%	11.0%	12.3%
Planned suicide	15.5%	8.4%	14.9%
Attempted suicide	11.9%	4.3%	6.8%
Depression Scale (% often or always in Past Month)			
Were very sad	32.9%	27.7%	30.7%
Were grouchy or irritable, or in a bad mood	32.1%	35.5%	36.5%
Felt hopeless about the future	19.0%	15.5%	12.0%
Felt like not eating or eating more than usual	25.9%	24.3%	22.7%
Felt like sleeping a lot more or a lot less than usual	32.9%	37.6%	27.0%
Had difficulty concentrating on school work	30.6%	37.4%	20.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	93.8%	89.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.9%	94.5%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 91.0%	92.5%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.6%	97.1%	95.6%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 71.4%	81.0%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	63.1%	75.9%	74.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.7%	71.1%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.2%	89.7%	90.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	45.2%	34.9%	54.1%
'Very' or 'sort of easy' to get e-cigarettes	52.4%	45.5%	48.6%
'Very' or 'sort of easy' to get alcohol	53.6%	50.8%	53.4%
'Very' or 'sort of easy' to get marijuana	27.4%	33.9%	35.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.2%	19.9%	21.6%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.7%	7.1%	12.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.2%	15.2%	18.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	32.9%	20.0%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.8%	17.4%	12.2%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.3%	33.3%	37.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	27.4%	18.0%	28.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	53.0%	44.5%	40.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	57.1%	31.5%	47.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	40.5%	22.2%	33.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.6%	39.1%	32.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	10.0%	13.5%
'No' or 'slight risk' if they use synthetic drugs	16.7%	16.1%	17.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.2%	21.7%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.1%	10.8%	17.6%



Thank You!

2022 Missouri Student Survey Ripley



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	388	1804	465
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.1%	12.9%	23.6%
Grade level. 7th Grade	14.4%	11.8%	20.6%
Grade level. 8th Grade	8.0%	11.6%	1.2%
Grade level. 9th Grade	23.0%	14.7%	20.6%
Grade level. 10th Grade	18.4%	14.9%	9.1%
Grade level. 11th Grade	17.2%	15.8%	17.0%
Grade level. 12th Grade	6.9%	18.2%	7.9%
Male	50.9%	49.9%	49.1%
Hispanic or Latino	1.2%	5.5%	0.6%
Race: Black or African American	0.6%	13.5%	0.6%
Race: White	87.9%	81.6%	96.4%
Race: Other*	11.5%	4.9%	3.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	10.5%	3.2%	11.0%
Used electronic cigarettes	21.8%	11.0%	20.6%
Used hookahs or water pipes	2.9%	1.1%	3.2%
Used alcohol	22.2%	14.9%	15.2%
Used marijuana	8.7%	7.5%	4.0%
Used inhalants	0.6%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	9.5%
Used `OTC` to get high	2.3%	0.7%	2.8%
Used synthetic drugs	1.8%	1.0%	1.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	111111		,
Used cocaine or `crack`	0.6%	0.3%	1.4%
Used heroin or `smack`	0.6%	0.2%	0.7%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.8%	1.1%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	1.2%	0.2%	0.7%
Used `club drugs` such as ecstasy	1.8%	0.2%	1.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	40.2%	33.8%	37.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.8%	10.2%	9.2%
Rode with someone who was drinking alcohol	16.9%	15.4%	14.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.9%	14.2%	19.4%
Posted something online or sent a text that might embarrass or hurt another student	15.3%	17.3%	13.9%
Made fun of other people	46.6%	43.9%	41.5%
Hit, shoved or pushed another student and were not just fooling around	23.3%	14.0%	17.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	25.1%	17.9%	24.8%
Been threatened or injured with a weapon on school property	8.6%	7.9%	11.0%
Seriously considered suicide	21.3%	11.0%	14.1%
Planned suicide	17.9%	8.4%	11.0%
Attempted suicide	10.3%	4.3%	7.9%
Depression Scale (% often or always in Past Month)			
Were very sad	36.6%	27.7%	29.9%
Were grouchy or irritable, or in a bad mood	42.9%	35.5%	37.4%
Felt hopeless about the future	21.3%	15.5%	15.9%
Felt like not eating or eating more than usual	32.0%	24.3%	24.4%
Felt like sleeping a lot more or a lot less than usual	39.7%	37.6%	34.1%
Had difficulty concentrating on school work	45.5%	37.4%	32.7%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.2%	93.8%	89.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.0%	94.5%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 89.2%	92.5%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.1%	97.1%	94.1%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 71.1%	81.0%	71.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	64.2%	75.9%	66.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.8%	71.1%	68.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.4%	89.7%	81.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	47.4%	34.9%	45.5%
'Very' or 'sort of easy' to get e-cigarettes	54.6%	45.5%	49.7%
'Very' or 'sort of easy' to get alcohol	51.1%	50.8%	48.8%
'Very' or 'sort of easy' to get marijuana	36.6%	33.9%	32.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.0%	19.9%	23.9%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.4%	7.1%	14.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.4%	15.2%	30.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.4%	20.0%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.4%	17.4%	25.2%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.4%	33.3%	39.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	23.9%	18.0%	24.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.7%	44.5%	43.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	44.0%	31.5%	39.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.6%	22.2%	28.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.3%	39.1%	34.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	10.0%	11.9%
'No' or 'slight risk' if they use synthetic drugs	12.6%	16.1%	15.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.7%	21.7%	27.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.1%	10.8%	15.8%



Thank You!

2022 Missouri Student Survey Saline



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	44	1804	65
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	26.1%	12.9%	22.7%
Grade level. 7th Grade	47.8%	11.8%	15.9%
Grade level. 8th Grade	26.1%	11.6%	29.5%
Grade level. 9th Grade	0.0%	14.7%	9.1%
Grade level. 10th Grade	0.0%	14.9%	4.5%
Grade level. 11th Grade	0.0%	15.8%	6.8%
Grade level. 12th Grade	0.0%	18.2%	11.4%
Male	53.6%	49.9%	46.5%
Hispanic or Latino	11.1%	5.5%	9.5%
Race: Black or African American	3.7%	13.5%	0.0%
Race: White	88.9%	81.6%	86.0%
Race: Other*	7.4%	4.9%	14.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	0.0%	3.2%	9.5%
Used electronic cigarettes	0.0%	11.0%	9.5%
Used hookahs or water pipes	0.0%	1.1%	2.4%
Used alcohol	3.7%	14.9%	16.7%
Used marijuana	0.0%	7.5%	7.1%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	7.1%
Used `OTC` to get high	0.0%	0.7%	0.0%
Used synthetic drugs	3.6%	1.0%	2.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	2.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	2.4%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	2.4%
Used `club drugs` such as ecstasy	0.0%	0.2%	2.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	32.1%	33.8%	44.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	10.2%	9.3%
Rode with someone who was drinking alcohol	22.2%	15.4%	9.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	7.4%	14.2%	16.3%
Posted something online or sent a text that might embarrass or hurt another student	0.0%	17.3%	11.6%
Made fun of other people	23.1%	43.9%	42.9%
Hit, shoved or pushed another student and were not just fooling around	7.4%	14.0%	2.3%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.8%	17.9%	9.5%
Been threatened or injured with a weapon on school property	0.0%	7.9%	9.3%
Seriously considered suicide	7.7%	11.0%	19.0%
Planned suicide	3.8%	8.4%	19.0%
Attempted suicide	3.7%	4.3%	4.8%
Depression Scale (% often or always in Past Month)			
Were very sad	21.4%	27.7%	28.6%
Were grouchy or irritable, or in a bad mood	21.4%	35.5%	33.3%
Felt hopeless about the future	7.1%	15.5%	14.3%
Felt like not eating or eating more than usual	17.9%	24.3%	27.9%
Felt like sleeping a lot more or a lot less than usual	17.9%	37.6%	37.2%
Had difficulty concentrating on school work	17.9%	37.4%	33.3%

C	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	93.8%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	94.5%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 100.0%	92.5%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	97.1%	100.0%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	96.4%	81.0%	88.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.4%	75.9%	79.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	96.4%	71.1%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	89.7%	95.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	28.6%	34.9%	16.7%
'Very' or 'sort of easy' to get e-cigarettes	17.9%	45.5%	26.2%
'Very' or 'sort of easy' to get alcohol	35.7%	50.8%	33.3%
'Very' or 'sort of easy' to get marijuana	7.1%	33.9%	21.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.9%	19.9%	9.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	0.0%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	0.0%	15.2%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	0.0%	20.0%	7.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	0.0%	17.4%	4.7%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.1%	33.3%	23.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	11.1%	18.0%	16.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.5%	44.5%	23.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.7%	31.5%	26.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	34.5%	22.2%	23.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	14.3%	39.1%	26.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.7%	10.0%	7.1%
'No' or 'slight risk' if they use synthetic drugs	7.4%	16.1%	9.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	11.1%	21.7%	23.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.4%	10.8%	14.6%



Thank You!

2022 Missouri Student Survey Schuyler



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Scotland



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Scott



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	192	1804	264
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	24.1%	12.9%	10.9%
Grade level. 7th Grade	10.2%	11.8%	10.1%
Grade level. 8th Grade	9.3%	11.6%	11.6%
Grade level. 9th Grade	21.3%	14.7%	15.5%
Grade level. 10th Grade	31.5%	14.9%	14.7%
Grade level. 11th Grade	0.0%	15.8%	21.7%
Grade level. 12th Grade	3.7%	18.2%	15.5%
Male	51.4%	49.9%	49.2%
Hispanic or Latino	1.9%	5.5%	2.4%
Race: Black or African American	7.6%	13.5%	11.6%
Race: White	88.6%	81.6%	85.3%
Race: Other*	3.8%	4.9%	3.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.9%	3.2%	9.4%
Used electronic cigarettes	4.0%	11.0%	22.8%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	3.0%	14.9%	20.8%
Used marijuana	2.0%	7.5%	7.1%
Used inhalants	0.0%	0.8%	2.4%
Used Rx not prescribed for you by a doctor	1.0%	0.9%	8.8%
Used `OTC` to get high	0.0%	0.7%	1.6%
Used synthetic drugs	0.0%	1.0%	1.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	111111		,
Used cocaine or `crack`	0.0%	0.3%	0.8%
Used heroin or `smack`	0.0%	0.2%	0.8%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	41.9%	33.8%	26.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.4%	10.2%	11.6%
Rode with someone who was drinking alcohol	14.1%	15.4%	26.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	9.3%	14.2%	20.2%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	17.3%	23.3%
Made fun of other people	47.2%	43.9%	54.6%
Hit, shoved or pushed another student and were not just fooling around	15.9%	14.0%	18.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.1%	17.9%	22.5%
Been threatened or injured with a weapon on school property	4.7%	7.9%	8.5%
Seriously considered suicide	6.5%	11.0%	11.7%
Planned suicide	5.6%	8.4%	9.4%
Attempted suicide	6.5%	4.3%	4.7%
Depression Scale (% often or always in Past Month)			
Were very sad	21.5%	27.7%	25.6%
Were grouchy or irritable, or in a bad mood	35.8%	35.5%	36.4%
Felt hopeless about the future	14.2%	15.5%	15.6%
Felt like not eating or eating more than usual	18.3%	24.3%	26.0%
Felt like sleeping a lot more or a lot less than usual	23.4%	37.6%	34.1%
Had difficulty concentrating on school work	29.0%	37.4%	27.9%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	<u>rrong)</u>		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	93.8%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.8%	94.5%	89.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.8%	92.5%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	97.1%	95.1%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	89.5%	81.0%	75.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	86.5%	75.9%	66.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.6%	71.1%	70.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	89.7%	84.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	22.6%	34.9%	50.8%
'Very' or 'sort of easy' to get e-cigarettes	27.6%	45.5%	50.0%
'Very' or 'sort of easy' to get alcohol	37.5%	50.8%	57.8%
'Very' or 'sort of easy' to get marijuana	14.3%	33.9%	36.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.2%	19.9%	28.9%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.5%	7.1%	13.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.1%	15.2%	30.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.8%	20.0%	37.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.4%	17.4%	27.3%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.7%	33.3%	29.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 16.5%	18.0%	14.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.9%	44.5%	39.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.3%	31.5%	35.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.4%	22.2%	25.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.2%	39.1%	28.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.7%	10.0%	6.3%
'No' or 'slight risk' if they use synthetic drugs	15.5%	16.1%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	21.7%	21.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	10.8%	8.7%



Thank You!

2022 Missouri Student Survey Shannon



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Shelby



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	65	1804	98
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	33.8%	12.9%	52.2%
Grade level. 7th Grade	0.0%	11.8%	0.0%
Grade level. 8th Grade	0.0%	11.6%	15.4%
Grade level. 9th Grade	7.7%	14.7%	24.3%
Grade level. 10th Grade	38.5%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	20.0%	18.2%	8.1%
Male	50.8%	49.9%	48.6%
Hispanic or Latino	1.6%	5.5%	0.0%
Race: Black or African American	3.1%	13.5%	0.0%
Race: White	90.6%	81.6%	98.8%
Race: Other*	6.3%	4.9%	1.2%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.5%	3.2%	2.5%
Used electronic cigarettes	9.4%	11.0%	3.7%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	6.3%	14.9%	3.7%
Used marijuana	0.0%	7.5%	0.0%
Used inhalants	1.5%	0.8%	1.2%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	4.9%
Used `OTC` to get high	1.6%	0.7%	3.7%
Used synthetic drugs	0.0%	1.0%	1.2%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.4%	33.8%	25.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.6%	10.2%	5.8%
Rode with someone who was drinking alcohol	9.4%	15.4%	10.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	10.8%	14.2%	22.6%
Posted something online or sent a text that might embarrass or hurt another student	9.2%	17.3%	14.2%
Made fun of other people	43.1%	43.9%	47.8%
Hit, shoved or pushed another student and were not just fooling around	9.2%	14.0%	6.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	9.2%	17.9%	12.1%
Been threatened or injured with a weapon on school property	3.1%	7.9%	6.9%
Seriously considered suicide	18.8%	11.0%	8.3%
Planned suicide	10.8%	8.4%	5.8%
Attempted suicide	6.2%	4.3%	2.4%
Depression Scale (% often or always in Past Month)			
Were very sad	30.2%	27.7%	23.1%
Were grouchy or irritable, or in a bad mood	28.1%	35.5%	21.4%
Felt hopeless about the future	17.2%	15.5%	6.2%
Felt like not eating or eating more than usual	23.4%	24.3%	23.4%
Felt like sleeping a lot more or a lot less than usual	27.0%	37.6%	27.0%
Had difficulty concentrating on school work	23.8%	37.4%	23.5%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.4%	93.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.7%	94.5%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 96.7%	92.5%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.4%	97.1%	93.9%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	es 85.9%	81.0%	91.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.7%	75.9%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.8%	71.1%	93.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	89.7%	97.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	19.4%	34.9%	24.9%
'Very' or 'sort of easy' to get e-cigarettes	25.8%	45.5%	23.7%
'Very' or 'sort of easy' to get alcohol	32.3%	50.8%	35.5%
'Very' or 'sort of easy' to get marijuana	9.8%	33.9%	9.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	11.3%	19.9%	21.2%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.7%	7.1%	4.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.1%	15.2%	10.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.2%	20.0%	11.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	7.8%	17.4%	4.5%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	19.4%	33.3%	25.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.9%	18.0%	16.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	29.0%	44.5%	44.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.4%	31.5%	33.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	14.5%	22.2%	21.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	14.5%	39.1%	16.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.5%	10.0%	12.2%
'No' or 'slight risk' if they use synthetic drugs	8.2%	16.1%	13.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.0%	21.7%	18.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.7%	10.8%	14.7%



Thank You!

2022 Missouri Student Survey St. Charles



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	3,811	1804	6093
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	2.3%	12.9%	15.3%
Grade level. 7th Grade	31.9%	11.8%	32.0%
Grade level. 8th Grade	3.1%	11.6%	13.8%
Grade level. 9th Grade	31.1%	14.7%	17.2%
Grade level. 10th Grade	3.7%	14.9%	5.3%
Grade level. 11th Grade	25.1%	15.8%	12.6%
Grade level. 12th Grade	2.8%	18.2%	3.8%
Male	49.0%	49.9%	49.3%
Hispanic or Latino	3.6%	5.5%	2.2%
Race: Black or African American	4.0%	13.5%	4.4%
Race: White	79.5%	81.6%	90.7%
Race: Other*	16.6%	4.9%	5.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.7%	3.2%	2.2%
Used electronic cigarettes	8.7%	11.0%	12.1%
Used hookahs or water pipes	1.2%	1.1%	1.1%
Used alcohol	10.9%	14.9%	11.4%
Used marijuana	7.0%	7.5%	7.7%
Used inhalants	0.9%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	1.6%	0.9%	7.0%
Used `OTC` to get high	0.9%	0.7%	1.7%
Used synthetic drugs	0.4%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.3%	0.3%	0.5%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.2%	1.1%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.2%	0.2%
Used `club drugs` such as ecstasy	0.7%	0.2%	0.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.3%	33.8%	29.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.5%	10.2%	5.7%
Rode with someone who was drinking alcohol	16.8%	15.4%	18.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.9%	14.2%	19.5%
Posted something online or sent a text that might embarrass or hurt another student	18.5%	17.3%	15.3%
Made fun of other people	46.0%	43.9%	45.4%
Hit, shoved or pushed another student and were not just fooling around	10.4%	14.0%	11.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	12.9%	17.9%	15.7%
Been threatened or injured with a weapon on school property	5.7%	7.9%	6.3%
Seriously considered suicide	12.9%	11.0%	11.1%
Planned suicide	8.9%	8.4%	8.5%
Attempted suicide	4.7%	4.3%	4.7%
Depression Scale (% often or always in Past Month)			
Were very sad	26.6%	27.7%	26.1%
Were grouchy or irritable, or in a bad mood	31.0%	35.5%	30.4%
Felt hopeless about the future	16.3%	15.5%	14.6%
Felt like not eating or eating more than usual	24.8%	24.3%	21.3%
Felt like sleeping a lot more or a lot less than usual	32.9%	37.6%	30.7%
Had difficulty concentrating on school work	38.0%	37.4%	33.6%

Со	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	93.8%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.9%	94.5%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.7%	92.5%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	97.1%	97.1%
Friends' perception of wrongness (% reflects wrong + very wr	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	86.7%	81.0%	89.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.4%	75.9%	83.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.7%	71.1%	75.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.4%	89.7%	90.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	29.8%	34.9%	30.7%
'Very' or 'sort of easy' to get e-cigarettes	42.4%	45.5%	43.7%
'Very' or 'sort of easy' to get alcohol	50.7%	50.8%	48.7%
'Very' or 'sort of easy' to get marijuana	29.9%	33.9%	30.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.1%	19.9%	22.2%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	7.1%	6.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.5%	15.2%	24.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.4%	20.0%	23.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.6%	17.4%	23.7%

Соц	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.9%	33.3%	27.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	/ 11.8%	18.0%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.1%	44.5%	40.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.1%	31.5%	28.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.0%	22.2%	18.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.9%	39.1%	30.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.6%	10.0%	8.6%
'No' or 'slight risk' if they use synthetic drugs	12.7%	16.1%	14.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.8%	21.7%	22.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.3%	10.8%	12.2%



Thank You!

2022 Missouri Student Survey St Clair



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey St. François



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	184	1804	192
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	7.5%	12.9%	16.0%
Grade level. 7th Grade	18.8%	11.8%	17.4%
Grade level. 8th Grade	14.9%	11.6%	17.4%
Grade level. 9th Grade	17.6%	14.7%	16.9%
Grade level. 10th Grade	18.0%	14.9%	16.4%
Grade level. 11th Grade	15.3%	15.8%	6.4%
Grade level. 12th Grade	7.8%	18.2%	9.6%
Male	50.8%	49.9%	54.9%
Hispanic or Latino	1.6%	5.5%	1.4%
Race: Black or African American	4.3%	13.5%	5.1%
Race: White	87.0%	81.6%	92.6%
Race: Other*	8.7%	4.9%	2.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	4.9%	3.2%	9.5%
Used electronic cigarettes	20.0%	11.0%	23.3%
Used hookahs or water pipes	3.7%	1.1%	0.9%
Used alcohol	15.0%	14.9%	11.8%
Used marijuana	12.9%	7.5%	7.7%
Used inhalants	1.2%	0.8%	0.5%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	6.7%
Used `OTC` to get high	2.9%	0.7%	1.9%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	4.6%	0.3%	1.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	6.2%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	27.5%	33.8%	50.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	10.2%	14.9%
Rode with someone who was drinking alcohol	13.5%	15.4%	13.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.7%	14.2%	16.2%
Posted something online or sent a text that might embarrass or hurt another student	12.1%	17.3%	12.0%
Made fun of other people	37.2%	43.9%	43.1%
Hit, shoved or pushed another student and were not just fooling around	14.5%	14.0%	12.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	23.1%	17.9%	15.3%
Been threatened or injured with a weapon on school property	7.5%	7.9%	13.0%
Seriously considered suicide	19.5%	11.0%	19.3%
Planned suicide	13.0%	8.4%	16.4%
Attempted suicide	15.0%	4.3%	11.7%
Depression Scale (% often or always in Past Month)			
Were very sad	30.7%	27.7%	35.6%
Were grouchy or irritable, or in a bad mood	40.7%	35.5%	37.2%
Felt hopeless about the future	18.0%	15.5%	24.3%
Felt like not eating or eating more than usual	34.1%	24.3%	32.9%
Felt like sleeping a lot more or a lot less than usual	45.8%	37.6%	34.3%
Had difficulty concentrating on school work	32.0%	37.4%	37.1%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.4%	93.8%	88.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.8%	94.5%	88.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 85.8%	92.5%	89.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.4%	97.1%	93.5%
Friends' perception of wrongness (% reflects wrong + very w	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 75.1%	81.0%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	67.5%	75.9%	72.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	65.3%	71.1%	68.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.7%	89.7%	86.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.3%	34.9%	44.1%
'Very' or 'sort of easy' to get e-cigarettes	48.0%	45.5%	52.6%
'Very' or 'sort of easy' to get alcohol	44.9%	50.8%	45.1%
'Very' or 'sort of easy' to get marijuana	36.8%	33.9%	38.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.4%	19.9%	28.6%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.1%	7.1%	6.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.2%	15.2%	18.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.5%	20.0%	18.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.9%	17.4%	19.8%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.8%	33.3%	33.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	22.7%	18.0%	21.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.1%	44.5%	34.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.3%	31.5%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.4%	22.2%	29.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.4%	39.1%	40.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.6%	10.0%	9.6%
'No' or 'slight risk' if they use synthetic drugs	17.4%	16.1%	15.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.6%	21.7%	22.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.2%	10.8%	11.4%



Thank You!

2022 Missouri Student Survey St. Louis City



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	217	1804	102
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.2%	12.9%	11.4%
Grade level. 7th Grade	17.4%	11.8%	21.0%
Grade level. 8th Grade	43.5%	11.6%	36.8%
Grade level. 9th Grade	24.9%	14.7%	16.9%
Grade level. 10th Grade	0.0%	14.9%	6.1%
Grade level. 11th Grade	0.0%	15.8%	7.4%
Grade level. 12th Grade	0.0%	18.2%	0.6%
Male	24.4%	49.9%	43.1%
Hispanic or Latino	0.9%	5.5%	3.6%
Race: Black or African American	48.1%	13.5%	46.5%
Race: White	43.4%	81.6%	46.4%
Race: Other*	8.5%	4.9%	7.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.2%	3.2%	1.1%
Used electronic cigarettes	2.1%	11.0%	10.9%
Used hookahs or water pipes	0.0%	1.1%	1.9%
Used alcohol	1.7%	14.9%	3.6%
Used marijuana	1.2%	7.5%	7.8%
Used inhalants	0.2%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	7.7%
Used `OTC` to get high	1.9%	0.7%	2.7%
Used synthetic drugs	0.4%	1.0%	1.1%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.3%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	52.4%	33.8%	50.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.5%	10.2%	29.2%
Rode with someone who was drinking alcohol	6.6%	15.4%	19.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.1%	14.2%	18.7%
Posted something online or sent a text that might embarrass or hurt another student	32.5%	17.3%	20.4%
Made fun of other people	47.0%	43.9%	55.0%
Hit, shoved or pushed another student and were not just fooling around	13.4%	14.0%	29.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.2%	17.9%	24.9%
Been threatened or injured with a weapon on school property	6.9%	7.9%	6.4%
Seriously considered suicide	7.7%	11.0%	26.2%
Planned suicide	4.6%	8.4%	24.9%
Attempted suicide	2.4%	4.3%	4.5%
Depression Scale (% often or always in Past Month)			
Were very sad	11.0%	27.7%	34.6%
Were grouchy or irritable, or in a bad mood	13.6%	35.5%	41.5%
Felt hopeless about the future	8.1%	15.5%	20.6%
Felt like not eating or eating more than usual	11.9%	24.3%	28.9%
Felt like sleeping a lot more or a lot less than usual	44.1%	37.6%	34.0%
Had difficulty concentrating on school work	15.7%	37.4%	35.4%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	99.6%	93.8%	97.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	99.9%	94.5%	87.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 99.7%	92.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	99.9%	97.1%	94.5%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 88.3%	81.0%	90.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	59.6%	75.9%	67.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.3%	71.1%	67.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	89.7%	82.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	7.6%	34.9%	22.3%
'Very' or 'sort of easy' to get e-cigarettes	13.3%	45.5%	29.4%
'Very' or 'sort of easy' to get alcohol	45.1%	50.8%	31.7%
'Very' or 'sort of easy' to get marijuana	11.1%	33.9%	27.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	7.6%	19.9%	18.2%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.3%	7.1%	15.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	5.9%	15.2%	26.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	5.2%	20.0%	28.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	5.8%	17.4%	38.9%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.1%	33.3%	37.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	9.7%	18.0%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	72.0%	44.5%	26.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	14.9%	31.5%	36.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	11.4%	22.2%	24.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.4%	39.1%	32.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.8%	10.0%	11.0%
'No' or 'slight risk' if they use synthetic drugs	13.2%	16.1%	24.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	14.8%	21.7%	17.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.8%	10.8%	11.9%



Thank You!

2022 Missouri Student Survey St. Louis



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	14,317	1804	14041
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	19.9%	12.9%	9.7%
Grade level. 7th Grade	24.2%	11.8%	12.9%
Grade level. 8th Grade	19.7%	11.6%	15.5%
Grade level. 9th Grade	11.3%	14.7%	20.2%
Grade level. 10th Grade	11.0%	14.9%	18.3%
Grade level. 11th Grade	6.7%	15.8%	12.9%
Grade level. 12th Grade	7.1%	18.2%	10.6%
Male	49.6%	49.9%	49.4%
Hispanic or Latino	4.8%	5.5%	8.1%
Race: Black or African American	13.3%	13.5%	12.0%
Race: White	64.5%	81.6%	66.3%
Race: Other*	22.3%	4.9%	21.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	1.0%	3.2%	2.1%
Used electronic cigarettes	3.5%	11.0%	13.2%
Used hookahs or water pipes	0.7%	1.1%	1.5%
Used alcohol	6.3%	14.9%	15.4%
Used marijuana	3.8%	7.5%	9.5%
Used inhalants	0.7%	0.8%	1.1%
Used Rx not prescribed for you by a doctor	1.1%	0.9%	6.3%
Used `OTC` to get high	1.8%	0.7%	1.9%
Used synthetic drugs	1.3%	1.0%	0.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.3%	0.3%	0.7%
Used heroin or `smack`	0.0%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.8%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.3%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	27.7%	33.8%	30.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.2%	10.2%	7.0%
Rode with someone who was drinking alcohol	14.7%	15.4%	17.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.2%	14.2%	19.3%
Posted something online or sent a text that might embarrass or hurt another student	12.8%	17.3%	15.5%
Made fun of other people	38.1%	43.9%	49.1%
Hit, shoved or pushed another student and were not just fooling around	9.8%	14.0%	11.3%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.2%	17.9%	14.6%
Been threatened or injured with a weapon on school property	5.8%	7.9%	6.6%
Seriously considered suicide	11.2%	11.0%	12.3%
Planned suicide	7.5%	8.4%	9.1%
Attempted suicide	5.0%	4.3%	5.5%
Depression Scale (% often or always in Past Month)			
Were very sad	25.4%	27.7%	25.4%
Were grouchy or irritable, or in a bad mood	30.6%	35.5%	30.7%
Felt hopeless about the future	14.0%	15.5%	15.7%
Felt like not eating or eating more than usual	22.8%	24.3%	21.9%
Felt like sleeping a lot more or a lot less than usual	29.1%	37.6%	31.0%
Had difficulty concentrating on school work	31.3%	37.4%	33.5%

Cc	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.9%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.7%	94.5%	96.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.8%	92.5%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.9%	97.1%	96.6%
Friends' perception of wrongness (% reflects wrong + very wi	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	91.3%	81.0%	89.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.0%	75.9%	81.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.9%	71.1%	68.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.8%	89.7%	88.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	22.1%	34.9%	36.0%
'Very' or 'sort of easy' to get e-cigarettes	28.9%	45.5%	50.9%
'Very' or 'sort of easy' to get alcohol	40.5%	50.8%	55.8%
'Very' or 'sort of easy' to get marijuana	19.1%	33.9%	39.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.2%	19.9%	23.7%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.7%	7.1%	6.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	11.3%	15.2%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	14.0%	20.0%	25.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.6%	17.4%	26.6%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	18.7%	33.3%	25.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	10.2%	18.0%	11.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.2%	44.5%	40.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	17.7%	31.5%	21.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	11.7%	22.2%	14.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	20.6%	39.1%	34.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.8%	10.0%	7.6%
'No' or 'slight risk' if they use synthetic drugs	13.3%	16.1%	12.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.4%	21.7%	19.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.9%	10.8%	11.0%



Thank You!

2022 Missouri Student Survey Ste Genevieve



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Stoddard



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	545	1804	823
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	19.2%	12.9%	8.3%
Grade level. 7th Grade	14.2%	11.8%	17.1%
Grade level. 8th Grade	14.7%	11.6%	12.8%
Grade level. 9th Grade	16.5%	14.7%	20.9%
Grade level. 10th Grade	16.3%	14.9%	19.0%
Grade level. 11th Grade	12.1%	15.8%	9.4%
Grade level. 12th Grade	7.1%	18.2%	12.6%
Male	47.3%	49.9%	48.3%
Hispanic or Latino	1.3%	5.5%	1.1%
Race: Black or African American	1.3%	13.5%	1.1%
Race: White	95.5%	81.6%	97.6%
Race: Other*	3.1%	4.9%	1.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.6%	3.2%	8.6%
Used electronic cigarettes	6.6%	11.0%	16.6%
Used hookahs or water pipes	0.0%	1.1%	2.2%
Used alcohol	5.8%	14.9%	13.4%
Used marijuana	1.5%	7.5%	5.0%
Used inhalants	0.9%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	0.9%	0.9%	8.4%
Used `OTC` to get high	1.5%	0.7%	2.2%
Used synthetic drugs	0.9%	1.0%	0.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.3%	0.3%	0.4%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.3%	1.1%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.2%
Used `club drugs` such as ecstasy	0.3%	0.2%	1.3%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	34.2%	33.8%	35.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	10.2%	6.0%
Rode with someone who was drinking alcohol	8.4%	15.4%	13.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	12.3%	14.2%	20.9%
Posted something online or sent a text that might embarrass or hurt another student	14.7%	17.3%	14.5%
Made fun of other people	37.6%	43.9%	49.8%
Hit, shoved or pushed another student and were not just fooling around	12.8%	14.0%	17.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	13.3%	17.9%	20.2%
Been threatened or injured with a weapon on school property	3.4%	7.9%	5.1%
Seriously considered suicide	9.2%	11.0%	11.7%
Planned suicide	7.9%	8.4%	9.9%
Attempted suicide	5.7%	4.3%	4.7%
Depression Scale (% often or always in Past Month)			
Were very sad	27.0%	27.7%	29.3%
Were grouchy or irritable, or in a bad mood	34.7%	35.5%	36.3%
Felt hopeless about the future	11.6%	15.5%	16.1%
Felt like not eating or eating more than usual	25.0%	24.3%	24.6%
Felt like sleeping a lot more or a lot less than usual	30.6%	37.6%	34.9%
Had difficulty concentrating on school work	29.8%	37.4%	32.2%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.1%	93.8%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.4%	94.5%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 95.4%	92.5%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	97.1%	93.2%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 86.1%	81.0%	80.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.1%	75.9%	74.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.5%	71.1%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.4%	89.7%	88.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	25.2%	34.9%	40.9%
'Very' or 'sort of easy' to get e-cigarettes	32.5%	45.5%	46.6%
'Very' or 'sort of easy' to get alcohol	34.7%	50.8%	49.1%
'Very' or 'sort of easy' to get marijuana	16.3%	33.9%	27.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	13.9%	19.9%	20.1%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.3%	7.1%	11.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.9%	15.2%	24.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.8%	20.0%	27.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	10.5%	17.4%	19.0%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	27.4%	33.3%	34.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.0%	19.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.2%	44.5%	39.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.4%	31.5%	36.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.7%	22.2%	22.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.3%	39.1%	30.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.2%	10.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	18.0%	16.1%	11.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.0%	21.7%	21.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.4%	10.8%	13.6%



Thank You!

2022 Missouri Student Survey Crawford



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Dade



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	61	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	21.7%	12.9%	0.0%
Grade level. 7th Grade	20.0%	11.8%	0.0%
Grade level. 8th Grade	23.3%	11.6%	0.0%
Grade level. 9th Grade	18.3%	14.7%	0.0%
Grade level. 10th Grade	16.7%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	0.0%
Male	45.9%	49.9%	0.0%
Hispanic or Latino	5.0%	5.5%	0.0%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	88.5%	81.6%	0.0%
Race: Other*	11.5%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	8.2%	3.2%	0.0%
Used electronic cigarettes	23.0%	11.0%	0.0%
Used hookahs or water pipes	6.6%	1.1%	0.0%
Used alcohol	14.8%	14.9%	0.0%
Used marijuana	6.6%	7.5%	0.0%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.6%	0.9%	0.0%
Used `OTC` to get high	3.3%	0.7%	0.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.6%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	41.0%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.9%	10.2%	0.0%
Rode with someone who was drinking alcohol	14.8%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	19.7%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	14.8%	17.3%	0.0%
Made fun of other people	54.1%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	14.8%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.3%	17.9%	0.0%
Been threatened or injured with a weapon on school property	8.2%	7.9%	0.0%
Seriously considered suicide	18.0%	11.0%	0.0%
Planned suicide	13.1%	8.4%	0.0%
Attempted suicide	11.5%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	36.1%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	46.7%	35.5%	0.0%
Felt hopeless about the future	23.0%	15.5%	0.0%
Felt like not eating or eating more than usual	19.7%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	44.3%	37.6%	0.0%
Had difficulty concentrating on school work	47.5%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.2%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 98.3%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 75.4%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.7%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.0%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.8%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	37.7%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	51.7%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	41.7%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	27.1%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.0%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.8%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.3%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.3%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.7%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	39.0%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.6%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.7%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.7%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.0%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.3%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.3%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	20.0%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	33.9%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.9%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Dallas



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Daviess



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	100	1804	82
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	2.4%	12.9%	11.9%
Grade level. 7th Grade	16.9%	11.8%	11.3%
Grade level. 8th Grade	27.4%	11.6%	11.3%
Grade level. 9th Grade	18.5%	14.7%	20.2%
Grade level. 10th Grade	8.9%	14.9%	17.9%
Grade level. 11th Grade	12.1%	15.8%	16.7%
Grade level. 12th Grade	13.7%	18.2%	10.7%
Male	50.7%	49.9%	51.2%
Hispanic or Latino	1.6%	5.5%	0.6%
Race: Black or African American	0.7%	13.5%	1.2%
Race: White	93.4%	81.6%	97.0%
Race: Other*	5.9%	4.9%	1.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	12.6%	3.2%	8.3%
Used electronic cigarettes	21.5%	11.0%	20.7%
Used hookahs or water pipes	3.0%	1.1%	1.8%
Used alcohol	25.2%	14.9%	16.6%
Used marijuana	3.7%	7.5%	3.0%
Used inhalants	0.0%	0.8%	1.2%
Used Rx not prescribed for you by a doctor	4.4%	0.9%	5.3%
Used `OTC` to get high	0.0%	0.7%	2.4%
Used synthetic drugs	0.8%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	4.1%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.8%	1.1%	4.1%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.2%	1.2%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	38.5%	33.8%	17.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.3%	10.2%	4.2%
Rode with someone who was drinking alcohol	30.4%	15.4%	17.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	20.0%	14.2%	29.8%
Posted something online or sent a text that might embarrass or hurt another student	28.7%	17.3%	20.1%
Made fun of other people	58.1%	43.9%	59.5%
Hit, shoved or pushed another student and were not just fooling around	14.8%	14.0%	7.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.9%	17.9%	16.7%
Been threatened or injured with a weapon on school property	14.0%	7.9%	3.0%
Seriously considered suicide	17.2%	11.0%	5.5%
Planned suicide	18.7%	8.4%	9.5%
Attempted suicide	8.8%	4.3%	1.2%
Depression Scale (% often or always in Past Month)			
Were very sad	28.7%	27.7%	22.3%
Were grouchy or irritable, or in a bad mood	43.3%	35.5%	33.7%
Felt hopeless about the future	25.7%	15.5%	9.0%
Felt like not eating or eating more than usual	34.6%	24.3%	22.0%
Felt like sleeping a lot more or a lot less than usual	37.5%	37.6%	32.7%
Had difficulty concentrating on school work	47.4%	37.4%	31.0%

,	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.1%	93.8%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.3%	94.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 92.3%	92.5%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	97.1%	98.8%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 76.1%	81.0%	73.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.4%	75.9%	75.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.3%	71.1%	80.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.3%	89.7%	91.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	52.2%	34.9%	52.1%
'Very' or 'sort of easy' to get e-cigarettes	48.5%	45.5%	42.3%
'Very' or 'sort of easy' to get alcohol	55.9%	50.8%	55.4%
'Very' or 'sort of easy' to get marijuana	30.9%	33.9%	25.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.6%	19.9%	23.8%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.1%	7.1%	8.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.3%	15.2%	13.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.6%	20.0%	20.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.6%	17.4%	14.5%

·	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	32.6%	33.3%	34.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /	day 15.6%	18.0%	12.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.5%	44.5%	39.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.1%	31.5%	46.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.6%	22.2%	28.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.1%	39.1%	34.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	1.5%	10.0%	1.2%
'No' or 'slight risk' if they use synthetic drugs	5.3%	16.1%	4.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	13.3%	21.7%	20.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	2.2%	10.8%	10.1%



Thank You!

2022 Missouri Student Survey Dekalb



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Dent



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	415	1804	99
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.5%	12.9%	0.0%
Grade level. 7th Grade	9.5%	11.8%	16.3%
Grade level. 8th Grade	14.8%	11.6%	25.6%
Grade level. 9th Grade	25.1%	14.7%	19.2%
Grade level. 10th Grade	15.6%	14.9%	3.4%
Grade level. 11th Grade	11.5%	15.8%	21.2%
Grade level. 12th Grade	11.9%	18.2%	14.3%
Male	50.6%	49.9%	47.8%
Hispanic or Latino	6.3%	5.5%	0.0%
Race: Black or African American	0.4%	13.5%	0.0%
Race: White	72.7%	81.6%	96.1%
Race: Other*	26.9%	4.9%	3.9%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	7.9%	3.2%	13.3%
Used electronic cigarettes	20.0%	11.0%	22.3%
Used hookahs or water pipes	2.5%	1.1%	2.6%
Used alcohol	13.9%	14.9%	20.9%
Used marijuana	6.4%	7.5%	12.6%
Used inhalants	1.3%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.3%	0.9%	7.5%
Used `OTC` to get high	1.3%	0.7%	1.1%
Used synthetic drugs	0.9%	1.0%	2.2%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.9%	0.3%	0.0%
Used heroin or `smack`	0.4%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.3%	1.1%	2.3%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.9%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	40.7%	33.8%	31.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.3%	10.2%	4.4%
Rode with someone who was drinking alcohol	14.8%	15.4%	22.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	18.6%	14.2%	19.5%
Posted something online or sent a text that might embarrass or hurt another student	17.4%	17.3%	20.2%
Made fun of other people	48.3%	43.9%	64.9%
Hit, shoved or pushed another student and were not just fooling around	14.0%	14.0%	15.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	22.2%	17.9%	12.7%
Been threatened or injured with a weapon on school property	10.3%	7.9%	10.8%
Seriously considered suicide	17.8%	11.0%	14.8%
Planned suicide	13.7%	8.4%	12.2%
Attempted suicide	11.2%	4.3%	7.8%
Depression Scale (% often or always in Past Month)			
Were very sad	37.9%	27.7%	28.3%
Were grouchy or irritable, or in a bad mood	42.2%	35.5%	41.4%
Felt hopeless about the future	23.4%	15.5%	20.0%
Felt like not eating or eating more than usual	33.9%	24.3%	27.3%
Felt like sleeping a lot more or a lot less than usual	41.6%	37.6%	40.9%
Had difficulty concentrating on school work	36.1%	37.4%	38.5%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.2%	93.8%	90.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.2%	94.5%	89.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 89.8%	92.5%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	97.1%	95.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 73.6%	81.0%	69.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.7%	75.9%	57.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.2%	71.1%	66.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	89.7%	84.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	40.1%	34.9%	53.7%
'Very' or 'sort of easy' to get e-cigarettes	52.5%	45.5%	62.0%
'Very' or 'sort of easy' to get alcohol	42.3%	50.8%	63.2%
'Very' or 'sort of easy' to get marijuana	35.5%	33.9%	35.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.1%	19.9%	27.4%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.0%	7.1%	14.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.0%	15.2%	30.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.6%	20.0%	32.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.8%	17.4%	25.3%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.6%	33.3%	37.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	ay 18.7%	18.0%	30.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.3%	44.5%	52.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.2%	31.5%	50.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.8%	22.2%	33.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.6%	39.1%	44.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	10.0%	14.8%
'No' or 'slight risk' if they use synthetic drugs	14.2%	16.1%	12.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.8%	21.7%	26.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.8%	10.8%	16.8%



Thank You!

2022 Missouri Student Survey Douglas



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Dunklin



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,059	1804	784
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.1%	12.9%	8.1%
Grade level. 7th Grade	16.3%	11.8%	13.8%
Grade level. 8th Grade	14.4%	11.6%	10.2%
Grade level. 9th Grade	15.8%	14.7%	27.1%
Grade level. 10th Grade	11.3%	14.9%	11.5%
Grade level. 11th Grade	16.9%	15.8%	21.1%
Grade level. 12th Grade	8.2%	18.2%	8.2%
Male	47.1%	49.9%	47.4%
Hispanic or Latino	4.4%	5.5%	2.7%
Race: Black or African American	10.1%	13.5%	9.9%
Race: White	82.9%	81.6%	86.7%
Race: Other*	7.0%	4.9%	3.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.4%	3.2%	9.6%
Used electronic cigarettes	18.7%	11.0%	17.0%
Used hookahs or water pipes	1.9%	1.1%	1.5%
Used alcohol	10.8%	14.9%	12.8%
Used marijuana	8.4%	7.5%	5.5%
Used inhalants	1.1%	0.8%	0.8%
Used Rx not prescribed for you by a doctor	3.2%	0.9%	9.9%
Used `OTC` to get high	1.7%	0.7%	2.5%
Used synthetic drugs	0.4%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			,
Used cocaine or `crack`	0.6%	0.3%	0.7%
Used heroin or `smack`	0.2%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.5%	1.1%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.9%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	46.5%	33.8%	34.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.3%	10.2%	7.8%
Rode with someone who was drinking alcohol	15.2%	15.4%	14.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.1%	14.2%	15.9%
Posted something online or sent a text that might embarrass or hurt another student	19.6%	17.3%	13.9%
Made fun of other people	44.9%	43.9%	44.0%
Hit, shoved or pushed another student and were not just fooling around	15.7%	14.0%	13.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	20.6%	17.9%	24.8%
Been threatened or injured with a weapon on school property	6.5%	7.9%	8.5%
Seriously considered suicide	16.1%	11.0%	14.0%
Planned suicide	13.4%	8.4%	10.9%
Attempted suicide	9.5%	4.3%	6.0%
Depression Scale (% often or always in Past Month)			
Were very sad	34.5%	27.7%	33.5%
Were grouchy or irritable, or in a bad mood	42.5%	35.5%	39.0%
Felt hopeless about the future	22.1%	15.5%	21.3%
Felt like not eating or eating more than usual	33.9%	24.3%	28.9%
Felt like sleeping a lot more or a lot less than usual	38.4%	37.6%	38.3%
Had difficulty concentrating on school work	40.9%	37.4%	34.5%

·	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	93.8%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	94.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 90.9%	92.5%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	97.1%	96.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 80.3%	81.0%	75.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.1%	75.9%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.2%	71.1%	69.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.0%	89.7%	85.3%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	35.7%	34.9%	42.7%
'Very' or 'sort of easy' to get e-cigarettes	47.3%	45.5%	47.0%
'Very' or 'sort of easy' to get alcohol	41.7%	50.8%	44.1%
'Very' or 'sort of easy' to get marijuana	30.6%	33.9%	33.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.3%	19.9%	28.9%
Friends' perception of coolness (% reflects pretty cool + ver	y cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.7%	7.1%	11.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.2%	15.2%	26.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.7%	20.0%	24.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.5%	17.4%	23.6%

	2022	2022	2020
	nty Data	MO Data	County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	35.6%	33.3%	33.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.2%	18.0%	22.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.7%	44.5%	37.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.1%	31.5%	37.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.7%	22.2%	28.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.4%	39.1%	37.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.2%	10.0%	11.4%
'No' or 'slight risk' if they use synthetic drugs	15.4%	16.1%	14.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.5%	21.7%	22.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	17.3%	10.8%	15.8%



Thank You!

2022 Missouri Student Survey Franklin



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	2,396	1804	1577
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	18.2%	12.9%	32.9%
Grade level. 7th Grade	12.9%	11.8%	4.5%
Grade level. 8th Grade	21.6%	11.6%	21.4%
Grade level. 9th Grade	3.8%	14.7%	6.4%
Grade level. 10th Grade	25.8%	14.9%	20.7%
Grade level. 11th Grade	5.5%	15.8%	6.8%
Grade level. 12th Grade	12.3%	18.2%	7.4%
Male	49.1%	49.9%	49.3%
Hispanic or Latino	1.8%	5.5%	1.1%
Race: Black or African American	0.6%	13.5%	0.6%
Race: White	89.6%	81.6%	96.6%
Race: Other*	9.8%	4.9%	2.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.4%	3.2%	7.1%
Used electronic cigarettes	9.5%	11.0%	13.6%
Used hookahs or water pipes	1.3%	1.1%	1.2%
Used alcohol	10.2%	14.9%	13.9%
Used marijuana	5.3%	7.5%	6.6%
Used inhalants	0.9%	0.8%	1.0%
Used Rx not prescribed for you by a doctor	1.5%	0.9%	5.4%
Used `OTC` to get high	1.1%	0.7%	1.7%
Used synthetic drugs	0.9%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.1%	0.3%	0.9%
Used heroin or `smack`	0.1%	0.2%	0.3%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.4%	1.1%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.8%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.3%	33.8%	27.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.7%	10.2%	6.7%
Rode with someone who was drinking alcohol	15.9%	15.4%	21.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.8%	14.2%	19.9%
Posted something online or sent a text that might embarrass or hurt another student	16.5%	17.3%	14.3%
Made fun of other people	46.2%	43.9%	46.6%
Hit, shoved or pushed another student and were not just fooling around	12.1%	14.0%	13.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.4%	17.9%	18.8%
Been threatened or injured with a weapon on school property	7.9%	7.9%	8.2%
Seriously considered suicide	14.1%	11.0%	12.2%
Planned suicide	10.6%	8.4%	10.3%
Attempted suicide	5.7%	4.3%	4.9%
Depression Scale (% often or always in Past Month)			
Were very sad	29.6%	27.7%	28.1%
Were grouchy or irritable, or in a bad mood	36.0%	35.5%	34.1%
Felt hopeless about the future	19.8%	15.5%	18.6%
Felt like not eating or eating more than usual	27.7%	24.3%	24.2%
Felt like sleeping a lot more or a lot less than usual	34.8%	37.6%	32.9%
Had difficulty concentrating on school work	38.1%	37.4%	32.8%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.5%	93.8%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	94.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.8%	92.5%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	97.1%	96.6%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	83.4%	81.0%	84.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.2%	75.9%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.2%	71.1%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.3%	89.7%	90.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	33.6%	34.9%	36.1%
'Very' or 'sort of easy' to get e-cigarettes	41.1%	45.5%	42.5%
'Very' or 'sort of easy' to get alcohol	48.6%	50.8%	51.5%
'Very' or 'sort of easy' to get marijuana	28.8%	33.9%	30.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.0%	19.9%	21.7%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	7.1%	7.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.1%	15.2%	21.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.3%	20.0%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.1%	17.4%	19.5%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.7%	33.3%	25.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.0%	18.0%	14.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.4%	44.5%	39.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.1%	31.5%	31.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.9%	22.2%	20.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.2%	39.1%	29.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	10.0%	7.7%
'No' or 'slight risk' if they use synthetic drugs	14.9%	16.1%	13.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.3%	21.7%	22.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.8%	10.8%	10.9%



Thank You!

2022 Missouri Student Survey Gasconade



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	165	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	0.0%
Grade level. 7th Grade	33.3%	11.8%	0.0%
Grade level. 8th Grade	32.7%	11.6%	0.0%
Grade level. 9th Grade	23.6%	14.7%	0.0%
Grade level. 10th Grade	10.3%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	0.0%
Male	47.2%	49.9%	0.0%
Hispanic or Latino	2.5%	5.5%	0.0%
Race: Black or African American	1.2%	13.5%	0.0%
Race: White	87.1%	81.6%	0.0%
Race: Other*	11.7%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.1%	3.2%	0.0%
Used electronic cigarettes	8.2%	11.0%	0.0%
Used hookahs or water pipes	1.3%	1.1%	0.0%
Used alcohol	16.9%	14.9%	0.0%
Used marijuana	2.6%	7.5%	0.0%
Used inhalants	1.9%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.9%	0.9%	0.0%
Used `OTC` to get high	1.9%	0.7%	0.0%
Used synthetic drugs	1.9%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.6%	0.3%	0.0%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.3%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	23.8%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.9%	10.2%	0.0%
Rode with someone who was drinking alcohol	26.8%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	23.0%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	17.0%	17.3%	0.0%
Made fun of other people	52.5%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	20.6%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	26.1%	17.9%	0.0%
Been threatened or injured with a weapon on school property	7.9%	7.9%	0.0%
Seriously considered suicide	14.6%	11.0%	0.0%
Planned suicide	10.9%	8.4%	0.0%
Attempted suicide	5.5%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	26.7%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	35.0%	35.5%	0.0%
Felt hopeless about the future	13.6%	15.5%	0.0%
Felt like not eating or eating more than usual	27.4%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	26.1%	37.6%	0.0%
Had difficulty concentrating on school work	37.8%	37.4%	0.0%

Co	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	ong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.4%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.7%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	98.0%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.7%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very wrong	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	84.8%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.9%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.9%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.7%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	24.8%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	32.9%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	46.7%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	18.3%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.1%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + very o	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.7%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.4%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.2%	17.4%	0.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	26.4%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.2%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	46.3%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.6%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.2%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.9%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	24.7%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.6%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.4%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Gentry



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Greene



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	3,386	1804	7044
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	9.6%	12.9%	17.2%
Grade level. 7th Grade	17.4%	11.8%	18.6%
Grade level. 8th Grade	17.5%	11.6%	17.1%
Grade level. 9th Grade	23.1%	14.7%	18.1%
Grade level. 10th Grade	11.3%	14.9%	15.2%
Grade level. 11th Grade	13.9%	15.8%	8.1%
Grade level. 12th Grade	7.1%	18.2%	5.7%
Male	48.7%	49.9%	49.0%
Hispanic or Latino	3.5%	5.5%	2.0%
Race: Black or African American	2.8%	13.5%	3.3%
Race: White	80.6%	81.6%	91.2%
Race: Other*	16.7%	4.9%	5.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.8%	3.2%	3.9%
Used electronic cigarettes	8.9%	11.0%	11.2%
Used hookahs or water pipes	1.3%	1.1%	1.5%
Used alcohol	7.7%	14.9%	9.0%
Used marijuana	6.0%	7.5%	7.3%
Used inhalants	0.9%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	1.9%	0.9%	8.2%
Used `OTC` to get high	1.5%	0.7%	1.9%
Used synthetic drugs	0.8%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.6%	0.3%	0.8%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.4%	1.1%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.3%
Used `club drugs` such as ecstasy	0.9%	0.2%	0.9%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	31.9%	33.8%	33.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.5%	10.2%	8.0%
Rode with someone who was drinking alcohol	12.2%	15.4%	11.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.9%	14.2%	18.1%
Posted something online or sent a text that might embarrass or hurt another student	15.4%	17.3%	13.4%
Made fun of other people	44.4%	43.9%	46.0%
Hit, shoved or pushed another student and were not just fooling around	11.8%	14.0%	14.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.8%	17.9%	18.4%
Been threatened or injured with a weapon on school property	7.8%	7.9%	9.6%
Seriously considered suicide	13.9%	11.0%	14.7%
Planned suicide	10.1%	8.4%	11.1%
Attempted suicide	6.7%	4.3%	6.3%
Depression Scale (% often or always in Past Month)			
Were very sad	31.0%	27.7%	31.9%
Were grouchy or irritable, or in a bad mood	36.3%	35.5%	37.6%
Felt hopeless about the future	17.8%	15.5%	19.4%
Felt like not eating or eating more than usual	28.6%	24.3%	26.7%
Felt like sleeping a lot more or a lot less than usual	35.7%	37.6%	35.3%
Had difficulty concentrating on school work	39.7%	37.4%	39.5%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	93.8%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.3%	94.5%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.8%	92.5%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	97.1%	96.3%
Friends' perception of wrongness (% reflects wrong + very wi	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	84.4%	81.0%	86.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.4%	75.9%	80.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.6%	71.1%	72.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.0%	89.7%	88.3%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.3%	34.9%	34.4%
'Very' or 'sort of easy' to get e-cigarettes	40.1%	45.5%	43.1%
'Very' or 'sort of easy' to get alcohol	44.2%	50.8%	44.1%
'Very' or 'sort of easy' to get marijuana	31.3%	33.9%	33.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.9%	19.9%	22.2%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	7.1%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.3%	15.2%	24.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.3%	20.0%	22.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.4%	17.4%	26.5%

Cou	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	27.3%	33.3%	27.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	/ 14.7%	18.0%	14.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.3%	44.5%	33.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.8%	31.5%	26.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	16.2%	22.2%	17.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.2%	39.1%	33.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.3%	10.0%	9.0%
'No' or 'slight risk' if they use synthetic drugs	13.7%	16.1%	12.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.9%	21.7%	22.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.9%	10.8%	12.6%



Thank You!

2022 Missouri Student Survey Mississippi



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	455	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	18.6%	12.9%	0.0%
Grade level. 7th Grade	12.0%	11.8%	0.0%
Grade level. 8th Grade	11.5%	11.6%	0.0%
Grade level. 9th Grade	21.9%	14.7%	0.0%
Grade level. 10th Grade	10.9%	14.9%	0.0%
Grade level. 11th Grade	14.2%	15.8%	0.0%
Grade level. 12th Grade	10.9%	18.2%	0.0%
Male	53.6%	49.9%	0.0%
Hispanic or Latino	3.9%	5.5%	0.0%
Race: Black or African American	20.8%	13.5%	0.0%
Race: White	74.3%	81.6%	0.0%
Race: Other*	4.9%	4.9%	2.2%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.7%	3.2%	0.0%
Used electronic cigarettes	14.6%	11.0%	0.0%
Used hookahs or water pipes	0.6%	1.1%	0.0%
Used alcohol	11.9%	14.9%	0.0%
Used marijuana	5.7%	7.5%	0.0%
Used inhalants	0.6%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.1%	0.9%	0.0%
Used `OTC` to get high	1.7%	0.7%	0.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	1.1%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.2%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	43.7%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.9%	10.2%	0.0%
Rode with someone who was drinking alcohol	11.9%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	8.8%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	11.6%	17.3%	0.0%
Made fun of other people	34.6%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	12.6%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.1%	17.9%	0.0%
Been threatened or injured with a weapon on school property	8.7%	7.9%	0.0%
Seriously considered suicide	9.9%	11.0%	0.0%
Planned suicide	7.8%	8.4%	0.0%
Attempted suicide	5.0%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	25.4%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	34.6%	35.5%	0.0%
Felt hopeless about the future	15.9%	15.5%	0.0%
Felt like not eating or eating more than usual	25.4%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	33.0%	37.6%	0.0%
Had difficulty concentrating on school work	29.0%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.7%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	nna 95.9%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarett	es 81.9%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.4%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.6%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.2%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	33.9%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	41.2%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	37.7%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	26.2%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.8%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + ve	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.7%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.6%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.7%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.7%	17.4%	0.0%

,	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.4%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /	day 17.4%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.6%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.5%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.6%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.0%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.9%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	11.2%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.6%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.6%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Moniteau



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	426	1804	567
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.0%	12.9%	17.1%
Grade level. 7th Grade	15.0%	11.8%	17.9%
Grade level. 8th Grade	17.4%	11.6%	16.7%
Grade level. 9th Grade	21.5%	14.7%	12.9%
Grade level. 10th Grade	16.6%	14.9%	12.9%
Grade level. 11th Grade	8.5%	15.8%	12.5%
Grade level. 12th Grade	4.0%	18.2%	10.0%
Male	50.0%	49.9%	52.1%
Hispanic or Latino	3.3%	5.5%	3.0%
Race: Black or African American	2.9%	13.5%	3.8%
Race: White	95.9%	81.6%	94.1%
Race: Other*	1.2%	4.9%	2.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.4%	3.2%	5.6%
Used electronic cigarettes	6.8%	11.0%	12.4%
Used hookahs or water pipes	0.0%	1.1%	1.3%
Used alcohol	9.8%	14.9%	12.5%
Used marijuana	2.1%	7.5%	4.3%
Used inhalants	0.9%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	3.4%	0.9%	7.4%
Used `OTC` to get high	0.4%	0.7%	0.4%
Used synthetic drugs	0.0%	1.0%	0.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.2%	33.8%	20.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	10.2%	4.2%
Rode with someone who was drinking alcohol	22.1%	15.4%	16.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	18.5%	14.2%	17.6%
Posted something online or sent a text that might embarrass or hurt another student	17.3%	17.3%	17.0%
Made fun of other people	44.0%	43.9%	40.8%
Hit, shoved or pushed another student and were not just fooling around	11.7%	14.0%	10.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.7%	17.9%	18.3%
Been threatened or injured with a weapon on school property	8.9%	7.9%	7.5%
Seriously considered suicide	14.1%	11.0%	7.1%
Planned suicide	9.7%	8.4%	5.5%
Attempted suicide	6.9%	4.3%	3.3%
Depression Scale (% often or always in Past Month)			
Were very sad	28.2%	27.7%	21.7%
Were grouchy or irritable, or in a bad mood	37.8%	35.5%	29.8%
Felt hopeless about the future	15.4%	15.5%	11.3%
Felt like not eating or eating more than usual	29.0%	24.3%	19.7%
Felt like sleeping a lot more or a lot less than usual	33.9%	37.6%	28.5%
Had difficulty concentrating on school work	37.1%	37.4%	22.1%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.5%	93.8%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.4%	94.5%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.0%	92.5%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.3%	97.1%	96.5%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	85.0%	81.0%	84.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.2%	75.9%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.2%	71.1%	81.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.3%	89.7%	91.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	30.1%	34.9%	35.3%
'Very' or 'sort of easy' to get e-cigarettes	31.9%	45.5%	38.8%
'Very' or 'sort of easy' to get alcohol	47.0%	50.8%	46.4%
'Very' or 'sort of easy' to get marijuana	16.8%	33.9%	24.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.2%	19.9%	26.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.7%	7.1%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.2%	15.2%	22.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.0%	20.0%	22.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.1%	17.4%	17.1%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	20.5%	33.3%	27.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	11.4%	18.0%	16.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.3%	44.5%	36.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.0%	31.5%	31.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.9%	22.2%	21.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.1%	39.1%	25.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.3%	10.0%	9.7%
'No' or 'slight risk' if they use synthetic drugs	10.2%	16.1%	11.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.0%	21.7%	16.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.2%	10.8%	10.6%



Thank You!

2022 Missouri Student Survey Monroe



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	68	1804	196
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.0%	12.9%	35.1%
Grade level. 7th Grade	16.7%	11.8%	29.9%
Grade level. 8th Grade	21.9%	11.6%	28.6%
Grade level. 9th Grade	18.4%	14.7%	3.9%
Grade level. 10th Grade	0.0%	14.9%	0.0%
Grade level. 11th Grade	17.5%	15.8%	2.6%
Grade level. 12th Grade	11.4%	18.2%	0.0%
Male	50.0%	49.9%	51.3%
Hispanic or Latino	0.9%	5.5%	1.3%
Race: Black or African American	0.0%	13.5%	2.6%
Race: White	96.6%	81.6%	96.1%
Race: Other*	3.4%	4.9%	1.3%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.5%	3.2%	1.3%
Used electronic cigarettes	8.9%	11.0%	3.9%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	15.0%	14.9%	5.4%
Used marijuana	1.8%	7.5%	1.4%
Used inhalants	0.0%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	5.4%	0.9%	8.0%
Used `OTC` to get high	1.8%	0.7%	2.7%
Used synthetic drugs	0.0%	1.0%	2.7%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	1.8%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	21.2%	33.8%	41.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	10.2%	6.5%
Rode with someone who was drinking alcohol	18.6%	15.4%	16.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	8.5%	14.2%	21.8%
Posted something online or sent a text that might embarrass or hurt another student	5.1%	17.3%	10.4%
Made fun of other people	26.7%	43.9%	47.4%
Hit, shoved or pushed another student and were not just fooling around	6.8%	14.0%	19.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.8%	17.9%	21.8%
Been threatened or injured with a weapon on school property	2.5%	7.9%	9.2%
Seriously considered suicide	11.0%	11.0%	9.0%
Planned suicide	11.1%	8.4%	5.2%
Attempted suicide	9.4%	4.3%	7.7%
Depression Scale (% often or always in Past Month)			
Were very sad	22.0%	27.7%	19.5%
Were grouchy or irritable, or in a bad mood	33.9%	35.5%	23.1%
Felt hopeless about the future	16.1%	15.5%	7.9%
Felt like not eating or eating more than usual	19.7%	24.3%	16.7%
Felt like sleeping a lot more or a lot less than usual	35.6%	37.6%	29.5%
Had difficulty concentrating on school work	30.8%	37.4%	26.9%

C	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.8%	98.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.8%	94.5%	97.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 100.0%	92.5%	98.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	97.1%	95.9%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	84.6%	81.0%	85.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.5%	75.9%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	91.5%	71.1%	88.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	89.7%	88.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	29.7%	34.9%	24.7%
'Very' or 'sort of easy' to get e-cigarettes	17.9%	45.5%	19.2%
'Very' or 'sort of easy' to get alcohol	33.9%	50.8%	32.1%
'Very' or 'sort of easy' to get marijuana	10.5%	33.9%	11.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	10.3%	19.9%	15.4%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	2.5%	7.1%	3.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	8.5%	15.2%	10.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	8.5%	20.0%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	2.5%	17.4%	9.0%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.3%	33.3%	25.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.0%	18.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.0%	44.5%	40.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.7%	31.5%	32.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	37.1%	22.2%	26.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.1%	39.1%	19.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.3%	10.0%	11.8%
'No' or 'slight risk' if they use synthetic drugs	14.8%	16.1%	22.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	15.7%	21.7%	19.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.7%	10.8%	18.2%



Thank You!

2022 Missouri Student Survey Montgomery



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	548	1804	259
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.5%	12.9%	36.8%
Grade level. 7th Grade	11.4%	11.8%	30.3%
Grade level. 8th Grade	21.1%	11.6%	32.9%
Grade level. 9th Grade	15.7%	14.7%	0.0%
Grade level. 10th Grade	13.9%	14.9%	0.0%
Grade level. 11th Grade	13.3%	15.8%	0.0%
Grade level. 12th Grade	10.2%	18.2%	0.0%
Male	49.7%	49.9%	48.6%
Hispanic or Latino	2.4%	5.5%	1.4%
Race: Black or African American	1.2%	13.5%	1.3%
Race: White	86.7%	81.6%	96.0%
Race: Other*	12.1%	4.9%	2.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.6%	3.2%	5.5%
Used electronic cigarettes	12.8%	11.0%	13.7%
Used hookahs or water pipes	1.2%	1.1%	0.0%
Used alcohol	12.3%	14.9%	18.1%
Used marijuana	5.5%	7.5%	2.7%
Used inhalants	0.6%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	2.4%	0.9%	9.6%
Used `OTC` to get high	1.2%	0.7%	2.7%
Used synthetic drugs	0.6%	1.0%	1.4%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.6%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.8%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.6%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	30.7%	33.8%	23.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.5%	10.2%	5.4%
Rode with someone who was drinking alcohol	13.5%	15.4%	22.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.4%	14.2%	17.3%
Posted something online or sent a text that might embarrass or hurt another student	11.4%	17.3%	11.8%
Made fun of other people	39.8%	43.9%	44.0%
Hit, shoved or pushed another student and were not just fooling around	10.2%	14.0%	18.7%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.9%	17.9%	27.6%
Been threatened or injured with a weapon on school property	6.6%	7.9%	9.3%
Seriously considered suicide	11.6%	11.0%	16.2%
Planned suicide	9.1%	8.4%	13.5%
Attempted suicide	5.5%	4.3%	6.8%
Depression Scale (% often or always in Past Month)			
Were very sad	31.3%	27.7%	29.3%
Were grouchy or irritable, or in a bad mood	36.7%	35.5%	34.7%
Felt hopeless about the future	18.7%	15.5%	14.7%
Felt like not eating or eating more than usual	27.1%	24.3%	24.0%
Felt like sleeping a lot more or a lot less than usual	34.7%	37.6%	37.3%
Had difficulty concentrating on school work	38.0%	37.4%	27.6%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.7%	93.8%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	94.5%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 92.5%	92.5%	97.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	97.1%	95.8%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 81.1%	81.0%	84.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.5%	75.9%	74.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.4%	71.1%	84.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.2%	89.7%	90.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	31.3%	34.9%	28.9%
'Very' or 'sort of easy' to get e-cigarettes	40.6%	45.5%	30.3%
'Very' or 'sort of easy' to get alcohol	40.0%	50.8%	41.3%
'Very' or 'sort of easy' to get marijuana	27.4%	33.9%	16.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.1%	19.9%	21.6%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.0%	7.1%	7.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.9%	15.2%	22.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.4%	20.0%	17.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.8%	17.4%	14.5%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	31.1%	33.3%	31.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.4%	18.0%	20.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.5%	44.5%	45.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.5%	31.5%	44.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.6%	22.2%	33.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.6%	39.1%	24.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.7%	10.0%	12.2%
'No' or 'slight risk' if they use synthetic drugs	16.4%	16.1%	20.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.6%	21.7%	27.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	10.8%	14.9%



Thank You!

2022 Missouri Student Survey Morgan



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey New Madrid



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	290	1804	407
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.0%	12.9%	15.1%
Grade level. 7th Grade	20.4%	11.8%	15.5%
Grade level. 8th Grade	23.1%	11.6%	17.6%
Grade level. 9th Grade	12.9%	14.7%	12.1%
Grade level. 10th Grade	14.5%	14.9%	14.6%
Grade level. 11th Grade	5.5%	15.8%	12.1%
Grade level. 12th Grade	12.5%	18.2%	13.0%
Male	41.6%	49.9%	46.9%
Hispanic or Latino	1.2%	5.5%	1.3%
Race: Black or African American	9.4%	13.5%	15.5%
Race: White	82.4%	81.6%	82.0%
Race: Other*	8.2%	4.9%	2.5%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	5.5%	3.2%	8.2%
Used electronic cigarettes	16.3%	11.0%	12.4%
Used hookahs or water pipes	0.8%	1.1%	0.4%
Used alcohol	11.8%	14.9%	12.9%
Used marijuana	5.5%	7.5%	0.4%
Used inhalants	0.4%	0.8%	1.3%
Used Rx not prescribed for you by a doctor	2.4%	0.9%	10.2%
Used `OTC` to get high	2.4%	0.7%	2.7%
Used synthetic drugs	0.0%	1.0%	0.9%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.0%	0.3%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	42.6%	33.8%	41.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.9%	10.2%	7.6%
Rode with someone who was drinking alcohol	13.8%	15.4%	15.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.6%	14.2%	18.8%
Posted something online or sent a text that might embarrass or hurt another student	15.5%	17.3%	18.9%
Made fun of other people	45.6%	43.9%	50.0%
Hit, shoved or pushed another student and were not just fooling around	12.4%	14.0%	18.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.4%	17.9%	22.5%
Been threatened or injured with a weapon on school property	5.4%	7.9%	7.5%
Seriously considered suicide	10.3%	11.0%	9.7%
Planned suicide	9.9%	8.4%	9.7%
Attempted suicide	6.7%	4.3%	7.9%
Depression Scale (% often or always in Past Month)			
Were very sad	29.8%	27.7%	32.9%
Were grouchy or irritable, or in a bad mood	44.8%	35.5%	38.8%
Felt hopeless about the future	17.4%	15.5%	17.6%
Felt like not eating or eating more than usual	27.2%	24.3%	31.5%
Felt like sleeping a lot more or a lot less than usual	36.7%	37.6%	36.4%
Had difficulty concentrating on school work	29.5%	37.4%	28.9%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.9%	93.8%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	94.5%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	90.1%	92.5%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.8%	97.1%	94.9%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	71.6%	81.0%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	64.1%	75.9%	75.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.1%	71.1%	83.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	83.2%	89.7%	89.1%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	43.2%	34.9%	36.4%
'Very' or 'sort of easy' to get e-cigarettes	49.0%	45.5%	40.2%
'Very' or 'sort of easy' to get alcohol	50.6%	50.8%	38.5%
'Very' or 'sort of easy' to get marijuana	36.7%	33.9%	20.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.4%	19.9%	18.6%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.5%	7.1%	11.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.3%	15.2%	20.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.9%	20.0%	22.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.2%	17.4%	13.9%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	37.1%	33.3%	33.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /c	day 20.9%	18.0%	18.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.1%	44.5%	39.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	43.1%	31.5%	38.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.5%	22.2%	26.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.5%	39.1%	26.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.3%	10.0%	9.0%
'No' or 'slight risk' if they use synthetic drugs	16.9%	16.1%	14.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.9%	21.7%	23.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.5%	10.8%	13.6%



Thank You!

2022 Missouri Student Survey Newton



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	706	1804	1078
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	7.3%	12.9%	12.7%
Grade level. 7th Grade	18.7%	11.8%	35.9%
Grade level. 8th Grade	41.3%	11.6%	32.9%
Grade level. 9th Grade	24.8%	14.7%	6.1%
Grade level. 10th Grade	7.9%	14.9%	8.0%
Grade level. 11th Grade	0.0%	15.8%	4.3%
Grade level. 12th Grade	0.0%	18.2%	0.2%
Male	52.8%	49.9%	48.9%
Hispanic or Latino	3.5%	5.5%	2.8%
Race: Black or African American	0.3%	13.5%	0.8%
Race: White	77.0%	81.6%	92.4%
Race: Other*	22.6%	4.9%	6.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.3%	3.2%	5.3%
Used electronic cigarettes	12.5%	11.0%	8.8%
Used hookahs or water pipes	0.1%	1.1%	1.2%
Used alcohol	10.5%	14.9%	7.0%
Used marijuana	4.1%	7.5%	3.0%
Used inhalants	0.8%	0.8%	1.2%
Used Rx not prescribed for you by a doctor	1.0%	0.9%	9.0%
Used `OTC` to get high	3.2%	0.7%	3.3%
Used synthetic drugs	1.2%	1.0%	1.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.7%	0.3%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.2%	0.5%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.5%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	44.8%	33.8%	36.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.8%	10.2%	7.7%
Rode with someone who was drinking alcohol	13.3%	15.4%	12.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	13.8%	14.2%	18.5%
Posted something online or sent a text that might embarrass or hurt another student	12.8%	17.3%	13.4%
Made fun of other people	41.2%	43.9%	44.4%
Hit, shoved or pushed another student and were not just fooling around	13.8%	14.0%	18.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.0%	17.9%	19.9%
Been threatened or injured with a weapon on school property	16.4%	7.9%	9.4%
Seriously considered suicide	19.3%	11.0%	12.5%
Planned suicide	15.4%	8.4%	9.6%
Attempted suicide	10.0%	4.3%	6.6%
Depression Scale (% often or always in Past Month)			
Were very sad	31.9%	27.7%	31.1%
Were grouchy or irritable, or in a bad mood	41.9%	35.5%	36.9%
Felt hopeless about the future	23.9%	15.5%	17.0%
Felt like not eating or eating more than usual	33.8%	24.3%	29.3%
Felt like sleeping a lot more or a lot less than usual	43.1%	37.6%	35.2%
Had difficulty concentrating on school work	35.7%	37.4%	34.8%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	y wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacc	91.6%	93.8%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	94.5%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke mariju once or twice a week	ana 90.7%	92.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	97.1%	96.4%
Friends' perception of wrongness (% reflects wrong + very	/ wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigaret	ttes 83.5%	81.0%	85.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.8%	75.9%	81.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.1%	71.1%	80.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	89.7%	89.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.0%	34.9%	29.9%
'Very' or 'sort of easy' to get e-cigarettes	39.3%	45.5%	29.3%
'Very' or 'sort of easy' to get alcohol	39.2%	50.8%	36.6%
'Very' or 'sort of easy' to get marijuana	21.2%	33.9%	19.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.2%	19.9%	16.8%
Friends' perception of coolness (% reflects pretty cool + vo	ery cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.0%	7.1%	10.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.7%	15.2%	19.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	14.6%	20.0%	17.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.6%	17.4%	17.8%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.1%	33.3%	29.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.8%	18.0%	17.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.2%	44.5%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.7%	31.5%	33.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.5%	22.2%	25.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.2%	39.1%	28.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.4%	10.0%	10.5%
'No' or 'slight risk' if they use synthetic drugs	19.7%	16.1%	17.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.0%	21.7%	23.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.4%	10.8%	12.9%



Thank You!

2022 Missouri Student Survey Nodaway



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	714	1804	661
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	8.1%	12.9%	16.7%
Grade level. 7th Grade	10.2%	11.8%	14.6%
Grade level. 8th Grade	10.6%	11.6%	20.2%
Grade level. 9th Grade	27.3%	14.7%	12.6%
Grade level. 10th Grade	8.8%	14.9%	10.6%
Grade level. 11th Grade	27.9%	15.8%	16.2%
Grade level. 12th Grade	7.2%	18.2%	9.1%
Male	49.9%	49.9%	49.2%
Hispanic or Latino	2.1%	5.5%	1.5%
Race: Black or African American	2.3%	13.5%	2.6%
Race: White	79.5%	81.6%	94.4%
Race: Other*	18.2%	4.9%	3.1%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	2.5%	3.2%	4.8%
Used electronic cigarettes	8.8%	11.0%	11.7%
Used hookahs or water pipes	0.5%	1.1%	1.6%
Used alcohol	12.6%	14.9%	12.3%
Used marijuana	3.7%	7.5%	4.3%
Used inhalants	0.7%	0.8%	0.5%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	7.6%
Used `OTC` to get high	0.7%	0.7%	2.7%
Used synthetic drugs	0.2%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.7%	0.3%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.6%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.2%	1.1%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.6%
Used `club drugs` such as ecstasy	0.2%	0.2%	1.1%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	24.5%	33.8%	25.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	10.2%	5.1%
Rode with someone who was drinking alcohol	13.7%	15.4%	14.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	16.8%	14.2%	16.8%
Posted something online or sent a text that might embarrass or hurt another student	14.1%	17.3%	17.7%
Made fun of other people	45.8%	43.9%	49.0%
Hit, shoved or pushed another student and were not just fooling around	12.0%	14.0%	12.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	15.2%	17.9%	16.7%
Been threatened or injured with a weapon on school property	5.9%	7.9%	7.6%
Seriously considered suicide	13.2%	11.0%	10.7%
Planned suicide	10.0%	8.4%	8.2%
Attempted suicide	6.2%	4.3%	4.1%
Depression Scale (% often or always in Past Month)			
Were very sad	30.5%	27.7%	23.4%
Were grouchy or irritable, or in a bad mood	34.4%	35.5%	34.0%
Felt hopeless about the future	17.3%	15.5%	14.3%
Felt like not eating or eating more than usual	24.8%	24.3%	21.8%
Felt like sleeping a lot more or a lot less than usual	32.7%	37.6%	28.9%
Had difficulty concentrating on school work	33.6%	37.4%	33.5%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.4%	93.8%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.4%	94.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 98.1%	92.5%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	99.0%	97.1%	96.6%
Friends' perception of wrongness (% reflects wrong + very	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 85.0%	81.0%	86.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.0%	75.9%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.4%	71.1%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	89.7%	90.9%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.2%	34.9%	30.5%
'Very' or 'sort of easy' to get e-cigarettes	41.0%	45.5%	35.2%
'Very' or 'sort of easy' to get alcohol	52.7%	50.8%	43.1%
'Very' or 'sort of easy' to get marijuana	20.0%	33.9%	20.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.8%	19.9%	17.9%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	7.1%	6.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.0%	15.2%	18.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.1%	20.0%	23.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.3%	17.4%	17.9%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	27.4%	33.3%	27.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.7%	18.0%	16.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.7%	44.5%	47.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.5%	31.5%	36.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.9%	22.2%	25.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.5%	39.1%	30.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.5%	10.0%	10.4%
'No' or 'slight risk' if they use synthetic drugs	12.2%	16.1%	16.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	21.7%	23.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.8%	10.8%	14.0%



Thank You!

2022 Missouri Student Survey Oregon



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2024 survey!

2022 Missouri Student Survey Osage



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	500	1804	239
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.9%	12.9%	4.0%
Grade level. 7th Grade	13.4%	11.8%	15.2%
Grade level. 8th Grade	12.9%	11.6%	20.5%
Grade level. 9th Grade	21.9%	14.7%	24.1%
Grade level. 10th Grade	15.2%	14.9%	4.0%
Grade level. 11th Grade	13.8%	15.8%	25.4%
Grade level. 12th Grade	9.8%	18.2%	6.7%
Male	53.8%	49.9%	50.2%
Hispanic or Latino	1.4%	5.5%	0.9%
Race: Black or African American	0.0%	13.5%	0.5%
Race: White	95.5%	81.6%	98.2%
Race: Other*	4.5%	4.9%	1.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.8%	3.2%	11.6%
Used electronic cigarettes	16.4%	11.0%	24.3%
Used hookahs or water pipes	0.0%	1.1%	2.7%
Used alcohol	31.8%	14.9%	23.1%
Used marijuana	1.4%	7.5%	7.8%
Used inhalants	1.4%	0.8%	1.4%
Used Rx not prescribed for you by a doctor	1.4%	0.9%	9.2%
Used `OTC` to get high	0.9%	0.7%	2.8%
Used synthetic drugs	0.0%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.0%	0.3%	1.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.5%	1.1%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.2%	0.9%
Used `club drugs` such as ecstasy	0.0%	0.2%	1.4%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	25.2%	33.8%	23.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.9%	10.2%	7.3%
Rode with someone who was drinking alcohol	31.7%	15.4%	20.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	24.0%	14.2%	15.7%
Posted something online or sent a text that might embarrass or hurt another student	18.2%	17.3%	24.7%
Made fun of other people	55.6%	43.9%	57.0%
Hit, shoved or pushed another student and were not just fooling around	11.1%	14.0%	12.6%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	17.8%	17.9%	21.6%
Been threatened or injured with a weapon on school property	6.7%	7.9%	12.6%
Seriously considered suicide	10.7%	11.0%	21.6%
Planned suicide	7.2%	8.4%	19.4%
Attempted suicide	4.9%	4.3%	9.1%
Depression Scale (% often or always in Past Month)			
Were very sad	22.2%	27.7%	34.7%
Were grouchy or irritable, or in a bad mood	31.1%	35.5%	40.1%
Felt hopeless about the future	14.2%	15.5%	22.1%
Felt like not eating or eating more than usual	24.9%	24.3%	33.3%
Felt like sleeping a lot more or a lot less than usual	31.9%	37.6%	38.6%
Had difficulty concentrating on school work	26.2%	37.4%	42.2%

Сс	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.2%	93.8%	89.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.4%	94.5%	89.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	92.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.7%	97.1%	93.8%
Friends' perception of wrongness (% reflects wrong + very wi	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	78.0%	81.0%	72.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	61.9%	75.9%	69.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.3%	71.1%	67.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	89.7%	79.7%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.1%	34.9%	53.6%
'Very' or 'sort of easy' to get e-cigarettes	50.4%	45.5%	57.3%
'Very' or 'sort of easy' to get alcohol	68.6%	50.8%	65.9%
'Very' or 'sort of easy' to get marijuana	20.0%	33.9%	36.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.1%	19.9%	34.5%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.4%	7.1%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.3%	15.2%	26.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	41.2%	20.0%	30.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.5%	17.4%	18.3%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	33.6%	33.3%	37.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 15.2%	18.0%	20.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	61.6%	44.5%	50.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	48.9%	31.5%	38.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.9%	22.2%	28.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	22.3%	39.1%	36.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	10.0%	8.7%
'No' or 'slight risk' if they use synthetic drugs	13.3%	16.1%	10.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.8%	21.7%	20.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.6%	10.8%	12.3%



Thank You!

2022 Missouri Student Survey Ozark



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	6	1804	125
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	0.0%
Grade level. 7th Grade	0.0%	11.8%	34.9%
Grade level. 8th Grade	0.0%	11.6%	31.7%
Grade level. 9th Grade	0.0%	14.7%	7.9%
Grade level. 10th Grade	0.0%	14.9%	17.5%
Grade level. 11th Grade	0.0%	15.8%	4.8%
Grade level. 12th Grade	0.0%	18.2%	3.2%
Male	41.3%	49.9%	49.2%
Hispanic or Latino	2.6%	5.5%	1.6%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	74.4%	81.6%	98.4%
Race: Other*	25.6%	4.9%	1.6%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	0.0%	3.2%	9.5%
Used electronic cigarettes	0.0%	11.0%	10.9%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	0.0%	14.9%	9.5%
Used marijuana	0.0%	7.5%	1.6%
Used inhalants	0.0%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	0.0%	0.9%	6.5%
Used `OTC` to get high	0.0%	0.7%	1.6%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	<u>, </u>		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	1.6%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	40.4%	33.8%	35.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	10.2%	6.3%
Rode with someone who was drinking alcohol	0.0%	15.4%	22.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	0.0%	14.2%	23.1%
Posted something online or sent a text that might embarrass or hurt another student	0.0%	17.3%	12.5%
Made fun of other people	21.7%	43.9%	50.8%
Hit, shoved or pushed another student and were not just fooling around	0.0%	14.0%	23.4%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.3%	17.9%	20.3%
Been threatened or injured with a weapon on school property	0.0%	7.9%	4.6%
Seriously considered suicide	0.0%	11.0%	11.1%
Planned suicide	0.0%	8.4%	6.3%
Attempted suicide	0.0%	4.3%	7.8%
Depression Scale (% often or always in Past Month)			
Were very sad	2.1%	27.7%	26.6%
Were grouchy or irritable, or in a bad mood	0.0%	35.5%	32.8%
Felt hopeless about the future	2.1%	15.5%	13.8%
Felt like not eating or eating more than usual	2.1%	24.3%	21.9%
Felt like sleeping a lot more or a lot less than usual	42.6%	37.6%	30.8%
Had difficulty concentrating on school work	21.3%	37.4%	32.8%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	93.8%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	94.5%	98.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	100.0%	92.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	97.1%	96.7%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	100.0%	81.0%	79.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	75.9%	78.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	100.0%	71.1%	76.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	89.7%	89.2%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	0.0%	34.9%	34.4%
'Very' or 'sort of easy' to get e-cigarettes	0.0%	45.5%	26.6%
'Very' or 'sort of easy' to get alcohol	0.0%	50.8%	43.8%
'Very' or 'sort of easy' to get marijuana	0.0%	33.9%	20.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	0.0%	19.9%	19.0%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	0.0%	7.1%	6.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	0.0%	15.2%	15.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	0.0%	20.0%	14.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	0.0%	17.4%	11.1%

Соц	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	0.0%	33.3%	25.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	0.0%	18.0%	20.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	0.0%	44.5%	34.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	0.0%	31.5%	37.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	0.0%	22.2%	26.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	0.0%	39.1%	29.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	0.0%	10.0%	9.5%
'No' or 'slight risk' if they use synthetic drugs	0.0%	16.1%	15.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.3%	21.7%	20.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	0.0%	10.8%	14.1%



Thank You!

2022 Missouri Student Survey Stone



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	728	1804	378
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	13.3%	12.9%	39.6%
Grade level. 7th Grade	16.7%	11.8%	26.4%
Grade level. 8th Grade	20.0%	11.6%	34.0%
Grade level. 9th Grade	18.9%	14.7%	0.0%
Grade level. 10th Grade	18.9%	14.9%	0.0%
Grade level. 11th Grade	7.8%	15.8%	0.0%
Grade level. 12th Grade	4.4%	18.2%	0.0%
Male	48.3%	49.9%	49.1%
Hispanic or Latino	2.2%	5.5%	1.9%
Race: Black or African American	0.0%	13.5%	0.0%
Race: White	91.0%	81.6%	98.1%
Race: Other*	9.0%	4.9%	1.9%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	4.7%	3.2%	3.8%
Used electronic cigarettes	10.5%	11.0%	5.8%
Used hookahs or water pipes	1.2%	1.1%	0.0%
Used alcohol	5.9%	14.9%	7.8%
Used marijuana	4.7%	7.5%	1.9%
Used inhalants	1.2%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.2%	0.9%	3.9%
Used `OTC` to get high	0.0%	0.7%	2.0%
Used synthetic drugs	1.2%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.2%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.2%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.3%	33.8%	35.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.9%	10.2%	5.7%
Rode with someone who was drinking alcohol	11.8%	15.4%	15.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	15.4%	14.2%	20.4%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	17.3%	11.1%
Made fun of other people	42.9%	43.9%	40.7%
Hit, shoved or pushed another student and were not just fooling around	12.1%	14.0%	14.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	16.7%	17.9%	20.8%
Been threatened or injured with a weapon on school property	9.9%	7.9%	7.4%
Seriously considered suicide	14.6%	11.0%	11.5%
Planned suicide	12.2%	8.4%	11.5%
Attempted suicide	7.8%	4.3%	7.4%
Depression Scale (% often or always in Past Month)			
Were very sad	32.2%	27.7%	24.5%
Were grouchy or irritable, or in a bad mood	38.9%	35.5%	32.1%
Felt hopeless about the future	17.8%	15.5%	17.0%
Felt like not eating or eating more than usual	27.8%	24.3%	22.6%
Felt like sleeping a lot more or a lot less than usual	35.6%	37.6%	30.2%
Had difficulty concentrating on school work	40.0%	37.4%	29.6%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	93.8%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.2%	94.5%	98.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijua once or twice a week	na 92.5%	92.5%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	97.1%	98.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 82.2%	81.0%	86.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.9%	75.9%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.8%	71.1%	86.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.0%	89.7%	92.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	32.6%	34.9%	21.2%
'Very' or 'sort of easy' to get e-cigarettes	40.4%	45.5%	26.9%
'Very' or 'sort of easy' to get alcohol	40.4%	50.8%	30.8%
'Very' or 'sort of easy' to get marijuana	26.7%	33.9%	13.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.1%	19.9%	13.5%
Friends' perception of coolness (% reflects pretty cool + ver	ry cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.2%	7.1%	7.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.2%	15.2%	15.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.1%	20.0%	13.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.1%	17.4%	9.4%

Со	2022 unty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.2%	33.3%	22.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /da	y 16.9%	18.0%	17.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.3%	44.5%	39.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.5%	31.5%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.5%	22.2%	23.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.6%	39.1%	19.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.2%	10.0%	9.6%
'No' or 'slight risk' if they use synthetic drugs	17.2%	16.1%	17.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.5%	21.7%	23.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.6%	10.8%	11.5%



Thank You!

2022 Missouri Student Survey Sullivan



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	166	1804	364
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	26.9%	12.9%	14.0%
Grade level. 7th Grade	9.5%	11.8%	22.5%
Grade level. 8th Grade	7.9%	11.6%	15.2%
Grade level. 9th Grade	19.7%	14.7%	14.9%
Grade level. 10th Grade	11.5%	14.9%	12.4%
Grade level. 11th Grade	13.1%	15.8%	12.0%
Grade level. 12th Grade	11.4%	18.2%	9.0%
Male	49.3%	49.9%	46.9%
Hispanic or Latino	12.5%	5.5%	9.0%
Race: Black or African American	1.8%	13.5%	2.8%
Race: White	87.2%	81.6%	93.8%
Race: Other*	11.0%	4.9%	3.4%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	9.8%	3.2%	6.6%
Used electronic cigarettes	11.8%	11.0%	7.1%
Used hookahs or water pipes	1.7%	1.1%	0.9%
Used alcohol	16.3%	14.9%	14.1%
Used marijuana	3.9%	7.5%	3.3%
Used inhalants	1.7%	0.8%	0.9%
Used Rx not prescribed for you by a doctor	2.1%	0.9%	7.5%
Used `OTC` to get high	0.7%	0.7%	2.9%
Used synthetic drugs	0.9%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.7%	0.3%	1.2%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.2%	0.9%
Used `club drugs` such as ecstasy	0.3%	0.2%	1.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	28.4%	33.8%	26.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	10.2%	5.0%
Rode with someone who was drinking alcohol	15.8%	15.4%	15.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	17.6%	14.2%	21.9%
Posted something online or sent a text that might embarrass or hurt another student	22.2%	17.3%	15.1%
Made fun of other people	45.3%	43.9%	47.2%
Hit, shoved or pushed another student and were not just fooling around	14.2%	14.0%	14.2%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	19.8%	17.9%	22.8%
Been threatened or injured with a weapon on school property	5.0%	7.9%	5.6%
Seriously considered suicide	11.1%	11.0%	8.9%
Planned suicide	5.5%	8.4%	6.7%
Attempted suicide	4.2%	4.3%	4.8%
Depression Scale (% often or always in Past Month)			
Were very sad	30.4%	27.7%	27.6%
Were grouchy or irritable, or in a bad mood	28.8%	35.5%	34.1%
Felt hopeless about the future	18.8%	15.5%	15.4%
Felt like not eating or eating more than usual	29.0%	24.3%	20.2%
Felt like sleeping a lot more or a lot less than usual	34.5%	37.6%	32.4%
Had difficulty concentrating on school work	39.1%	37.4%	27.7%

C	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	vrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.6%	93.8%	89.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.0%	94.5%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuan once or twice a week	a 92.6%	92.5%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	97.1%	93.2%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	s 76.8%	81.0%	82.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.5%	75.9%	77.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.1%	71.1%	86.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.3%	89.7%	91.4%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	40.2%	34.9%	36.8%
'Very' or 'sort of easy' to get e-cigarettes	37.5%	45.5%	33.2%
'Very' or 'sort of easy' to get alcohol	46.7%	50.8%	45.5%
'Very' or 'sort of easy' to get marijuana	17.6%	33.9%	18.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.0%	19.9%	18.7%
Friends' perception of coolness (% reflects pretty cool + very	<u>/ cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.1%	7.1%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.3%	15.2%	15.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.5%	20.0%	24.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.2%	17.4%	16.9%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	30.9%	33.3%	26.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.6%	18.0%	19.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.9%	44.5%	37.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.5%	31.5%	35.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.3%	22.2%	29.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.8%	39.1%	24.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	10.0%	14.0%
'No' or 'slight risk' if they use synthetic drugs	14.0%	16.1%	16.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.3%	21.7%	23.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.5%	10.8%	15.4%



Thank You!

2022 Missouri Student Survey Taney



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,854	1804	2244
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.8%	12.9%	14.6%
Grade level. 7th Grade	11.3%	11.8%	16.8%
Grade level. 8th Grade	18.1%	11.6%	17.5%
Grade level. 9th Grade	15.8%	14.7%	16.4%
Grade level. 10th Grade	15.8%	14.9%	15.7%
Grade level. 11th Grade	13.2%	15.8%	9.1%
Grade level. 12th Grade	9.0%	18.2%	9.9%
Male	48.2%	49.9%	47.8%
Hispanic or Latino	4.9%	5.5%	3.3%
Race: Black or African American	1.3%	13.5%	1.1%
Race: White	87.0%	81.6%	93.7%
Race: Other*	11.7%	4.9%	5.2%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.0%	3.2%	4.9%
Used electronic cigarettes	10.8%	11.0%	12.9%
Used hookahs or water pipes	2.0%	1.1%	2.3%
Used alcohol	8.5%	14.9%	11.6%
Used marijuana	6.8%	7.5%	7.3%
Used inhalants	0.7%	0.8%	1.6%
Used Rx not prescribed for you by a doctor	1.4%	0.9%	7.5%
Used `OTC` to get high	1.0%	0.7%	2.4%
Used synthetic drugs	0.7%	1.0%	0.8%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	•		,
Used cocaine or `crack`	0.7%	0.3%	0.8%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	2.8%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.2%	0.4%
Used `club drugs` such as ecstasy	1.0%	0.2%	1.2%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	33.7%	33.8%	31.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	10.2%	7.0%
Rode with someone who was drinking alcohol	10.8%	15.4%	13.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	17.7%	14.2%	20.9%
Posted something online or sent a text that might embarrass or hurt another student	16.7%	17.3%	13.6%
Made fun of other people	46.8%	43.9%	48.3%
Hit, shoved or pushed another student and were not just fooling around	15.1%	14.0%	15.1%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.6%	17.9%	20.1%
Been threatened or injured with a weapon on school property	9.6%	7.9%	8.1%
Seriously considered suicide	14.6%	11.0%	14.8%
Planned suicide	11.3%	8.4%	11.1%
Attempted suicide	6.5%	4.3%	7.0%
Depression Scale (% often or always in Past Month)			
Were very sad	33.5%	27.7%	34.4%
Were grouchy or irritable, or in a bad mood	39.4%	35.5%	38.1%
Felt hopeless about the future	20.7%	15.5%	20.9%
Felt like not eating or eating more than usual	31.4%	24.3%	29.7%
Felt like sleeping a lot more or a lot less than usual	39.5%	37.6%	38.5%
Had difficulty concentrating on school work	44.2%	37.4%	39.1%

,	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	93.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.8%	94.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijual once or twice a week	na 92.5%	92.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.5%	97.1%	95.0%
Friends' perception of wrongness (% reflects wrong + very v	wrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 82.4%	81.0%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.3%	75.9%	78.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.9%	71.1%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	89.7%	87.8%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	34.0%	34.9%	35.1%
'Very' or 'sort of easy' to get e-cigarettes	45.5%	45.5%	39.6%
'Very' or 'sort of easy' to get alcohol	43.3%	50.8%	44.4%
'Very' or 'sort of easy' to get marijuana	31.9%	33.9%	31.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.1%	19.9%	22.7%
Friends' perception of coolness (% reflects pretty cool + ver	<u>y cool)</u>		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.3%	7.1%	8.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.6%	15.2%	25.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.9%	20.0%	23.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.2%	17.4%	23.2%

Cou	2022 Inty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.6%	33.3%	28.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.1%	18.0%	15.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.5%	44.5%	37.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.6%	31.5%	30.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.4%	22.2%	21.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.8%	39.1%	31.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	10.0%	9.4%
'No' or 'slight risk' if they use synthetic drugs	15.9%	16.1%	15.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.1%	21.7%	23.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	10.8%	13.2%



Thank You!

2022 Missouri Student Survey Texas



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	373	1804	200
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.0%	12.9%	4.1%
Grade level. 7th Grade	12.9%	11.8%	28.6%
Grade level. 8th Grade	10.8%	11.6%	30.0%
Grade level. 9th Grade	19.9%	14.7%	14.5%
Grade level. 10th Grade	14.0%	14.9%	7.3%
Grade level. 11th Grade	16.4%	15.8%	8.2%
Grade level. 12th Grade	9.1%	18.2%	7.3%
Male	53.8%	49.9%	51.1%
Hispanic or Latino	2.6%	5.5%	3.2%
Race: Black or African American	2.0%	13.5%	1.4%
Race: White	80.3%	81.6%	93.7%
Race: Other*	17.7%	4.9%	5.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	8.3%	3.2%	13.6%
Used electronic cigarettes	11.6%	11.0%	14.4%
Used hookahs or water pipes	1.9%	1.1%	1.4%
Used alcohol	9.9%	14.9%	15.2%
Used marijuana	4.3%	7.5%	3.8%
Used inhalants	1.3%	0.8%	2.8%
Used Rx not prescribed for you by a doctor	3.0%	0.9%	13.3%
Used `OTC` to get high	1.3%	0.7%	1.9%
Used synthetic drugs	0.7%	1.0%	0.5%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	1.0%	0.3%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.5%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.0%	1.1%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.2%	1.0%
Used `club drugs` such as ecstasy	1.7%	0.2%	1.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	35.3%	33.8%	37.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.3%	10.2%	7.3%
Rode with someone who was drinking alcohol	10.5%	15.4%	20.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	19.1%	14.2%	28.4%
Posted something online or sent a text that might embarrass or hurt another student	18.3%	17.3%	14.9%
Made fun of other people	44.6%	43.9%	57.3%
Hit, shoved or pushed another student and were not just fooling around	17.1%	14.0%	26.8%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	21.4%	17.9%	22.7%
Been threatened or injured with a weapon on school property	8.9%	7.9%	9.0%
Seriously considered suicide	15.1%	11.0%	18.2%
Planned suicide	14.3%	8.4%	11.3%
Attempted suicide	7.4%	4.3%	8.6%
Depression Scale (% often or always in Past Month)			
Were very sad	32.1%	27.7%	33.0%
Were grouchy or irritable, or in a bad mood	42.5%	35.5%	42.5%
Felt hopeless about the future	21.1%	15.5%	19.9%
Felt like not eating or eating more than usual	27.1%	24.3%	28.1%
Felt like sleeping a lot more or a lot less than usual	36.5%	37.6%	37.7%
Had difficulty concentrating on school work	40.3%	37.4%	35.7%

Со	2022 unty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very wr	rong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.8%	93.8%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.5%	94.5%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	92.5%	97.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.6%	97.1%	94.7%
Friends' perception of wrongness (% reflects wrong + very wr	ong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	78.4%	81.0%	77.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.2%	75.9%	69.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.4%	71.1%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.2%	89.7%	84.6%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	38.1%	34.9%	43.9%
'Very' or 'sort of easy' to get e-cigarettes	43.0%	45.5%	37.6%
'Very' or 'sort of easy' to get alcohol	40.1%	50.8%	47.1%
'Very' or 'sort of easy' to get marijuana	29.0%	33.9%	21.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.6%	19.9%	21.7%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.7%	7.1%	13.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.2%	15.2%	24.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.4%	20.0%	26.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.7%	17.4%	17.4%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	31.2%	33.3%	27.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.8%	18.0%	17.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.5%	44.5%	42.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.5%	31.5%	42.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.5%	22.2%	30.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.9%	39.1%	22.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.9%	10.0%	6.5%
'No' or 'slight risk' if they use synthetic drugs	13.4%	16.1%	16.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.0%	21.7%	25.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	10.8%	12.5%



Thank You!

2022 Missouri Student Survey Vernon



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	1,027	1804	527
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.5%	12.9%	14.7%
Grade level. 7th Grade	15.0%	11.8%	22.3%
Grade level. 8th Grade	18.0%	11.6%	19.1%
Grade level. 9th Grade	18.6%	14.7%	35.1%
Grade level. 10th Grade	13.9%	14.9%	5.4%
Grade level. 11th Grade	11.0%	15.8%	2.5%
Grade level. 12th Grade	11.0%	18.2%	0.8%
Male	49.9%	49.9%	46.9%
Hispanic or Latino	2.5%	5.5%	1.4%
Race: Black or African American	0.6%	13.5%	0.8%
Race: White	85.8%	81.6%	96.4%
Race: Other*	13.6%	4.9%	2.7%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	6.3%	3.2%	8.3%
Used electronic cigarettes	13.3%	11.0%	14.9%
Used hookahs or water pipes	1.2%	1.1%	0.8%
Used alcohol	12.9%	14.9%	7.5%
Used marijuana	6.0%	7.5%	1.9%
Used inhalants	0.6%	0.8%	1.9%
Used Rx not prescribed for you by a doctor	2.0%	0.9%	8.6%
Used `OTC` to get high	1.8%	0.7%	1.9%
Used synthetic drugs	1.2%	1.0%	0.6%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	1.0%	0.3%	0.3%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.4%	1.1%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.2%	0.8%
Used `club drugs` such as ecstasy	0.8%	0.2%	1.7%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	35.5%	33.8%	29.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	10.2%	4.7%
Rode with someone who was drinking alcohol	17.5%	15.4%	15.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	14.4%	14.2%	15.7%
Posted something online or sent a text that might embarrass or hurt another student	14.6%	17.3%	10.3%
Made fun of other people	42.7%	43.9%	44.0%
Hit, shoved or pushed another student and were not just fooling around	14.0%	14.0%	13.9%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	18.2%	17.9%	19.2%
Been threatened or injured with a weapon on school property	7.4%	7.9%	8.4%
Seriously considered suicide	11.8%	11.0%	10.1%
Planned suicide	9.5%	8.4%	7.4%
Attempted suicide	6.4%	4.3%	3.8%
Depression Scale (% often or always in Past Month)			
Were very sad	29.8%	27.7%	25.7%
Were grouchy or irritable, or in a bad mood	37.3%	35.5%	34.7%
Felt hopeless about the future	16.7%	15.5%	15.4%
Felt like not eating or eating more than usual	27.8%	24.3%	25.3%
Felt like sleeping a lot more or a lot less than usual	34.2%	37.6%	30.4%
Had difficulty concentrating on school work	33.1%	37.4%	31.5%

Co	2022 ounty Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very w	<u>/rong)</u>		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.0%	93.8%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.9%	94.5%	97.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	a 93.7%	92.5%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	97.1%	97.5%
Friends' perception of wrongness (% reflects wrong + very w	rong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarettes	81.7%	81.0%	85.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.0%	75.9%	83.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.8%	71.1%	85.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	89.7%	94.5%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	36.7%	34.9%	30.1%
'Very' or 'sort of easy' to get e-cigarettes	44.6%	45.5%	38.5%
'Very' or 'sort of easy' to get alcohol	47.0%	50.8%	37.2%
'Very' or 'sort of easy' to get marijuana	26.9%	33.9%	19.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.2%	19.9%	14.9%
Friends' perception of coolness (% reflects pretty cool + very	cool)		
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.8%	7.1%	9.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.0%	15.2%	19.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.5%	20.0%	16.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.6%	17.4%	16.7%

Cou	2022 nty Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	29.9%	33.3%	26.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.0%	18.0%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.0%	44.5%	33.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.3%	31.5%	35.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.5%	22.2%	23.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.7%	39.1%	22.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.8%	10.0%	5.7%
'No' or 'slight risk' if they use synthetic drugs	14.5%	16.1%	9.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.3%	21.7%	17.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.0%	10.8%	9.3%



Thank You!

2022 Missouri Student Survey Warren



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Washington



	2022 County Data	2022 MO Data	2020 County Data
Approximate Sample Size	600	1804	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	0.0%	12.9%	0.0%
Grade level. 7th Grade	20.0%	11.8%	0.0%
Grade level. 8th Grade	20.6%	11.6%	0.0%
Grade level. 9th Grade	22.8%	14.7%	0.0%
Grade level. 10th Grade	16.1%	14.9%	0.0%
Grade level. 11th Grade	13.1%	15.8%	0.0%
Grade level. 12th Grade	7.4%	18.2%	0.0%
Male	47.7%	49.9%	0.0%
Hispanic or Latino	3.8%	5.5%	0.0%
Race: Black or African American	0.8%	13.5%	0.0%
Race: White	86.9%	81.6%	0.0%
Race: Other*	12.2%	4.9%	0.0%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.8%	3.2%	0.0%
Used electronic cigarettes	14.6%	11.0%	0.0%
Used hookahs or water pipes	1.0%	1.1%	0.0%
Used alcohol	9.1%	14.9%	0.0%
Used marijuana	5.9%	7.5%	0.0%
Used inhalants	0.7%	0.8%	0.0%
Used Rx not prescribed for you by a doctor	1.7%	0.9%	0.0%
Used `OTC` to get high	1.6%	0.7%	0.0%
Used synthetic drugs	0.0%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)			
Used cocaine or `crack`	0.2%	0.3%	0.0%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	1.2%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.5%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	43.0%	33.8%	0.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	10.2%	0.0%
Rode with someone who was drinking alcohol	13.8%	15.4%	0.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	11.9%	14.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	15.6%	17.3%	0.0%
Made fun of other people	40.2%	43.9%	0.0%
Hit, shoved or pushed another student and were not just fooling around	10.6%	14.0%	0.0%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	14.4%	17.9%	0.0%
Been threatened or injured with a weapon on school property	7.2%	7.9%	0.0%
Seriously considered suicide	17.1%	11.0%	0.0%
Planned suicide	13.5%	8.4%	0.0%
Attempted suicide	7.3%	4.3%	0.0%
Depression Scale (% often or always in Past Month)			
Were very sad	37.0%	27.7%	0.0%
Were grouchy or irritable, or in a bad mood	42.3%	35.5%	0.0%
Felt hopeless about the future	21.2%	15.5%	0.0%
Felt like not eating or eating more than usual	32.9%	24.3%	0.0%
Felt like sleeping a lot more or a lot less than usual	40.9%	37.6%	0.0%
Had difficulty concentrating on school work	41.4%	37.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Parents' perception of wrongness (% reflects wrong + very v	wrong)		
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.6%	93.8%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	94.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuar once or twice a week	na 93.4%	92.5%	0.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.3%	97.1%	0.0%
Friends' perception of wrongness (% reflects wrong + very v	vrong)		
Friends feel it would be 'wrong' or 'very wrong' to smoke cigarette	es 83.7%	81.0%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.2%	75.9%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.0%	71.1%	0.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.8%	89.7%	0.0%
Perception of Availability (% very easy + sort of easy)			
'Very' or 'sort of easy' to get cigarettes	39.0%	34.9%	0.0%
'Very' or 'sort of easy' to get e-cigarettes	49.0%	45.5%	0.0%
'Very' or 'sort of easy' to get alcohol	47.0%	50.8%	0.0%
'Very' or 'sort of easy' to get marijuana	30.6%	33.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.5%	19.9%	0.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.1%	7.1%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.7%	15.2%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.5%	20.0%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.4%	17.4%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	35.6%	33.3%	0.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /o	day 18.2%	18.0%	0.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.3%	44.5%	0.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.5%	31.5%	0.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.8%	22.2%	0.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.8%	39.1%	0.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	10.0%	0.0%
'No' or 'slight risk' if they use synthetic drugs	12.1%	16.1%	0.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.3%	21.7%	0.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.4%	10.8%	0.0%



Thank You!

2022 Missouri Student Survey Wayne



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Webster



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Worth



2022 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

2022 Missouri Student Survey Wright



	2022	2022	2020
	County Data	MO Data	County Data
Approximate Sample Size	56	1804	60
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	27.8%	12.9%	23.6%
Grade level. 7th Grade	0.0%	11.8%	46.6%
Grade level. 8th Grade	72.2%	11.6%	27.9%
Grade level. 9th Grade	0.0%	14.7%	0.0%
Grade level. 10th Grade	0.0%	14.9%	0.0%
Grade level. 11th Grade	0.0%	15.8%	0.0%
Grade level. 12th Grade	0.0%	18.2%	1.9%
Male	74.1%	49.9%	53.0%
Hispanic or Latino	0.8%	5.5%	1.0%
Race: Black or African American	0.2%	13.5%	0.4%
Race: White	96.3%	81.6%	96.8%
Race: Other*	3.4%	4.9%	2.8%

^{*}Multiracial, American Indian/ Alaskan Native, Asian, Native Hawaiian/PI, and other.

Note: Small sample sizes at the school level can make comparisons difficult. Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

Substances: Past 30 Days (% reflects "1+" answer)			
Used tobacco (cigarettes or chew)	3.5%	3.2%	8.2%
Used electronic cigarettes	2.6%	11.0%	14.5%
Used hookahs or water pipes	0.0%	1.1%	0.0%
Used alcohol	3.7%	14.9%	6.5%
Used marijuana	0.0%	7.5%	2.3%
Used inhalants	2.0%	0.8%	2.3%
Used Rx not prescribed for you by a doctor	0.4%	0.9%	10.6%
Used `OTC` to get high	0.4%	0.7%	6.8%
Used synthetic drugs	0.4%	1.0%	0.0%

	2022 County Data	2022 MO Data	2020 County Data
Substances: Ever in your life (% reflects "1+" answer)	,		,
Used cocaine or `crack`	0.0%	0.3%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogins such as LSD, PCP, or magic mushrooms	0.0%	1.1%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.2%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.2%	0.0%
Behavior: Last 30 Days (% reflects "1+" answer)			
Missed whole day(s) of school because you skipped or cut	42.2%	33.8%	22.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	10.2%	2.2%
Rode with someone who was drinking alcohol	1.4%	15.4%	5.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
Spread mean rumors or lies about other kids at school	9.9%	14.2%	19.2%
Posted something online or sent a text that might embarrass or hurt another student	9.1%	17.3%	8.3%
Made fun of other people	42.9%	43.9%	51.9%
Hit, shoved or pushed another student and were not just fooling around	14.0%	14.0%	11.5%
Behavior: Last 12 Months (% reflects "1+" answer)			
Were in a physical fight	9.1%	17.9%	28.5%
Been threatened or injured with a weapon on school property	1.5%	7.9%	6.3%
Seriously considered suicide	1.0%	11.0%	7.8%
Planned suicide	28.3%	8.4%	1.0%
Attempted suicide	1.0%	4.3%	8.1%
Depression Scale (% often or always in Past Month)			
Were very sad	14.0%	27.7%	24.6%
Were grouchy or irritable, or in a bad mood	20.0%	35.5%	25.6%
Felt hopeless about the future	3.0%	15.5%	11.9%
Felt like not eating or eating more than usual	10.3%	24.3%	26.5%
Felt like sleeping a lot more or a lot less than usual	16.3%	37.6%	28.8%
Had difficulty concentrating on school work	8.5%	37.4%	27.4%

2022 County Data	2022 MO Data	2020 County Data	
y wrong)			
99.0%	93.8%	89.7%	
95.5%	94.5%	95.5%	
ana 100.0%	92.5%	97.8%	
98.8%	97.1%	97.8%	
wrong)			
tes 65.1%	81.0%	83.2%	
64.9%	75.9%	73.2%	
64.2%	71.1%	80.6%	
68.8%	89.7%	89.2%	
11.6%	34.9%	18.7%	
12.4%	45.5%	32.8%	
18.8%	50.8%	23.0%	
9.1%	33.9%	9.7%	
11.2%	19.9%	8.2%	
Friends' perception of coolness (% reflects pretty cool + very cool)			
2.7%	7.1%	6.3%	
4.2%	15.2%	10.0%	
5.1%	20.0%	12.9%	
2.7%	17.4%	8.5%	
	County Data y wrong) 20 99.0% 95.5% Iana 100.0% 98.8% y wrong) Ittes 65.1% 64.9% 64.2% 68.8% 11.6% 12.4% 18.8% 9.1% 11.2% ery cool) 2.7% 4.2% 5.1%	County Data MO Data y wrong) CO 99.0% 93.8% 95.5% 94.5% 100.0% 92.5% 98.8% 97.1% / wrong) Ittes 65.1% 81.0% 64.9% 75.9% 64.2% 71.1% 68.8% 89.7% 11.6% 34.9% 12.4% 45.5% 18.8% 50.8% 9.1% 33.9% 11.2% 19.9% ery cool) 2.7% 7.1% 4.2% 15.2% 5.1% 20.0%	

	2022 County Data	2022 MO Data	2020 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they used e-cigarettes	12.0%	33.3%	36.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /	day 11.8%	18.0%	27.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	16.1%	44.5%	36.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	20.7%	31.5%	46.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	12.7%	22.2%	37.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	39.2%	39.1%	27.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	4.4%	10.0%	16.3%
'No' or 'slight risk' if they use synthetic drugs	11.2%	16.1%	21.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	9.3%	21.7%	28.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	6.6%	10.8%	16.6%



Thank You!